

.....

TONA

HOSCO® Instrument DARTS + Accessories & Maintenance CATALOG 2025

10

6

0

HH



What does the HOSCO' mean? If the category has the HOSCO', it means that all the items in the category can be purchased with HOSCO packaging. Even though the category doesn't have the HOSCO', if the item has the HOSCO', it means the item can be purchased with HOSCO packaging.

The dimensions of drawings on this catalog are metric basically.


Send your order via E-mail: contact@hosco.co.jp or Fax: +81-52-796-1630

New Products Information

Sanko Coiled Fretwire Sanko Precut Stainless steel Fretwire **Stainless steel Fretwire** P.39 **P.40 New Relic Parts** VOLUME VOLUME TONE 11111 HILLING 10 10 10 VOLUME VOLUME TONE TONE P.42 ill....ill 11.1 1.1 10 10 10 10 VOLUME VOLUME TONE TONE 6.1110 10 10 10 10 **P.48 P.49** P.53 P.54 **CAB Plastic Knobs**



P.47



INDEX

Electronics Parts

| Potentiometers ······ CTS Control Potentiometers ······ | | |
|--|----|-----------|
| CTS Push-Pull DPDT Potentiometers | 10 | |
| Alpha Control Potentiometers | 11 | 20000 |
| Other Potentiometers | 11 | 0.3 |
| Switches | 13 | |
| Covered Lever Switches | 13 | |
| Vintage style Lever Switches | 13 | |
| CRL Lever Switches | 13 | |
| Alpha Lever Switches | 14 | SAL BUTDU |
| Straight Toggle Switches | 14 | III II |
| Right-angle Toggle Switches | 14 | 111 |
| Switchcraft Toggle Switches | 15 | |
| Mini Toggle Switches | 15 | 17 |
| Switchcraft Slide Switches | 15 | and the |
| Plugs ····· | 16 | |
| Switchcraft Plugs | 16 | |
| Jacks ······ | 16 | |
| Flush-mount Jacks | 16 | |
| Endpin Jacks ····· | 16 | |
| Switchcraft Endpin Jack | 16 | Strand . |
| Output Jacks | 17 | 9/11 |
| Switchcraft Output Jacks | 17 | -40 |
| | | |

| Capacitors | 17 | |
|--|----|--------------|
| Oil Capacitors | 17 | |
| Polyester Film Capacitors | 17 | |
| Pickups ······ | 18 | |
| Guitar Pickups | 18 | |
| Bass Pickups | 25 | |
| Circuit Wires | 26 | |
| Lead Wires ····· | 26 | |
| Multi-conductor Shielded Wires | 26 | |
| Cloth-covered Single Wires | 26 | 1 |
| Mesh-shielded Single Wire | 26 | |
| Aluminum Ground Materials | 27 | |
| Vintage style Aluminum Ground Plates … | 27 | |
| Aluminum Ground Sheets | 27 | |
| Circuit Kits | 28 | |
| Circuit Kits w/CTS Potentiometers | 28 | 2 10 |
| Circuit Kits w/Alpha Potentiometers | 29 | / |
| Nuts / Washers ····· | 30 | (/ |
| Nuts | 30 | |
| Deep Thread Round Nut | 30 | |
| Flat Washers | 30 | \frown |
| Lock Washers ····· | 31 | \mathbf{O} |
| Packaged Nut/Washer/Lock Washer Sets … | 31 | |

Parts

| Machine Heads | | 1 |
|--|--|--|
| Guitar Machine Heads | 32 | |
| Bass Machine Heads | 34 | |
| Bushings | 34 | |
| String Retainer | | |
| for Guitar | 35 | - |
| for Bass ····· | 35 | |
| | 35 | |
| Two-way Truss Rods | 35 | |
| Martin [®] type Truss Rods | 36 | |
| Reinforcement Rods | 36 | |
| Truss Rod Parts ····· | 36 | |
| Fretwire | 38 | SEL |
| Boxed Fretwire | 38 | |
| Sanko Coiled Fretwire | 38 | 1. akel |
| Packaged Fretwire | 39 | |
| Knobs | 41 | |
| Control Knobs for Guitars | 41 | VOLUME |
| Rickenbacker [®] type Knobs | 46 | |
| Control Knobs for Basses | 47 | 10 |
| Toggle Switch Knobs ····· | 47 | |
| Lever Switch Knobs | 48 | A |
| Arm Knobs | 49 | |
| Arm/Switch Knob Set | 49 | |
| Other Control Knobs ····· | 49 | |
| Position Indicator | 49 | |
| | | |
| Knob Assortment Sets | 50 | 2 |
| Knob Assortment Sets ······ Pickup Parts ····· | 50 51 | 2 |
| Pickup Parts | 51 | |
| Pickup Parts Mounting Rings for Humbucker Pickups ··· | 51 51 | |
| Pickup Parts Mounting Rings for Humbucker Pickups Metal Mounting Rings for ST/TL | 51 51 52 | |
| Pickup Parts Mounting Rings for Humbucker Pickups ···· Metal Mounting Rings for ST/TL ······ Guitar Pickup Covers ····· | 51 51 52 53 | - Contraction of the second se |
| Pickup Parts Mounting Rings for Humbucker Pickups ···· Metal Mounting Rings for ST/TL ······ Guitar Pickup Covers ····· Pickup Springs | 51 51 52 53 56 | |
| Pickup Parts Mounting Rings for Humbucker Pickups Metal Mounting Rings for ST/TL Guitar Pickup Covers Pickup Springs Polepiece Screws | 51 52 53 56 56 | |
| Pickup Parts Mounting Rings for Humbucker Pickups ···· Metal Mounting Rings for ST/TL ······ Guitar Pickup Covers ····· Pickup Springs Polepiece Screws Bass Pickup Covers ····· | 51 52 53 56 56 57 | |
| Pickup Parts Mounting Rings for Humbucker Pickups ···· Metal Mounting Rings for ST/TL ······ Guitar Pickup Covers ····· Pickup Springs Polepiece Screws Bass Pickup Covers Pickup Fence | 51 52 53 56 56 56 57 57 | |
| Pickup Parts Mounting Rings for Humbucker Pickups ···· Metal Mounting Rings for ST/TL ······ Guitar Pickup Covers Pickup Springs Polepiece Screws Bass Pickup Covers Pickup Fence Pickup Height Foam | 51 52 53 56 56 57 57 57 | |
| Pickup Parts Mounting Rings for Humbucker Pickups ···· Metal Mounting Rings for ST/TL ····· Guitar Pickup Covers ····· Pickup Springs Polepiece Screws Bass Pickup Covers Pickup Fence Pickup Height Foam Bridges | 51 52 53 56 56 57 57 57 57 | |
| Pickup Parts Mounting Rings for Humbucker Pickups ··· Metal Mounting Rings for ST/TL ··· Guitar Pickup Covers ··· Pickup Springs Polepiece Screws Bass Pickup Covers Pickup Fence Pickup Height Foam Bridges Electric Guitar Bridges | 51 51 52 53 56 56 57 57 57 57 58 58 | |
| Pickup Parts Mounting Rings for Humbucker Pickups ···· Metal Mounting Rings for ST/TL ····· Guitar Pickup Covers ···· Pickup Springs Polepiece Screws Bass Pickup Covers Pickup Fence Pickup Height Foam Bridges Electric Guitar Bridges Two-point Synchronized Tremolo Bridges ··· | 51 51 52 53 56 56 57 57 57 58 58 61 | |
| Pickup Parts Mounting Rings for Humbucker Pickups ···· Metal Mounting Rings for ST/TL ······ Guitar Pickup Covers ····· Pickup Springs Polepiece Screws Bass Pickup Covers Pickup Fence Pickup Height Foam Bridges Electric Guitar Bridges Two-point Synchronized Tremolo Bridge ···· Vintage style Synchronized Tremolo Bridge ···· | 51 51 52 53 56 56 57 57 57 57 58 61 62 | |
| Pickup Parts Mounting Rings for Humbucker Pickups ···· Metal Mounting Rings for ST/TL ····· Guitar Pickup Covers Pickup Springs Polepiece Screws Bass Pickup Covers Pickup Fence Pickup Height Foam Bridges Electric Guitar Bridges Two-point Synchronized Tremolo Bridges ···· Vintage style Synchronized Tremolo Bridge··· JG/JM type Tremolo & Bridge | 51 51 52 53 56 56 57 57 57 57 57 58 61 62 62 | |
| Pickup Parts Mounting Rings for Humbucker Pickups ···· Metal Mounting Rings for ST/TL ····· Guitar Pickup Covers ···· Pickup Springs Polepiece Screws Bass Pickup Covers Pickup Fence Pickup Height Foam Bridges Electric Guitar Bridges ····· Two-point Synchronized Tremolo Bridges ···· Vintage style Synchronized Tremolo Bridge ···· JG/JM type Tremolo & Bridge ···· | 51 51 52 53 56 56 57 57 57 57 57 58 61 62 62 62 | |
| Pickup Parts Mounting Rings for Humbucker Pickups ··· Metal Mounting Rings for ST/TL ··· Guitar Pickup Covers Pickup Springs Polepiece Screws Bass Pickup Covers Pickup Fence Pickup Height Foam Bridges Electric Guitar Bridges Two-point Synchronized Tremolo Bridges Vintage style Synchronized Tremolo Bridge Vintage style Synchronized Tremolo Bridge Fixing Bushing MG type Tremolo & Bridge | 51 51 52 53 56 56 57 57 57 57 58 61 62 62 62 63 | |
| Pickup Parts Mounting Rings for Humbucker Pickups ··· Metal Mounting Rings for ST/TL ··· Guitar Pickup Covers ··· Pickup Springs Polepiece Screws Bass Pickup Covers ··· Pickup Fence Pickup Height Foam ··· Bridges ··· Electric Guitar Bridges ··· Vintage style Synchronized Tremolo Bridges ··· Vintage style Synchronized Tremolo Bridge ··· JG/JM type Tremolo & Bridge ··· Fixing Bushing ··· MG type Tremolo & Bridge ··· | 51 51 52 53 56 56 57 57 57 57 57 58 61 62 62 62 63 64 | |
| Pickup Parts Mounting Rings for Humbucker Pickups ··· Metal Mounting Rings for ST/TL ··· Guitar Pickup Covers ··· Pickup Springs Polepiece Screws Bass Pickup Covers ··· Pickup Fence Pickup Height Foam ··· Bridges ··· Electric Guitar Bridges ··· Vintage style Synchronized Tremolo Bridges ··· Vintage style Synchronized Tremolo Bridge ··· JG/JM type Tremolo & Bridge ··· Fixing Bushing ··· MG type Tremolo & Bridge ··· Electric Bass Bridges ··· | 51 52 53 56 56 57 57 57 57 57 57 58 61 62 62 62 63 64 65 | |
| Pickup Parts Mounting Rings for Humbucker Pickups ···· Metal Mounting Rings for ST/TL ····· Guitar Pickup Covers ···· Pickup Springs Polepiece Screws Bass Pickup Covers ···· Pickup Fence Pickup Height Foam Bridges Electric Guitar Bridges ···· Vintage style Synchronized Tremolo Bridge ···· Vintage style Synchronized Tremolo Bridge ···· Vintage style Synchronized Tremolo Bridge ···· Fixing Bushing ····· MG type Tremolo & Bridge ···· Electric Bass Bridges ···· MG type Tremolo & Bridge ····· Bridge Covers ····· Archtop Guitar Bridges ····· | 51 52 53 56 57 57 57 57 57 57 58 61 62 62 63 64 65 66 | |
| Pickup Parts Mounting Rings for Humbucker Pickups ···· Metal Mounting Rings for ST/TL ····· Guitar Pickup Covers Pickup Springs Polepiece Screws Bass Pickup Covers Pickup Fence Pickup Height Foam Bridges Electric Guitar Bridges Two-point Synchronized Tremolo Bridge Vintage style Synchronized Tremolo Bridge Vintage style Synchronized Tremolo Bridge Fixing Bushing MG type Tremolo & Bridge Electric Bass Bridges Bridge Covers Archtop Guitar Bridges Acoustic Guitar Bridges | 51 52 53 56 57 57 57 57 58 61 62 62 63 64 65 66 66 | |
| Pickup Parts Mounting Rings for Humbucker Pickups ···· Metal Mounting Rings for ST/TL ····· Guitar Pickup Covers ···· Pickup Springs Polepiece Screws Bass Pickup Covers ···· Pickup Fence ···· Pickup Height Foam ···· Bridges ···· Electric Guitar Bridges ···· Vintage style Synchronized Tremolo Bridge ···· Vintage style Synchronized Tremolo Bridge ···· JG/JM type Tremolo & Bridge ···· Fixing Bushing ····· MG type Tremolo & Bridge ····· Electric Bass Bridges ···· MG type Tremolo & Bridge ····· Archtop Guitar Bridges ····· Acoustic Guitar Bridges ····· | 51 52 53 56 57 57 57 57 58 61 62 62 63 64 65 66 66 66 66 | |
| Pickup Parts Mounting Rings for Humbucker Pickups ··· Metal Mounting Rings for ST/TL ··· Guitar Pickup Covers ··· Pickup Springs Polepiece Screws Bass Pickup Covers ··· Pickup Fence Pickup Height Foam ··· Bridges Electric Guitar Bridges Two-point Synchronized Tremolo Bridge ··· Vintage style Synchronized Tremolo Bridge ··· JG/JM type Tremolo & Bridge Fixing Bushing ··· MG type Tremolo & Bridge Electric Bass Bridges ··· Bridge Covers ··· Archtop Guitar Bridges Acoustic Guitar Bridges Classical Guitar Bridges Bridge Pins | 51 52 53 56 57 57 57 57 58 61 62 62 63 64 65 66 66 66 67 | |
| Pickup Parts Mounting Rings for Humbucker Pickups ··· Metal Mounting Rings for ST/TL Guitar Pickup Covers Pickup Springs Polepiece Screws Bass Pickup Covers Pickup Fence Pickup Height Foam Bridges Electric Guitar Bridges Two-point Synchronized Tremolo Bridge Vintage style Synchronized Tremolo Bridge Sidge Style Synchronized Tremolo Bridge Fixing Bushing MG type Tremolo & Bridge Electric Bass Bridges Bridge Covers Archtop Guitar Bridges Classical Guitar Bridges Bridge Pins Tailpieces | 51 52 53 56 57 57 58 61 62 62 63 64 65 66 66 66 67 68 | |
| Pickup Parts Mounting Rings for Humbucker Pickups Metal Mounting Rings for ST/TL Guitar Pickup Covers Pickup Springs Polepiece Screws Bass Pickup Covers Pickup Fence Pickup Height Foam Bridges Electric Guitar Bridges Two-point Synchronized Tremolo Bridge Vintage style Synchronized Tremolo Bridge Vintage style Synchronized Tremolo Bridge Fixing Bushing MG type Tremolo & Bridge Electric Bass Bridges Bridge Covers Archtop Guitar Bridges Classical Guitar Bridges Bridge Pins Tailpieces | 51 52 53 56 57 57 58 61 62 62 63 64 65 66 66 66 67 68 68 | |
| Pickup Parts Mounting Rings for Humbucker Pickups ··· Metal Mounting Rings for ST/TL Guitar Pickup Covers Pickup Springs Polepiece Screws Bass Pickup Covers Pickup Fence Pickup Height Foam Bridges Electric Guitar Bridges Two-point Synchronized Tremolo Bridge Vintage style Synchronized Tremolo Bridge Sidge Style Synchronized Tremolo Bridge Fixing Bushing MG type Tremolo & Bridge Electric Bass Bridges Bridge Covers Archtop Guitar Bridges Classical Guitar Bridges Bridge Pins Tailpieces | 51 52 53 56 57 57 58 61 62 62 63 64 65 66 66 66 67 68 | |

| Plates | |
|--|---|
| Backplates7 | D |
| Control Plates 7 | 1 |
| Neck Plate 72 | 2 |
| Jack Plates7 | 3 |
| Treble/Rhythm Plates ······ 74 | 4 |
| JG/JM type Related Parts ······ 74 | 4 |
| Truss Rod Covers ······ 7 | |
| Pickguards7 | 5 |
| Electric Guitar Pickguards | 5 |
| Electric Bass Pickguards8 | 1 / (|
| Acoustic Guitar Pickguards ······ 83 | 2 |
| Archtop Guitar Pickguards 8 | 2 |
| Pickguard Brackets 8 | 3 🔺 👗 |
| Blank Sheets | 4 |
| Faceguard······8 | 5 |
| Buckle Guard 8 | 5 |
| String Bushings8 | 6 |
| Guitar String Bushings ······ 8 | |
| Bass String Bushings | 6 |
| Other Bass Parts | |
| Finger Rest | |
| Endpins / Strap Buttons ······8 | (1) |
| Strap Buttons for Electric Guitars / Basses ···· 8 | |
| Felt Washer ······ 8 | |
| Endpins for Acoustic Guitars | |
| Plastic Bridge Pin / Endpin Assortment Set 8 | |
| Nuts / Saddles | |
| Blank Bone Nuts | |
| Blank Bone Saddles | |
| | |
| | and the second se |
| | |
| | |
| Sound Offset Spacers | |
| | |
| Brass Nuts 99 | |
| Plastic Nut / Saddle Assortment Sets ···· 9 | |
| Bodies | - |
| Guitar Bodies | |
| Bass Bodies ····· 9 | |
| Necks 10 | |
| Guitar Necks 10 | |
| Neck Parts 10 | |
| Neck Joint Ferrules | |
| Tonewoods ······ 102 | 2 |
| Blank Bodies 10. | 2 WHHHIAT |
| Blank Necks (for bolt on) 10. | 3 |
| Blank Fingerboards ······ 10 | 3 |
| Kerfed Linings 10 | 3 |
| Bindings 104 | 4 |
| Patterned Bindings | |
| Plain Bindings ······ 104 | |
| Laminated Bindings 10 | 4 |
| Binding Glue | |
| Inlays 10 | 5 |
| Precut Fingerboard Inlays 10 | 5 |
| Durfling Inlaws | ALC: NOT A |
| Purfling Inlays ····· 10 | 5 |
| Purflings 100 | 5 |
| Purflings 100 Herringbone | |
| Purflings 100 | |

國語

| Position Marks106Position Dots106Side Dot Materials106Screws107Master Relic Collection Screw Set107Tuner Screws108String Retainer Screws109Truss Rod Cover Screws109Neck Plate Screws109 | |
|--|---|
| Switch Mounting Screws ······ 110 Pickguard Screws ····· 110 | |
| Mounting Ring Screws | |
| Pickup Mounting Screws ······ 111 | |
| Control Plate Screws ······ 112 | 1 |
| Back Plate Screws | |
| Jack Plate/Cover Screws | |
| Bridge/Tremolo Mounting Screws ······· 113 | |
| Tailpiece Screws ······ 114 | |
| Polepiece Screws ······ 114 | |
| Battery Box Screws 114 | |
| Endpin Screws ······ 114 | 1 |
| Wrenches 115 | 1 |
| Allen Wrenches ····· 115 | |
| Truss Rod Wrenches | 4 |
| Resonator Guitar Parts 116 | |
| Resonator Guitar Bridges | |
| Resonator Cones 116 | |
| Coverplate116 | - |
| Extension Nut | |
| Saddles ····· 117 | |
| Sound Ring 117 | |
| Resonator Guitar Tailpiece 117 | |
| Resonator Guitar Machine Heads 117 | |

Accessories









| Accessories | |
|-------------------------------------|-----------|
| | |
| Picks 124 | |
| Thumb Picks ······ 124 | 1000 |
| Finger Picks | |
| Flat Picks ······ 125 | |
| Mandolin Picks ······ 126 | |
| Mutes 127 | |
| MyMute ™ | Marking V |
| Violin Mute ····· 127 | |
| Care / Cleaning 128 | |
| Wiping Cloths 128 | |
| Easy Fret Care | - |
| Humidity Controllers | |
| Hygro-Thermometers 131 | 6 |
| HOSCO Hygro-Thermometers ······ 131 | |

Relic Parts

| Master Relic Collection 132 ST type Parts | |
|--|-----|
| TL type Parts 133 | 100 |
| ST/TL type Parts | |
| LP type Parts ······ 134 | - 1 |
| PB type Parts ····· 135 | 90 |



| Banjo Parts 118 | |
|---------------------------------|--------|
| Blank Bone Nut ····· 118 | |
| Fretwire ······ 118 | |
| Coordinator Rod Set | |
| Resonator Hardware Sets 118 | |
| Banjo Tailpieces | |
| Banjo Bridge ····· 119 | |
| Banjo Armrests ······ 119 | 14.20 |
| Tension Hoop ····· 119 | |
| Banjo Hook / Nut Set ······ 120 | martin |
| Resonator Flange / Tube | |
| Banjo Bracket Wrenches | |
| Mandolin Parts 120 | |
| Blank Bone Nut ····· 120 | |
| Mandolin Tailpieces 120 | |
| Fretwire 121 | |
| Mandolin Pickguards | |
| Mandolin Bridges ····· 122 | |
| Ukulele Parts 122 | 100 |
| Sound Offset Spacers ······ 122 | |
| Blank Bone Nut ····· 122 | |
| Fretwire 123 | 1111 |
| Bridge 123 | |
| Violin Parts | |
| | |


Potentiometers Pack

CTS Control Potentiometers


CTS is the most famous potentiometers in the music industry. For all of our CTS pots, Nut x1, Washer x1, and Lock washer x1 included.



Please see the comparison pictures below. Hosco's CTS pots have a unique shaft. It might be a little difference, but it prevents knobs from being cracked. Save your knobs with Hosco's CTS pots!




CTS®



Electronics

Regular Shaft (Inch)




| ltem# | Description |
|----------|-----------------------------|
| CTS-A250 | Regular shaft, 250K, A type |
| CTS-B250 | Regular shaft, 250K, B type |
| CTS-A500 | Regular shaft, 500K, A type |
| CTS-B500 | Regular shaft, 500K, B type |

A type : Audio taper / B type : Linear taper Fits our Inch sized knobs. (See pages 31-37)

Short Shaft (Inch)

For mounting onto pickguards. If you don't like a gap between knobs and pickguards, please choose this short shaft.






| ltem# | Description |
|------------|---------------------------|
| CTS-A250-S | Short shaft, 250K, A type |
| CTS-B250-S | Short shaft, 250K, B type |
| CTS-A500-S | Short shaft, 500K, A type |
| CTS-B500-S | Short shaft, 500K, B type |
| | |

A type : Audio taper / B type : Linear taper Fits our Inch sized knobs. (See pages 31-37)

Long Shaft (Inch)

For mounting onto archtop guitar bodies like LP.




| | ltem# | Description |
|----|----------|--------------------------|
| СТ | S-A500-L | Long shaft, 500K, A type |
| СТ | S-B500-L | Long shaft, 500K, B type |

A type : Audio taper / B type : Linear taper Fits our Inch sized knobs. (See pages 31-37)

Short & Solid Shaft (Inch)

For using metal knobs like TL.



CTS-A1M/A250-SS

| ltem# | Description |
|-------------|-----------------------------------|
| CTS-A1M-SS | Short & Solid shaft, A type, 1MEG |
| CTS-A250-SS | Short & Solid shaft, A type, 250K |

A type : Audio taper


Fits our Inch sized knobs. (See pages 31-37)

Regular Shaft (Metric)

Most of the CTS pots in the musical instrument industry are made in the inch unit system. Even if you preferred CTS quality, you would have needed to make some minor adjustment when you replaced the metric pots with CTS.

Now remember to have these CTS in metric.






| ltem# | Description |
|------------|------------------------------------|
| CTS-A250MM | Metric regular shaft, 250K, A type |
| CTS-B250MM | Metric regular shaft, 250K, B type |
| CTS-A500MM | Metric regular shaft, 500K, A type |
| CTS-B500MM | Metric regular shaft, 500K, B type |

A type : Audio taper / B type : Linear taper Fits our Metric sized knobs. (See pages 30-37)

Maintenance

Relic Parts

| CTS Push-Pull DPD | T Potentiometers |
|-------------------|------------------|
| | 6. |




| CTS-A250 | /A500-PP |
|----------|----------|
|----------|----------|


| ltem# | Description |
|-------------|-----------------------------------|
| CTS-A250-PP | Regular split shaft, A type, 250K |
| CTS-A500-PP | Regular split shaft, A type, 500K |

A type : Audio taper

Fits our Inch sized knobs. (See pages 31-37)



A type : Audio taper Fits our Inch sized knobs. (See pages 31-37)



"When pushed down, the Selector interacts with the bottom 4 lugs (B-C-E-F)." C1 connects to 2 C2 connects to 4 "When pulled up, so it does with the top 4 lugs (A-B-D-E)." C1 connects to 1 C2 connects to 3 As you can see, C1 and C2 stay connected.


Parts

Alpha Control Potentiometers



The electronics by Alpha are famous for its reasonable price and high reliability all over the world. Aluminum split shaft for 18 teeth knurled knobs. ALPHA 1 nut and 1 washer included.


Standard 24mm dia. Potentiometers



| ltem# | Description |
|----------|--------------|
| ALP-250A | 250K, A type |
| ALP-250B | 250K, B type |
| ALP-500A | 500K, A type |
| ALP-500B | 500K, B type |
| ALP-25KA | 25K, A type |
| ALP-25KB | 25K, B type |

A type : Audio taper / B type : Linear taper


Mini 16mm dia. Potentiometers



| ltem# | Description |
|-----------|--------------|
| ALP-2501 | 250K, A type |
| ALP-2501B | 250K, B type |
| ALP-5001 | 500K, A type |
| ALP-5001B | 500K, B type |
| | • |

A type : Audio taper / B type : Linear taper

Mini 16mm dia. Potentiometers for JM/JG Solid shaft.




| ltem# | Description |
|-------------|--------------|
| ALP-1M1B-S | 1MEG, B type |
| ALP-501KB-S | 50K, B type |

B type : Linear taper

Other Potentiometers

Blend Potentiometers


Blend pots control the signal mix from two sources, panning from one source to another, with center detent. Fits our metric sized knobs. 1 nut and 1 washer included.



Parts

Other String Instrument Parts

Accessories




A type : Audio taper / B type : Linear taper

Push-Push Potentiometers

Push-push pots for electric guitars. Fits our metric sized knobs.

1 nut and 1 washer included.

The threads will be changed from 3/8" to M8 in the future.



PU-PUSH-250A


3/8" threads (While stock lasts)

| ltem# | Description |
|--|--------------|
| PUSHPUSH-250A | 250K, A type |
| PUSHPUSH-250B | 250K, B type |
| PUSHPUSH-500B | 500K, B type |
| A type : Audio taper / B type : Linear taper | |

M8 threads (New version)

| ltem# | Description |
|--------------|--------------|
| PU-PUSH-250A | 250K, A type |
| PU-PUSH-250B | 250K, B type |
| PU-PUSH-500A | 500K, A type |
| PU-PUSH-500B | 500K, B type |

A type : Audio taper / B type : Linear taper




"When pushed down, the Selector interacts with the bottom 4 lugs (B-C-E-F)." B connects to C E connects to F


"When pushed (again) to pop up, so it does with the top 4 lugs (A-B-D-E)." B connects to A

E connects to D

As you can see, B and E stay connected.



Just push it!



You can switch the wiring while holding a pick. Make sure to remove knobs when the shaft is UP,


not when it's pushed all the way down.

Switches Pack


Covered Lever Switches

Covered type, nickel contacts. Fits our metric sized knobs. Purchase switch knobs separately. Screws included.





Layout of terminals



| ltem# | Description |
|--------|-------------|
| YM-30S | 3-way |
| YM-50S | 5-way |


Vintage style Lever Switches

Vintage style lever switches. Made in Japan. Two contacts available, nickel and gold. Fits our metric sized knobs. Purchase switch knobs separately. Screws included.


DM-30GS & DM-50GS are exclusively sold by HOSCO.



DM-30S/50S



Layout of terminals



| ltem# | Description |
|---------|--------------------------|
| DM-30S | 3-way, w/Nickel contacts |
| DM-30GS | 3-way, w/Gold contacts |
| DM-50S | 5-way, w/Nickel contacts |
| DM-50GS | 5-way, w/Gold contacts |


We have been successful in improving the quality of the DM-30/50 lever switches by thickening the terminals.

CRL Lever Switches

Vintage style lever switches. Made in USA. Fits our INCH sized knobs. Purchase switch knobs separately. Screws included.



Layout of terminals




Alpha Lever Switches




The electronics by Alpha are famous for its reasonable price and high reliability all over the world. Fits our metric sized knobs. Purchase switch knobs separately. Screws included.

26

13





| ltem# | Description |
|--------|-------------|
| ALP-3W | 3-way |
| ALP-5W | 5-way |

Straight Toggle Switches


3-way switches for LP type guitars and the other 2-pickup guitars.

Fits our metric sized knobs.

Purchase switch knobs separately. (for YM-T20R and YM-T20GGR) 1 knurled nut and 1 washer included.

Knob Material : Brass

| ltem# | Description |
|-----------|---|
| YM-T20R | Nickel contacts, No knob |
| YM-T20B | Nickel contacts, w/Black-nickel knob |
| YM-T20C | Nickel contacts, w/Chrome knob |
| YM-T20G | Nickel contacts, w/Gold knob |
| YM-T20G-2 | Nickel contacts, w/*Gold-plated parts |
| YM-T20B-2 | Nickel contacts, w/*Black-nickel-plated parts |




| ltem# | Description |
|-----------|------------------------|
| YM-T20GGR | Gold contacts, No knob |


*Gold-plated parts : Knob, nut, washer, lever, & threaded portion *Black-plated parts : Knob, nut, washer, lever, & threaded portion

Right-angle Toggle Switches

3-way switches for LP type guitars and 2-pickup or 3-pickup guitars.

Fits our metric sized knobs. Purchase switch knobs separately. 1 knurled nut and 1 washer included.





Switchcraft Toggle Switches 3-way switches for LP type guitars and the other 2-pickup guitars. Description Item# Made in USA. SWC-TR **Right-angle** The Switchcraft toggle switches come with 1 knob, but its color cannot be chosen. 1 knurled nut and 1 washer included. SWC-TS Straight with preliminary weld on terminals Straight, Short SWC-TS-S Switcheraft SWC-TS-S SWC-TS SWC-TR 11.7 11.3 11.7 4 2 6 8 0: 0 Ο Ο 0 0 011111 0 33.2 15.8 48. **Deep Thread Round Nuts** For Switchcraft[®] toggle switches 16 Description Item# 2 DTRN-G Gold e 12.8 DTRN-N Nickel (Inner dia. : 11mm)

Deep Thread Round Nut

Normal **Round Nut**

DTRN-N

This product is compatible with toggle switches made by Switchcraft®. It cannot be used for other toggle switches made in Japan or other millimeter-standard toggle switches.

The threaded part is longer and it can be tightened firmly.

34.5

Mini Toggle Switches



| ON-ON-ONB | | |
|------------|-------------------|--|
| ltem# | Description | |
| ON-OFF-ONB | On-Off-On, Black | |
| ON-OFF-ONC | On-Off-On, Chrome | |
| ON-ON-ONB | On-On-On, Black | |
| ON-ON-ONC | On-On-On, Chrome | |
| ON-ONB | On-On, Black | |
| ON-ONC | On-On, Chrome | |

Switchcraft Slide Switches

Screw hole spacing for On-Off-On : 1-13/32" (Approx. 35.72mm) Screw hole spacing for On-On : 1-1/8" (Approx. 28.58mm) 2 screws included.

Switcheraft





SWC-SON-OFF-ONB

SWC-SON-ONW

| ltem# | Description |
|-----------------|--------------------------|
| SWC-SON-OFF-ONB | On-Off-On, for MG, Black |
| SWC-SON-OFF-ONW | On-Off-On, for MG, White |
| SWC-SON-ONB | On-On, for JM/JG, Black |
| SWC-SON-ONW | On-On, for JM/JG, White |

Plugs Plugs

Switchcraft Plugs



Switchcraft®

| ltem# | Description |
|--------|---------------------------------------|
| PL-14R | 1/4" Right-angle, Monaural phone plug |
| PL-14S | 1/4" Straight, Monaural phone plug |


Jacks HOSCO Pack

Flush-mount Jacks

For solidbody guitars. 1 nut and 1 washer included.







| ltem# | Description |
|---------|---------------------------------------|
| EP-JACK | Stereo (as well as Monaural) , Nickel |
| EP-108B | Stereo (as well as Monaural) , Black |
| EP-108G | Stereo (as well as Monaural) , Gold |
| EP-108N | Stereo (as well as Monaural) , Nickel |

Endpin Jacks


Can be installed from outside the guitar. (EP-JACK2) Nickel only.



| ltem# | Description |
|----------|---|
| EP-110 | Stereo (as well as Monaural) , w/1 nut and 1 washer |
| EP-JACK2 | Stereo (as well as Monaural) , w/2 nuts, 1 washer, 1 lock washer, & 1 rubber ring |

Switchcraft Endpin Jack





For 1/4" phone plug. 3 conductors for stereo. Can be installed from outside the guitar.

| ltem# | Description |
|------------|---------------------------------------|
| SWC-EPJACK | Stereo (as well as Monaural) , Nickel |

2 nuts, 2 washers, and 1 lock washer included.

Parts

Output Jacks

These output jacks can be used for various kinds of electric guitars and basses. 2 nuts and 1 washer included.



| Item# | Length | Dia. |
|-------|--------|------|
| OJ-50 | 8mm | 9mm |
| OJ-65 | 9mm | 9mm |

| ltem# | Description |
|-------|-------------------------|
| OJ-50 | Monaural, Short, Nickel |



| Monaural, Nickel |
|------------------|
| Monaural, Gold |
| |

Description

Description

Stereo (as well as Monaural), Nickel

CR-0470IL

Gold-plated parts : Threaded portion, 1 nut, & 1 washer

Monaural, Nickel

Monaural, Gold

Monaural, Long, Nickel

OJ-120

OJ-120G

Item#

OJ-120L

OJ-120S

a list in

CR-047VQ

Switchcraft Output Jacks

These output jacks can be used for various kinds of electric guitars and basses. 2 nuts and 1 washer included.

Length

7mm

7mm

7mm

9mm

Dia.

9.4mm

9.4mm

9.4mm

9.4mm

CR-022VQ

A gold washer, 1 each of gold and nickel nut come with OJ-120G ONLY.

Item#

OJ-120

OJ-120S

OJ-120G

OJ-120L




| OJ | -120 |
|----|------|
| | |

Capacitors Pack

Oil Capacitors

The decoration is small and light by the insulation sleeve. Made in Japan.

Rated Voltage Range : 630Vdc Withstand Voltage : Rated Voltage x 200% 0.022 μ f for Humbucker, 0.047 μ f for Single coil.



| Item# | W | Т | Н | d. |
|-----------|--------|--------|--------|-------|
| CR-022VQ | 18.0mm | 18.0mm | 18.0mm | 0.6mm |
| CR-047VQ | 28.0mm | 12.0mm | 12.0mm | 0.6mm |
| CR-022OIL | 18.0mm | 15.5mm | 19.5mm | 0.6mm |
| CR-0470IL | 28.0mm | 9.5mm | 15.0mm | 0.6mm |

Polyester Film Capacitors

 $0.022~\mu$ f for Humbucker, $0.047~\mu$ f for Single coil. Made in Japan. MOQ : 100 pcs each.



| ltem# | Description |
|--------|-------------|
| CR-223 | 0.022 μ f |
| CR-473 | 0.047 μ f |

Electronics

Parts

| Two different types are available for the oil capacitors. |
|---|
| *Crispier sound with no muffle (CR-022OIL/CR-047OIL) |
| *Mellower sound (CR-022VQ/CR-047VQ) |
| Both the sound character above with TONE all the way out. |
| |

CR-022OIL

| ltem# | Description | | | |
|-----------|---|--|--|--|
| CR-022VQ | Cylinder type, 0.022 μ f, \pm 10% | | | |
| CR-047VQ | Cylinder type, 0.047 μ f, \pm 10% | | | |
| CR-022OIL | Slim type, 0.022 μ f, \pm 20% | | | |
| CR-0470IL | Slim type, 0.047 μ f, \pm 20% | | | |

Pickups

Guitar Pickups

Wilkinson Single-coil Pickups Made in Japan

Vintage style staggered polepieces (Alnico 5 magnet). Coil wire : Enameled copper wire

Middle pickups are reverse-wound / reverse-polarity. Bridge pickups are slightly overwound for better balance. Comes with a plastic box. Mounting screws included. (Nickel-plated) Polepiece spacing : 52.5mm (10.5mm x 5)



WCLS

WHS

Standard version

| ltem# | Position | Color | DC Resist. | Reso. Peak | Wire Gauge | No. of Winds |
|---------|----------|-------|------------|------------|------------|--------------|
| WCLS-NB | Neck | Black | 5.20K | 7.4KHz | 0.06mm | 8,000 |
| WCLS-NW | Neck | White | 5.20K | 7.4KHz | 0.06mm | 8,000 |
| WCLS-NC | Neck | Cream | 5.20K | 7.4KHz | 0.06mm | 8,000 |
| WCLS-MB | Middle | Black | 5.20K | 7.4KHz | 0.06mm | 8,000 |
| WCLS-MW | Middle | White | 5.20K | 7.4KHz | 0.06mm | 8,000 |
| WCLS-MC | Middle | Cream | 5.20K | 7.4KHz | 0.06mm | 8,000 |
| WCLS-BB | Bridge | Black | 6.28K | 6.1KHz | 0.06mm | 9,500 |
| WCLS-BW | Bridge | White | 6.28K | 6.1KHz | 0.06mm | 9,500 |
| WCLS-BC | Bridge | Cream | 6.28K | 6.1KHz | 0.06mm | 9,500 |

Hotter version of WCLS

| ltem# | Position | Color | DC Resist. | Reso. Peak | Wire Gauge | No. of Winds |
|--------|----------|-------|------------|------------|------------|--------------|
| WHS-NB | Neck | Black | 6.28K | 7.4KHz | AWG43 | 9,500 |
| WHS-NW | Neck | White | 6.28K | 7.4KHz | AWG43 | 9,500 |
| WHS-NC | Neck | Cream | 6.28K | 7.4KHz | AWG43 | 9,500 |
| WHS-MB | Middle | Black | 6.28K | 7.4KHz | AWG43 | 9,500 |
| WHS-MW | Middle | White | 6.28K | 7.4KHz | AWG43 | 9,500 |
| WHS-MC | Middle | Cream | 6.28K | 7.4KHz | AWG43 | 9,500 |
| WHS-BB | Bridge | Black | 5.20K | 7.0KHz | AWG43 | 10,000 |
| WHS-BW | Bridge | White | 5.20K | 7.0KHz | AWG43 | 10,000 |
| WHS-BC | Bridge | Cream | 5.20K | 7.0KHz | AWG43 | 10,000 |

Relic Parts

פרתנהי

Wilkinson TL type Pickups Made in Japan Great combination for classical sound.

Magnet : Alnico 5 / Coil wire : Enameled copper wire Comes with a plastic box. Mounting screws included. (Nickel-plated) Polepiece spacing : 55.0mm (11.0mm x 5)



| ltem# | Position | Finish/Color | DC Resist. | Reso. Peak | Wire Gauge | No. of Winds |
|-------|----------|--------------|------------|------------|------------|--------------|
| WT-N | Neck | Nickel | 4.66K | 12.0KHz | 0.06mm | 6,000 |
| WT-B | Bridge | Black | 5.88K | 7.5KHz | 0.06mm | 7,000 |

Electronics

Wilkinson Humbucker Pickups w/Covers Made in Japan

Classic style Humbucker Pickups with Nickel-silver cover. Magnet : Alnico 5 / Coil wire : Enameled copper wire DC Resist.: 8.43K / Reso. Peak: 7.7KHz Comes with a plastic box. Mounting screws included. (Nickel-plated) Polepiece spacing for Neck : 49.0mm (9.8mm x 5) Polepiece spacing for Bridge : 52.5mm (10.5mm x 5)

| ltem# | Position | Color | Wire Gauge | No. of Winds |
|---------|----------|-------|------------|--------------|
| WCHV-FB | Neck | Black | 0.06mm | 5,200 |
| WCHV-FC | Neck | Cream | 0.06mm | 5,200 |
| WCHV-RB | Bridge | Black | 0.06mm | 5,200 |
| WCHV-RC | Bridge | Crean | 0.06mm | 5,200 |



WCHV

Wilkinson Humbucker Pickups w/o Covers Made in Japan

Open coil style Humbucker Pickups. Higher output than WCHV. Magnet : Alnico 5 / Coil wire : Enameled copper wire DC Resist. : 8.66K / Reso. Peak : 6.6KHz Comes with a plastic box. Mounting screws included. (Nickel-plated) Polepiece spacing for Neck : 49.0mm (9.8mm x 5) Polepiece spacing for Bridge : 52.5mm (10.5mm x 5)

| ltem# | Position | Color | Wire Gauge | No. of Winds |
|----------|----------|-------|------------|--------------|
| WHCLV-FB | Neck | Black | AWG42 | 5,000 |
| WHCLV-FC | Neck | Cream | AWG42 | 5,000 |
| WHCLV-RB | Bridge | Black | AWG42 | 5,000 |
| WHCLV-RC | Bridge | Cream | AWG42 | 5,000 |





Wilkinson P-90 type Pickups Made in Japan

Bridge pickups are reverse-wound / reverse-polarity. Magnet : Alnico 5 / Coil wire : Enameled copper wire Comes with a plastic box. Mounting screws included. (Nickel-plated) Polepiece spacing : 50.0mm (10.0mm x 5)



WP90V

| ltem# | Position | Color | DC Resist. | Reso. Peak | Wire Gauge | No. of Winds |
|----------|----------|-------|------------|------------|------------|--------------|
| WP90V-FB | Neck | Black | 5.95K | 6.8KHz | AWG42 | 8,000 |
| WP90V-FC | Neck | Cream | 5.95K | 6.8KHz | AWG42 | 8,000 |
| WP90V-RB | Bridge | Black | 5.95K | 6.8KHz | AWG42 | 8,000 |
| WP90V-RC | Bridge | Cream | 5.95K | 6.8KHz | AWG42 | 8,000 |
| WP90V-HB | Hot-ver. | Black | 5.20K | 7.4KHz | AWG42 | 10,000 |
| WP90V-HC | Hot-ver. | Cream | 5.20K | 7.4KHz | AWG42 | 10,000 |

filkin

19

Parts

Other String Instrument Parts



Packaged Gotoh pickups

Did you know? Hosco can supply Gotoh pickups with very nice packaging. We selected popular models, so these pickups will be good selling products in your product lineup. All the pickups are made in Japan and the quality is excellent.



Other String Instrument Parts

ST-Classic α series (Single coil pickups)

ST-Classic α , upgraded ST-Classic in output. The wiring has individually got arranged by position to deliver well-balanced, clearer and thicker sound.



Magnet : Alnico 5 String spacing : 10.5mm

GPU-STCLAB-NX

| ltem# | Position | Color | DC Resist. |
|---------------|----------|-------|---------------|
| GPU-STCLAB-NX | Neck | Black | 6.37k |
| GPU-STCLAB-MX | Middle | Black | 6.63k Reverse |
| GPU-STCLAB-BX | Bridge | Black | 7.19k |
| GPU-STCLAW-NX | Neck | White | 6.37k |
| GPU-STCLAW-MX | Middle | White | 6.63k Reverse |
| GPU-STCLAW-BX | Bridge | White | 7.19k |

HB-Classic α series(Humbucker Pickups)

Contemporarily arranged with the individually-tuned wiring by position while pursuing the Vintage sound. With Alnico 2, made in USA.



Magnet : Alnico 2 String spacing Neck: 9.8mm / Bridge: 10.5mm


GPU-HBCLAZ-BX

| ltem# | Position | Color | DC Resist. |
|---------------|----------|-------|------------|
| GPU-HBCLAB-NX | Neck | Black | 7.67k |
| GPU-HBCLAB-BX | Bridge | Black | 8.80k |
| GPU-HBCLAZ-NX | Neck | Zebra | 7.67k |
| GPU-HBCLAZ-BX | Bridge | Zebra | 8.80k |

Parts

HB-Classic series (Humbucker Pickups)

Focusing on reproduction of the Old sound. With Alnico 4, made in USA.



TL-Classic series / Neck (TL type pickups)

Thanks to AWG43, its sound may be reminiscent of the "Vintage TL" sound. Wound & magnetized in reverse against the Bridge, it functions as a noise canceller when mixed.

Magnet : Alnico 5 Ite String spacing : 10mm GPU-TLC

GPU-TLCLC-NX

| ltem# | Position | Color | DC Resist. |
|--------------|----------|--------|---------------|
| GPU-TLCLC-NX | Neck | Chrome | 6.75k Reverse |
| GPU-TLCLN-NX | Neck | Nickel | 6.75k Reverse |

TL-Classic series / Bridge (TL type pickups)

Flattened pole pieces with AWG42 magnets helps reproducing the "Vintage TL" in both appearance and sound.



Magnet : Alnico 5 String spacing : 11mm

| ltem# | Position | Color | DC Resist. |
|-------------|----------|-------|------------|
| GPU-TLCL-BX | Bridge | Black | 6.84k |

OLD-1 series (P-90 type pickups)

Controlling both High and Low ends while enhancing Mid-range peak gives a powerful and straight sound.



| m | ltem# | Position | Color | DC Resist. |
|---|------------|----------|-------|------------|
| | GPU-OLD-1B | B or N | Black | 5.95k |
| | GPU-OLD-1C | B or N | Cream | 5.95k |



レトロトーンピックアップス

Retro Tone Pickups is a workshop who has produced pickups for more than 10 years. Especially, their Jazzmaster[®] type pickups are famous in Japan and theirs are the first choice for many Jazz master[®] players in Japan. All of the following pickups are hand-made in Japan.

JM-58 Velvetone

Rich magnetic lines happen from the edges of the unbeveled magnets and receive a string vibration well so that your guitar sound will bite. The traditional Formvar wire that was used in 50s makes rich harmonics. By winding it at proper turns, a pickup delivers a thick deep sound and cuts a harsh high tone. Good quality wax-potted.



Unbeveled staggered polepieces (Alnico 5 magnet). AWG42 heavy formvar wire. Pickup covers are not included. Polepiece spacing : 51.0mm (10.2mm x 5)

| ltem# | Position | DC Resist. | Note |
|--------|----------|------------|----------|
| JM-58N | Neck | 7.4K | North Up |
| JM-58B | Bridge | 9.3K | South Up |

WRB-72 Moon Walking

Alternative Wide Range Humbucker Pickup by analyzing Fender[®] original, Fender[®] Japan, and Fender[®] Mexico. More natural and brighter sound than Fender[®] original.



Unbeveled polepieces (Alnico 3 magnet). AWG42 plain enamel wire. Pickup cover size : 80mm x 45mm Polepiece spacing : 55.0mm (11.0mm x 5)

| Item# Position DC I | | DC Resist. |
|---------------------|-----|------------|
| WRB-72 | N/A | 9.0K |

TL-54 Bottled Message

The TL-54 Bottled Message was developed by reviewing the "blurry" tone of the neck pickup of Telecaster[®]. It was designed to get a clean brilliant high range, tight low-mid range, proper harmonic overtone, and rich three dimensional effect. Good quality wax-potted.



Unbeveled polepieces (Alnico 5 magnet). AWG42 plain enamel wire. Polepiece spacing : 50.5mm (10.1mm x 5)

| ltem# | Position | DC Resist. | |
|-------|----------|------------|--|
| TL-54 | Neck | 5.6K | |

TL-55 Pain King

The TL-55 Pain King is produced by blending the elements like unbeveled staggered Alnice 5 magnets (with a raised D and G), plain enamel wire, copper-plated base plate, cloth wire, and so on properly, which makes crispy but thick sound, well defined and quick response for rich low-mid range and overtone. Good quality waxpotted.



Unbeveled staggered polepieces (Alnico 5 magnet). AWG42 plain enamel wire. Polepiece spacing : 55.0mm (11.0mm x 5)

| ltem# | Position | DC Resist. | |
|-------|----------|------------|--|
| TL-55 | Bridge | | |

Single-coil Pickups

The best choice of replacement for vintage guitars. Staggered or Flat polepieces. Magnet : Alnico 5 / DC Resist. : 5.8K Coil wire : Plain enamel (AWG42) / Number of winds : 7,800 Polepiece spacing : 52.5mm (10.5mm x 5) Screws & springs included.

Staggered polepieces

| 00 | • • |
|-------|------------|
| ltem# | Color |
| SS-1W | White |
| SS-1B | Black |
| SS-1C | Cream |
| SS-1M | Mint green |



Reverse-wound / Reverse-polarity

| ltem# | Color | |
|--------|------------|--|
| SS-1RW | White | |
| SS-1RB | Black | |
| SS-1RC | Cream | |
| SS-1RM | Mint green | |

Flat polepieces

Item#

SS-1FRW

SS-1FRB

SS-1FRC

SS-1FRM

| ltem# | Color |
|--------|------------|
| SS-1FW | White |
| SS-1FB | Black |
| SS-1FC | Cream |
| SS-1FM | Mint green |

Reverse-wound / Reverse-polarity

White

Black

Cream

Mint green

CP-2

Color



SS-1FW

Other String Instrument Parts

Electronics

Parts

Humbucker Pickups

The CP-1 and CP-2 humbuckers are designed to get the real PAF sound, making the new guitar's tone to vintage like. CP-2 has a Nickel-silver pickup cover available in nickel and gold.

Magnet : Alnico 3 (CP-1) / Original designed Alnico ALMAX (CP-2) Polepiece spacing for Neck : 49.5mm (9.9mm x 5) / Polepiece spacing for Bridge : 52.5mm (10.5mm x 5)

Screws & springs included.



| ltem# | Position | Color/Finish | DC Resist. | Coil Wire | Wire Gauge | No. of Winds |
|--------|----------|-----------------|------------|--------------|------------|--------------|
| CP-1N | Neck | Black, No cover | 8.4K | Polyurethane | AWG42 | 5,200 |
| CP-1B | Bridge | Black, No cover | 8.4K | Polyurethane | AWG42 | 5,200 |
| CP-2NN | Neck | Nickel | 7.8K | Plain enamel | AWG42 | 5,500 |
| CP-2NG | Neck | Gold | 7.8K | Plain enamel | AWG42 | 5,500 |
| CP-2BN | Bridge | Nickel | 7.8K | Plain enamel | AWG42 | 5,500 |
| CP-2BG | Bridge | Gold | 7.8K | Plain enamel | AWG42 | 5,500 |

Electronics

Parts

Wide Range Humbucker Pickup

Magnet : Alnico 3 / DC Resist. : 10.5K Coil wire : Polyurethane (AWG42.5) / Number of winds : 6,150 Polepiece spacing : 54.5mm (10.9mm x 5) Screws & springs included.




Chrome cover

P-90 type Pickups

Soap-bar type w/mesh-shielded single conductor wire. Fat mid range tone. Magnet : Alnico 5 / DC Resist. : 8.0K

Coil wire : Polyurethane (AWG42) / No. of winds : 10,000 Polepiece spacing : 50.0mm (10.0mm x 5)



JG type Pickups

Magnet : Alnico 5 / DC Resist. : 6.5 - 7.0K Coil wire : Plain enamel (AWG42) / No. of winds : 8,600 Polepiece spacing : 51.0mm (10.2mm x 5) Pickup cover : Cream



| ltem# | Description |
|---------|-------------|
| PU-JG-F | Neck |
| PU-JG-R | Bridge |

Other String Instrument Parts

Mainte

Color

Bass Pickups

Wilkinson PB type Pickups Made in Japan

Magnet : Alnico 5 DC Resist. : 9.26K / Reso. Peak : 6.0KHz Coil wire : Enameled copper wire (AWG42) Number of winds : 9,000 String spacing : 57.0mm (19.0mm x 3) Comes with a plastic box. Mounting screws included.



Wilkinson JB type Pickups

Made in Japan

Magnet : Alnico 5

DC Resist. : 7.15K / Reso. Peak : 4.8KHz Coil wire : Enameled copper wire (AWG42) Number of winds : 8,000 String spacing for Neck : 56.4mm (18.8mm x 3) String spacing for Bridge : 59.4mm (19.8mm x 3) Comes with a plastic box. Mounting screws included.



| - | MAD I |
|---|-------|
| | WB.J |
| | |

| ltem# | Description |
|--------|---------------|
| WBJ-NB | Neck, Black |
| WBJ-BB | Bridge, Black |

PB type Pickups

The reproduction of '50s original bass pickups makes the best balanced tone.

Magnet : Alnico 5 / DC Resist. : 8.5K

Coil wire : Plain enamel (AWG42) / Number of winds : 8,800 String spacing : 57.0mm (19.0mm x 3) Screws included.



JB type Pickups

The reproduction of '60s original bass pickups makes the best balanced tone.

Magnet : Alnico 5

Coil wire : Plain enamel (AWG42) / Number of winds : 8,600 String spacing for Neck : 56.4mm (18.8mm x 3) String spacing for Bridge : 59.4mm (19.8mm x 3) Screws included.



| ltem# | Position | Color | DC Resist. |
|-------|----------|-------|------------|
| CJ-1N | Neck | Black | 7.8K |
| CJ-1B | Bridge | Black | 8.0K |

OPB type Pickups

Magnet : Alnico 5 DC Resist. : 7.7K Coil wire : Plain enamel (AWG43) / Number of winds : 7,800 Polepiece spacing : 54.0mm (18.0mm x 3)



| PU-OPB | Black |
|--------|-------|
| | |

Item#

PU-OPB


Circuit Wires Pack



Other String Instrument Parts

Accessories

Multi-conductor Shielded Wires



Shielded. 100cm (39-1/2") long.

| Item# | Description |
|------------|------------------|
| CBL-2CW100 | 2-conductor wire |
| CBL-3CW100 | 3-conductor wire |
| CBL-4CW100 | 4-conductor wire |

Cloth-covered Single Wires

AWG22. Non-shielded. Waxed braided cotton outer. 100cm (39-1/2") long.

CBL-100CLB

10



| ltem# | Description |
|------------|-------------|
| CBL-100CLB | Black |
| CBL-100CLW | White |

Mesh-shielded Single Wire

Shielded. 100cm (39-1/2") long.



| ltem# | Description |
|-----------|--------------------|
| CBL-100MS | Mesh-shielded wire |

CBL-100MS

Maintenance

Aluminum Ground Materials

Vintage style Aluminum Ground Plates

Useful for noise reduction. Fits our Vintage style ST pickguards.



| While stock lasts | | | |
|-------------------|----------|------------------------------|--|
| | ltem# | Description (Mounting Holes) | |
| | VS-AGP61 | '60-'62 (11) | |

Aluminum Ground Sheets

Useful for noise reduction. Self-adhesive. You can cut these ground sheets easily as you like.



| ltem# | Description |
|--------|---------------------|
| AGS-SS | Control area only |
| AGS-ST | ST type |
| AGS-SQ | Blank, 530 x 300 mm |

Circuit Kits

HOSCO Pack **Circuit Kits w/CTS Potentiometers**

С

These circuit kits consist of CTS pots and Japanese-made parts like switches, jacks, wires, and so on. S Wiring diagram included.



HKC-CKLP-B (LP type w/Black parts)

HKC-CKPB (PB type)

х2

x 1

x 1

x 4

250K audio pots

Capacitor (0.1µf)

Output jack

Single wires

| 500K audio pots | x 4 |
|------------------------|-----|
| Toggle switch | x 1 |
| including knob & plate | |
| Output jack | x 1 |
| Capacitors (0.022µf) | x 2 |
| Single wires | x 5 |
| 3-conductor wire | x 1 |



HKC-CKLP-I (LP type w/Cream parts)

| 500K audio pots | x 4 |
|------------------------|-----|
| Toggle switch | x 1 |
| including knob & plate | |
| Output jack | x 1 |
| Capacitors (0.022µf) | x 2 |
| Single wires | x 5 |
| 3-conductor wire | x 1 |
| | |



HKC-CKJB (JB type) 250K audio pots Out

| 250K audio pots | х3 |
|---------------------|-----|
| Output jack | x 1 |
| Capacitor (0.047µf) | x 1 |
| Single wires | x 4 |

Other String Instrument Parts

Parts

Circuit Kits w/Alpha Potentiometers



Alpha electronics have been used to many guitars or basses in the world and the quality is stable and reliable.

All of these circuit kits include Alpha pots and some of them do Alpha lever switches. The other parts are mostly made in Japan. Wiring diagram included.



HKA-CKST (ST type)

| 250K audio pots | х З |
|-------------------------|----------------|
| 5-way switch | x 1 |
| including Black & White | knobs & screws |
| Output jack | x 1 |
| Capacitor (0.047µf) | x 1 |
| Single wires | x 8 |
| | |



HKA-CKTC (TL type) 250K audio pots

| 250K audio pots | x 2 |
|--------------------------------|-----|
| 3-way switch | x 1 |
| including knob & screws | |
| Output jack | x 1 |
| Capacitors (0.047µf & 0.001µf) | x 2 |
| Single wires | x 5 |



HKA-CKLP-B (LP type w/Black parts)

| · | ., | |
|-------|-------------------|-----|
| 500K | audio pots | x 2 |
| | linear pots | x 2 |
| | le switch | x 1 |
| inclu | ding knob & plate | |
| | ut jack | x 1 |
| | icitor (0.022µf) | x 2 |
| | e wires | x 5 |
| 3-coi | nductor wire | x 1 |
| | | |



HKA-CKLP-I (LP type w/Cream parts)

| 500K audio pots | x 2 |
|------------------------|-----|
| 500K linear pots | x 2 |
| Toggle switch | x 1 |
| including knob & plate | |
| Output jack | x 1 |
| Capacitors (0.022µf) | x 2 |
| Single wires | x 5 |
| 3-conductor wire | x 1 |
| | |



HKA-CKJB (JB type)

| 250K audio pots | х З |
|---------------------|-----|
| Output jack | x 1 |
| Capacitor (0.047µf) | x 1 |
| Single wires | x 4 |



HKA-CKPB (PB type)

| 250K audio pots | x 2 |
|-------------------|-----|
| Output jack | x 1 |
| Capacitor (0.1µf) | x 1 |
| Single wires | x 4 |

Parts

Other String Instrument Parts

Nuts / Washers HOSCO[®] Pack

Nuts

NU-5 is the same nut that is originally attached to YM-T20/T70R/T75R toggle switches. NU-6 is the same nut that is originally attached to CTS pots (Inch-size).


MOO: 100 pcs each

| | | 5 (| D NU-3 | O NU-4 | | | |
|-------|------------|------------|-----------------------|------------------|-------------------|----------|-------------|
| Item# | Inner Dia. | Outer Dia. | | F | or | | Note |
| NU-1 | 7mm | 11mm | Push-Pull | l pots, Alpha po | ots, CTS-MM pots | (Metric) | M8 |
| NU-2 | 6mm | 10mm | VR-126W, | Alpha pots (16 | mm Solid) | | M7 |
| NU-3 | 11mm | 14mm | EP-JACK / | / 108 / 110, YM- | T20 / T70R / T75I | R | M12 |
| NU-4 | 8mm | 12mm | OJ-50 / 65 | 5 | | | M9 |
| NU-5 | 11mm | 16mm | YM-T20 / ⁻ | T70R / T75R | | | Knurled Nut |
| NU-6 | 8.6mm | 12.5mm | CTS pots | (Inch), OJ-120 | | | 3/8" |

Deep Thread Round Nut

Aren't toggle switches prone to loosening? They are operated frequently, and in some cases, depending on the thickness of the mounting area, the screws may not be so tight. If you are not careful, this can lead to wire breakage. This "Deep Thread Round Nut" is the savior for such troubled toggle switches. The Deep Thread Round Nut is a revolutionary product that extends the threading while maintaining the appearance of a normal round nut when installed.


This product is compatible with toggle switches made by Switchcraft®. It cannot be used for other toggle switches made in Japan or other millimeter-standard toggle switches.



DTRN-N

| 16 | | | |
|----------------|----|--|--|
| | | | |
| 12.8 | | | |
| ner dia. : 11m | m) | | |

| ltem# | Description |
|--------|-------------|
| DTRN-G | Gold |
| DTRN-N | Nickel |



The threaded part is longer and it can be tightened firmly.

Flat Washers

WH-3 is the same washer that is originally attached to YM-T20/T70R/T75R toggle switches. WH-4 is the same washer that is originally attached to OJ-50/65 output jacks.

WH-5 is the same washer that is originally attached to CTS pots (Inch-size).

MOQ: 100 pcs each

| | WH | -1 W | O | WH-3 | WH-4 | WH-5 |
|-------|------------|------------|--|-----------------|-----------------|------|
| Item# | Inner Dia. | Outer Dia. | | | For | |
| WH-1 | 8mm | 13.5mm | Push-Pull pots, Alpha pots, CTS-MM pots (Metric) | | | |
| WH-2 | 7mm | 12mm | VR-126W, Alpha pots (16mm Solid) | | | |
| WH-3 | 12mm | 18mm | EP-JACK | / 108 / 110, YM | -T20 / T70R / T | 75R |
| WH-4 | 9mm | 14mm | OJ-50 / 6 | 5, OJ-120 | | |
| WH-5 | 9mm | 15.7mm | CTS pots | (Inch) | | |

Electronics

Electronics

Parts

| Lock Washers | | | | | | | |
|--|------------|------------|---|-----------------|-------------------|------|--|
| LW-5 is the same lock washer that is originally attached to CTS pots (Inch-size). MOQ : 100 pcs each | | | | | | | |
| | \bigcirc | 0 | \bigcirc | \bigcirc | \bigcirc | 0 | |
| | LW-1 | LW-2 | LW-3A | LW-3B | LW-4 | LW-5 | |
| Item# | Inner Dia. | Outer Dia. | | For | | | |
| LW-1 | 8mm | 15mm | CTS-MM pots (M | etric), Push-Pu | ull pots, Alpha p | ots | |
| LW-2 | 7mm | 13mm | VR-126W, Alpha | pots (16mm S | olid) | | |
| LW-3A | 12mm | 21mm | EP-JACK / 108 / 110, YM-T20 / T70R / T75R | | | | |
| LW-3B | 12mm | 15mm | EP-JACK / 108 / 110, YM-T20 / T70R / T75R | | | | |
| LW-4 | 10mm | 17mm | OJ-50 / 65 / 120 | | | | |
| LW-5 | 9.5mm | 17mm | CTS pots (Inch) | | | | |

Packaged Nut/Washer/Lock Washer Sets HOSCO[®] Pack

These sets for nuts, washers, and lock washers always come with HOSCO packaging.


Metric-size



| ltem# | For | Finish | Nut | Washer | Lock Washer |
|------------|-----------------|--------|---------------------------|-------------------|-------------|
| EXNUT-EPB | Endpin Jacks | Black | NU-3 B x1 / NU-3x1 | WH-3 B x 1 | LW-3A x 1 |
| EXNUT-EPN | Endpin Jacks | Nickel | NU-3 x 2 | WH-3 x 1 | LW-3A x 1 |
| EXNUT-OJB | Output Jacks | Black | NU-4 B x1 / NU-4x1 | WH-4 B x 1 | LW-4 x 1 |
| EXNUT-OJN | Output Jacks | Nickel | NU-4 x 2 | WH-4 x 1 | LW-4 x 1 |
| EXNUT-POTN | 24mm dia. Pots | Nickel | NU-1 x 2 | WH-1 x 1 | LW-1 x 1 |
| EXNUT-VRN | 16mm dia. Pots | Nickel | NU-2 x 2 | WH-2 x 1 | LW-2 x 1 |
| EXNUT-YMTB | Toggle Switches | Black | NU-5 B x1 / NU-3x1 | WH-3 B x 1 | LW-3B x 1 |
| EXNUT-YMTN | Toggle Switches | Nickel | NU-5x1 / NU-3x1 | WH-3 x 1 | LW-3B x 1 |

Inch-size





| ltem# | For | Finish | Quantities |
|----------|--------------|--------|-----------------|
| EXWSI-PJ | Pots & Jacks | N/A | Washer x 4 |
| EXLWI-PJ | Pots & Jacks | N/A | Lock Washer x 4 |
| EXNI-PJC | Pots & Jacks | Chrome | Nut x 4 |

Machine Heads

HOSCO[®] Pack **Guitar Machine Heads**


Vintage Tone Revival

Reproduction of the machine heads with Brass-made string posts and internal washers, which had been used by Gibson[®] until 1975 and by Fender[®] until 1966. At present, the string posts and internal washers are made of steel. By changing the material of those component parts from steel to brass, the vibration transmission is greatly improved, resulting in characteristics similar to vintage sound. This series is called "Vintage Tone Revival".

G COTOH








6.7

16mm thick headstock

| ltem# | Finish | For |
|-------------|--------|--|
| 20322GS-VTR | Gold | Replacing from existing tuners such as LP Historic collection and Grover tuners. |
| 20322NS-VTR | Nickel | Replacing from existing tuners such as LP Historic collection and Grover tuners. |
| 20332GS-VTR | Gold | Acoustic guitars like Martin and Electric guitars like Rickenbacker. |
| 20332NS-VTR | Nickel | Acoustic guitars like Martin and Electric guitars like Rickenbacker. |
| 20342NS-VTR | Nickel | Acoustic guitars like J-45 and Electric guitars like LP Special. |


Side View



3-on-Plate Machine Heads

Vintage style 3-on-plate machine heads with white buttons. Aged Nickel looks good on old guitars. Gear ratio = 1:15

Bushings & screws included. (2052NSA : Screws only)




Vintage style Staggered Machine Heads

GOTOH[®] vintage style guitar machine heads with "Staggered posts". Gear ratio = 1:15 / Side : 6 in line (for Right-handed) Bushings & screws included.







G GOTOH

GOTOH SG381 Machine Heads w/Ergonomic Ebony Buttons

These SG381 machine heads with the ergonomic ebony buttons are exclusively supplied from Hosco Inc. Gear ratio = 1:16 / Side : 3 per side / String post : Standard Threaded nuts, washers, & screws included.





The unique patterned buttons can be chosen while stock lasts. Limited quantity. If you like the patterned buttons, please specify them as "Patterned" in ordering.

| ltem# | Finish |
|---------|--------|
| 07992CS | Chrome |
| 07992GS | Gold |



OEM production is available.


If you can meet our requirements, you can choose the other SG series machine heads, the other string posts, or the other finishes.

Please contact us with your inquiries.

HOSCO[®] Pack **Bass Machine Heads**

Vintage style Bass Machine Heads

Features cloverleaf keys with long stems and reverse-wind operation like the original ones. Bushings & screws included. Side : 4 in line (for Right-handed)



Bushings HOSCO[®] Pack

Conversion Bushings

For installing GOTOH[®] SD or SE series machine heads to 10mm diameter peg holes for GOTOH[®] SG series machine heads. Sold as a set of 6.



Push-fit Bushings

The following bushings are good for replacing Fender[®] original. 9.2mm dia. Sold as a set of 6.

Item#

BU-KN92

BU-KG92

BU-KAN92

| - 90 | 6.5 |
|------|----------|
| | <u>ه</u> |
| | 9.2 |

BU-KAN92

| 6 | 6.5 |
|--------|-----|
| _ س | 9.2 |

34

Shape

Round

Round

Round

Finish

Aged Nickel

Nickel

Gold

Maintenance

Electronics

String Retainer

for Guitar

HOSCO[®] Pack

for Guitar

for Bass

Sold by a piece.

Screw included.


Vintage Fender[®] type. For guitars. Sold by a piece. Screw included.

Vintage Fender[®] type. For electric basses.



HOSCO

Pack





φ19

φ7

φ8

3.5

| ltem# | Finish |
|--------|--------|
| HK-05C | Chrome |
| | |

Item#

HK-06NS

Finish

Nickel

Truss Rods

Two-way Truss Rods

Full titanium and standard steel are now available. Two different lengths for each material. It depends on you which you place more emphasis on Weight or Price. Inquiries for OEM production are greatly appreciated.

HK-06NS

| ltem# | Material | Length | Weight | Torque limit | For |
|--------|-----------------------|--------|--------|--------------|-----------------------------|
| F-2751 | Full Titanium | 360mm | 56g | 60kgf.CM | Acoustic guitars |
| F-2752 | Full Titanium | 460mm | 72g | 60kgf.CM | Electric & Acoustic guitars |
| F-2761 | Steel | 360mm | 101g | 50kgf.CM | Acoustic guitars |
| F-2762 | Steel | 460mm | 126g | 50kgf.CM | Electric & Acoustic guitars |
| F-2741 | Hybrid Titanium/Steel | 360mm | 76g | 50kgf.CM | Acoustic guitars |
| F-2742 | Hybrid Titanium/Steel | 460mm | 97g | 50kgf.CM | Electric & Acoustic guitars |


Full Titanium F-2751 / F-2752 15 15 360mm or 460mm 2.5 0 6 6 4mm Hex Wrench 9 F-2761 / F-2762 Steel ^{−∞}_F 15 15 360mm or 460mm 6 6

9

amm Hex Wrench

Hybrid Titanium/Steel F-2741 / F-2742





Please do not use a glue to fix a two-way truss rod in a channel of the neck because the glue might break the two-way truss rod. If you would like to fill up a tiny gap of the channel, please use a thin viscosity rubber cement.

Martin[®] type Truss Rods w/Aluminum Channel


These truss rods can be adjusted with 5mm allen wrench. Nut & washer are included. Size of aluminum U-channel : 11mm wide x 9mm deep / Dia. of steel rod : 5mm

С

d

Total length includes 30mm long adjust nut.

Inquiries for OEM production are greatly appreciated.



| ltem# | Length | Weight | For |
|---------|--------|--------|--------------------------|
| F-2714R | 361mm | 108g | Classical guitars |
| F-2715R | 411mm | 121g | Acoustic guitars |
| F-2716R | 446mm | 136g | Electric guitars |
| F-2717R | 579mm | 175g | Electric basses |

*Length above is overall length including a 30mm long truss rod nut.

UNIT : mm


| | а | b | С | d | е | f |
|---------|-----|-----|----|---|----|-----|
| F-2714R | 361 | 325 | 30 | 3 | 11 | 9.0 |
| F-2715R | 411 | 375 | 30 | 3 | 11 | 9.0 |
| F-2716R | 446 | 410 | 30 | 3 | 11 | 9.0 |
| F-2717R | 579 | 543 | 30 | 3 | 11 | 9.0 |

Reinforcement Rods

f

These neck rods prevent necks from twisting. You will experience the very light weight!

b



| ltem# | Material | Size | Weight |
|----------|--------------|-------------------|--------|
| F-NR450T | Titanium | 450 x 6.0 x 2.5mm | 30.0g |
| F-NR550T | Titanium | 550 x 6.0 x 2.5mm | 36.0g |
| DM-CF1S | Carbon Fiber | 480 x 9.5 x 3.2mm | 24.4g |
| DM-CF1L | Carbon Fiber | 630 x 9.5 x 3.2mm | 32.0g |
| DM-CF2S | Carbon Fiber | 480 x 6.5 x 5.1mm | 25.0g |
| DM-CF2L | Carbon Fiber | 630 x 6.5 x 5.1mm | 32.8g |

Our carbon neck rods can be sold to only white list countries due to Catch-All Controls.

Truss Rod Parts Hosco[®] Pack

Truss Rod Washers



d

Truss Rod Nuts

| ltem# | Description | Wrench | Length | Hole | Note |
|--------|------------------|---------|--------|------|--|
| TRN-10 | Bullet, Chrome | 4 mm | 24 mm | M5 | |
| TRN-11 | Cylinder, Nickel | 5 mm | 25 mm | M5 | |
| TRN-12 | Cylinder, Nickel | Slotted | 25 mm | M5 | |
| TRN-13 | Hex, Brass | 8 mm | 8 mm | M5 | |
| TRN-14 | Hex, Brass | 7 mm | 10 mm | M5 | |
| TRT-63 | Cylinder | N/A | 20 mm | M6 | 3.4mm dia. side holes, While stock lasts |

TRN-12 TRN-10 TRN-11







20mm

TRT-63

Truss Rod Cover

Screws are NOT included.





F-4007

DM-802 DM-803

DM-006

DM-008 **MRC-TRCB**

| ltem# | Shape | Color/Material | ltem# | Shape | Color/Material |
|--------|----------|----------------|----------|-------|-------------------------|
| F-4007 | Bell | Black 2-ply | DM-006 | Bell | Maple |
| DM-802 | Triangle | Black 2-ply | DM-008 | Bell | Green Abalone |
| DM-803 | Bullet | Black 2-ply | MRC-TRCB | Bell | Master Relic Collection |
| | | | | Den | Relic Black 2-ply |

Truss Rod Cover Screw

Round head. Size : 2.1mm x 10.0mm MOQ: 100 pcs each

WS-02

| ltem# | Finish |
|--------|--------|
| WS-02N | Nickel |
| WS-02G | Gold |

Electronics

Fretwire

For the stringed instruments, fretwire greatly affects correct tuning, tone, and playability depending on size, shape, or hardness.

Hosco fretwire is supplied in various style : Packaged fretwire with header, Boxed fretwire, Precut fretwire, and Coiled fretwire. You can choose your needs from our various supply.

*Reference

HF-S1 is good as replacement frets for Martin[®] and Yamaha[®] guitars.

HF-S2 is good as replacement frets for Yamaha® guitars.

HF-M1 is good as replacement frets for Gibson[®] guitars.

HF-M3 has the same specification as the frets that Fender® uses. (Except width of tang)

Boxed Fretwire

Boxed fretwire packs 400-600 pcs cut in 50cm (19-3/4") long.

Our bulk fretwire is supplied in heavy duty cardboard box of 65mm x 65mm x 670mm (2-1/2"x2-1/2"x26-1/2"). Material : Nickel silver (HV200)




Packed into dampproof storage box

One boxed fretwire is enough for 100-150 guitars or basses.

| HF-S1 | HF-S2 | HF-S3 |
|-------|-------|-----------------------------|
| 2 | 2 | 2.1 |
| 5.5 | | |
| | s p | , kh |
| 0.5 | 0.5 | 0 <u>.5</u> 0 <u>.95</u> |

| ltem# | Size | Q'ty per box |
|-----------|-------|--------------|
| HF-S1-600 | Small | 600 |
| HF-S2-600 | Small | 600 |
| HF-S3-600 | Small | 600 |




| ltem# | Size | Q'ty per box |
|-----------|--------------|--------------|
| HF-M1-500 | Medium | 500 |
| HF-M2-500 | Medium | 500 |
| HF-M3-500 | Medium-Jumbo | 500 |
| HF-J1-400 | Jumbo | 400 |
| | | |

Sanko Coiled Fretwire

Nickel silver Fretwire


You can choose the hardness, HV160 or HV200. (Tolerance: ± 20) MOQ : 30 kg Material : Nickel silver



*4 models above are not the same as our packaged fretwire except FW-215. We can also supply coiled version of the HF series if you want.

Stainless steel Fretwire

Hardness: HV260 MOQ: 50 kg



| | ltem# | Size | Note |
|-----|---------|--------------|------|
| NEW | SBB-302 | Medium-Jumbo | |
| NEW | SBB-315 | Jumbo | |


Packaged Fretwire Pack

Precut Phosphor bronze Fretwire

Each fret of the following precut Phosphor bronze fretwire is cut based on a standard fretboard (43mm at nut / 53mm at 12th fret) and has an extra length by 0.5mm.

Undercut for bindings : 2.5mm from each end Radius : 250mm (10") / Sold as a set of 24.

Material : Phosphor bronze (HV250-290)




Precut Stainless steel Fretwire

Each fret of the following precut stainless-steel fretwire is cut based on a standard fretboard (43mm at nut / 53mm at 12th fret) and has an extra length by 0.5mm.

Undercut for bindings : 2.5mm from each end Radius : 250mm (10") / Sold as a set of 24. Material : Stainless steel (HV300)



| ess steel (HV300) | | |
|------------------------------|--------------|---|
| 2.4 HFS-M1 0.6 0.95 | HFS-M2 | |
| ltem# | Size | |
| HFS-M1-P24 | Medium | |
| HFS-M2-P24 | Medium-Jumbo | - |




Guitar / Bass Parts

HOSCO"

Precut Nickel silver Fretwire

Length: 70mm (2-3/4") / Radius: 300mm (12") Sold as a set of 24 / MOQ: 10 sets Non-undercut for bindings Material: Nickel silver (HV200)



Precut Fretwire (OEM)

Precut Fretwire for manufacturers (OEM)

We can supply high quality fretwire at your dimensions. Undercut for bindings are available. Get your fretwire and save your precious time! MOQ: 100 sets

HF-M2

0.6 0.95

Sanko Precut Stainless steel Fretwire (Bulk only)

Sanko's precut stainless steel frewire is now available and there are two models mentioned below. Please request us for a quote by sending a list of your lengths at each fret position.

Hardness: HV260 MOQ: 100 sets


Undercut for bindings: 2.5mm from each end


| Und | ercut for bindings: 2.5m | SBB-302 | SBB-315 | |
|-----|--------------------------|--------------|---------|------|
| | Sanko# | Size | 2.62 | 2.83 |
| NEW | SBB-302 | Medium-Jumbo | | |
| NEW | SBB-315 | Jumbo | | 0.6 |
| | | | | |

50cm long Fretwire

One set (30 pcs) can be used for 10 guitars or basses. Length: 50cm (19-3/4") *Slightly curved / Sold as a set of 30 Material: Nickel silver (HV200)







| ltem# | Size |
|-------|-------|
| HF-S1 | Small |
| HF-S2 | Small |
| HF-S3 | Small |

| ltem# | Size |
|-------|--------------|
| HF-M1 | Medium |
| HF-M2 | Medium |
| HF-M3 | Medium-Jumbo |

0.5

HF-M1

| 2.4 8.7 8.7 | 2.62 LIII 0.53 0.99 | |
|-------------------|------------------------------|--|
| | | |

HF-M3

HF-J1

| ltem# | Size |
|-------|-------|
| HF-J1 | Jumbo |

Relic Parts

Electronics

Knobs

Control Knobs for Guitars



Metric knobs are for coarse-knurled pot shafts like Alpha and our CTS metric pots. Inch knobs are for fine-knurled pot shafts like common CTS pots.





| For Tone (Metric size) | | |
|------------------------|-----------------------------|--|
| ltem# | Color | |
| KB-240T | Black, w/White letters | |
| KI-240T | Cream, w/Black letters | |
| KM-240TGL | Mint Green, w/Gold letters | |
| KV-24T | Mint Green, w/Black letters | |
| KW-240T | White, w/Gold letters | |



For Volume (Inch size)

| ltem# | Color |
|-----------|---|
| KB-240VI | Black, w/White letters |
| KI-240VI | Cream, w/Gold letters |
| KP-240VI | Parchment White, w/Gold letters |
| KVT-240VI | Vintage , w/Gold letters (*This is not relic.) |
| KW-240VI | White, w/Gold letters |
| KRW-240VI | Relic White, w/Gold letters |



KVT-240TI

For Tone (Inch size)

| Item# | Color |
|-----------|---|
| псения | COIOI |
| KB-240TI | Black, w/White letters |
| KI-240TI | Cream, w/Gold letters |
| KP-240TI | Parchment White, w/Gold letters |
| KVT-240TI | Vintage , w/Gold letters (*This is not relic.) |
| KW-240TI | White, w/Gold letters |
| KRW-240TI | Relic White, w/Gold letters |

'50 Fender[®] ST Volume/Tone Knobs



Each part has been manually aged. Unlike regular plastic, which yellows over time, bakelite keeps its original color, though dirt can build up around the edges or molding lines.

This applies to all bakelite parts here. While bakelite is durable, it can crack because of its hard texture.

The heavily aged parts are designed to look like 1950s parts, with fake cracks for visual effect.

The corners are intentionally worn to look rounded from years of use, and the "VOLUME/TONE" lettering fades to dark brown for a more authentic look.

TONE

10

MJP-SK5W-T

Item#

MJP-SK5W-T/H

*EXPORT SALES ONLY

MJP-SK5W-T

For Tone (Inch size)

MJP-SK5W-T/H

Color

Relic Aged Cream / Heavy aged

Relic White / Heavy aged

Relic White



For Volume (Inch size)

| | ltem# | Color | |
|-----|--------------|--------------------------|--|
| NEW | MJP-SK5W-V | Relic White | |
| NEW | MJP-SK5W-V/H | Relic White / Heavy aged | |

*EXPORT SALES ONLY

'60 Fender[®] ST Volume/Tone Knobs



Unlike '50s, Nylon parts are destined to get tanned as years go by.

By adopting small and greenish-blue letter fonts on VOLUME/TONE and numbers, which resulted in more choices to those in search of authenticity.

NEW

NEW

Dirt much accumulated around splines may give you an image of how long years it has undergone.

"Relic Aged Cream" parts are aged while imagining the subtle transition from original white to turning yellow-ish due to the play of light.



Relic Parts

NEW

| For volume (mensize) | | | |
|----------------------|-------------------------------|-----|--|
| ltem# | Color | | |
| MJP-SK6AW-V | Relic Aged White | NEW | |
| MJP-SK6AW-V/H | Relic Aged White / Heavy aged | NEW | |
| MJP-SK6IV-V | Relic Aged Cream | NEW | |
| MJP-SK6IV-V/H | Relic Aged Cream / Heavy aged | NEW | |
| | | | |

*EXPORT SALES ONLY



MJP-SK6IV-T/H

Master Relic Collection Control Knob Sets Hosco Pack



MRC-STKN50W-SET

Round edges with buffed surface on knobs with dirt builtup on the sides and darkish brown fonts. Based on White.



MRC-STKN60W-SET

Dirt builtup on the sides of knobs, finely worn lines on surface and oxidized green fonts. Based on Parchment White.

| ltem# | Description |
|-----------------|---|
| MRC-STKN50W-SET | 50s, Relic White, 3/SET (Vx1/Tx2) |
| MRC-STKN60W-SET | 60s, Relic Parchment White, 3/SET (Vx1/Tx2) |

Speed Knobs Pack

Metric knobs are for coarse-knurled pot shafts like Alpha and our CTS metric pots. Inch knobs are for fine-knurled pot shafts like common CTS pots.



KA-110



| Metric size | | | Inch size | | |
|-------------|-------|--|-----------|-------|--|
| ltem# | Color | | ltem# | Color | |
| KA-110 | Amber | | KA-110I | Amber | |
| KB-110 | Black | | KB-110I | Black | |
| KG-110 | Gold | | KG-110I | Gold | |



SKA-110I



SKB-110I SKG-110I

Inch size w/Embossed numbers

| ltem# | Color | |
|------------|-------------|--|
| SKA-110I | Amber | |
| SKB-110I | Black | |
| SKG-110I | Gold | |
| | | |
| SKB-110I/R | Relic Black | |
| | | |

SKG-110I/R Relic Gold

*Embossed numbers look like vintage. numbers

Electronics

CAB Plastic Speed Knobs

HOSCO® Pack

The GOLD Speed knobs were commonly used on Gold Tops in the early 50's (1953-55), while the BLACK ones on 50's to 60's LP.

Material: CAB Plastic



MJP-CA-G110I



Inch size w/Embossed numbers

| | ltem# | Color | |
|-----|--------------|-------------|--|
| NEW | MJP-CA-G110I | Relic Gold | |
| NEW | MJP-CA-B110I | Relic Black | |

Bell Knobs

KA-160

SKA-160I

SKB-160I/R



| Metric size | | Inch size | |
|-------------|-------|-----------|-------|
| ltem# | Color | ltem# | Color |
| KA-160 | Amber | KA-160I | Amber |
| KB-160 | Black | KB-160I | Black |
| KG-160 | Gold | KG-160I | Gold |

Inch size w/Embossed Numbers

| ltem# | Color |
|------------|-------------|
| SKA-160I | Amber |
| SKB-160I | Black |
| SKG-160I | Gold |
| SKB-160I/R | Relic Black |
| SKG-160I/R | Relic Gold |



numbers *Embossed numbers look like vintage.

HOSCO[®] Pack CAB Plastic Bell Knobs

HOSCO[®] Pack

KB-160

SKB-160I

SKG-160I/R

KG-160

SKG-160I

The GOLD Bell knobs equipped 1958-60 LP Standard. And the BLACK were on LP (especially on LP Jr. / Special) as well as 50's to 60's.

Material: CAB Plastic

MJP-CA-G160I





MJP-CA-B160I

Inch size w/Embossed numbers

| | ltem# | Color |
|-----|--------------|-------------|
| NEW | MJP-CA-G160I | Relic Gold |
| NEW | MJP-CA-B160I | Relic Black |
| | | |

Hat Knobs w/Metal Plates

HOSCO Pack

KG-130VSI/R

Metric knobs are for coarse-knurled pot shafts like Alpha and our CTS metric pots. Inch knobs are for fine-knurled pot shafts like common CTS pots.









KG-130VI

For Volume (Metric size)

| ltem# | Description |
|------------|-----------------------------|
| KB-130V | Black, w/Silver plate |
| KB-130VG | Black, w/Gold plate |
| KG-130V | Gold, w/Gold plate |
| KG-130VS | Gold, w/Silver plate |
| KG-130VS/R | Gold, w/Silver plate, Relic |

KG-130VSI

For Volume (Inch size)

| KB-130VI | Black, w/Silver plate |
|-------------|-----------------------------|
| KB-130VGI | Black, w/Gold plate |
| KG-130VI | Gold, w/Gold plate |
| KG-130VSI | Gold, w/Silver plate |
| KG-130VSI/R | Gold, w/Silver plate, Relic |

HOSCO[®] Pack Large Hat Knobs w/Metal Plates



KG-260V For Volume (Metric size)

KS-260VI

KW-260V

| ltem# | Description |
|---------|-----------------------|
| KS-260V | Black, w/Silver plate |
| KG-260V | Black, w/Gold plate |
| KW-260V | White, w/Silver plate |

For Volume (Inch size)

| KS-260VI | Black, w/Silver plate |
|----------|-----------------------|
| KG-260VI | Black, w/Gold plate |
| KW-260VI | White, w/Silver plate |





For Tone (Metric size)

| ltem# | Description |
|------------|-----------------------------|
| KB-130T | Black, w/Silver plate |
| KB-130TG | Black, w/Gold plate |
| KG-130T | Gold, w/Gold plate |
| KG-130TS | Gold, w/Silver plate |
| KG-130TS/R | Gold, w/Silver plate, Relic |

For Tone (Inch size)

| KB-130TI | Black, w/Silver plate |
|-------------|-----------------------------|
| KB-130TGI | Black, w/Gold plate |
| KG-130TI | Gold, w/Gold plate |
| KG-130TSI | Gold, w/Silver plate |
| KG-130TSI/R | Gold, w/Silver plate, Relic |





KS-260TI KG-260T

KW-260T

| For Tone (Metric size) |
|------------------------|
|------------------------|

| ltem# | Description |
|---------|-----------------------|
| KS-260T | Black, w/Silver plate |
| KG-260T | Black, w/Gold plate |
| KW-260T | White, w/Silver plate |

For Tone (Inch size)

| KS-260TI | Black, w/Silver plate |
|----------|-----------------------|
| KG-260TI | Black, w/Gold plate |
| KW-260TI | White, w/Silver plate |

* = Color


HOSCO Pack **Metal Knobs**

In addition to our regular knobs, we offer you several different metal knobs to decorate your instruments. Our metal knobs are sized for either a 6mm (15/64") or 6.35mm (1/4") shaft. Each metal knob comes with a set screw.


HK-MKF* *φ*19 6 0 Black Chrome Gold



* = Color



MK*-18I



Black Chrome

Aged Chrome

Cosmo Black

Gold

| K-MKFB | Flat, Black | |
|--------|--------------|--|
| K-MKFC | Flat, Chrome | |
| K-MKFG | Flat, Gold | |
| | | |

 ϕ 6

| Inch size | | |
|-----------|-------------------|--|
| ltem# | Description | |
| MK-19FCI | Flat, Chrome | |
| MK-19FNI | Flat, Nickel | |
| MKB-18I | Dome, Black | |
| MKC-18I | Dome, Chrome | |
| MKCK-18I | Dome, Cosmo Black | |
| MKAC-18I | Dome, Aged Chrome | |
| MKG-18I | Dome, Gold | |

| | For shaft (Metric or Inch) | Height | Dia. | Finish | Set screw | Head shape |
|----------|----------------------------|--------|------|-------------|-----------|------------|
| HK-MKF* | Metric / 6mm (15/64") | 19mm | 19mm | B/C/G | Yes | Flat |
| | | | | | | |
| | For shaft (Metric or Inch) | Height | Dia. | Finish | Set screw | Head shape |
| MK-19F*I | Inch / 6.35mm (1/4") | 19mm | 19mm | C/N | Yes | Flat |
| MK*-18I | Inch / 6.35mm (1/4") | 18mm | 18mm | B/C/CK/AC/G | Yes | Dome |

Rickenbacker[®] type Knobs HOSCO® Pack

*Metric size only.



KB-170BV KB-170TV

| ltem# | Description |
|----------|---------------|
| KB-170BV | Bass Volume |
| KB-170TV | Treble Volume |



KB-170BT

| ltem# | Description |
|----------|-------------|
| KB-170BT | Bass Tone |
| KB-170TT | Treble Tone |

KB-170TT



| ltem# | Description |
|---------|---------------|
| KB-170S | Other control |

HOSCO[®] Pack **Control Knobs for Basses**

JB type Control Knobs

The KJB-500L can be used for MG as well. The KJB-500L and KJB-500S are made of bakelite.



KB-140L

Item#

KB-140L

KB-140S

KB-140S

Description

Black, Metric, Large

Black, Metric, Small

| KJB-500L | K |
|----------|---|
| | 9 |
| | |
| KJB-500S | к |

Item#

KJB-500L*

KJB-500S*

KJB-500L/R*

KJB-500L/R

*marked knobs can be used for both inch and metric sizes.



Description

Relic Black, Round contour, w/set screw, Large

Black, Round contour, w/set screw, Large

Black, Round contour, w/set screw, Small

KJB-500S/R* Relic Black, Round contour, w/set screw, Small

Guitar / Bass Parts

Electronics

Other String Instrument Parts

Accessories

Relic Parts

HOSCO® Pack **Toggle Switch Knobs**

Choose Metric or Inch depending on the switche



| es. | | | |
|------------|-----------------|-----------|-----------------|
| Metric siz | e | Inch size | |
| ltem# | Color | ltem# | Color |
| TA-340 | Amber | TA-340I | Amber |
| TB-340 | Black | TB-340I | Black |
| TI-340 | Cream | TI-340I | Cream |
| TW-340 | White | TW-340I | White |
| - | 1 | | |
| ltem# | Finish | ltem# | Finish |
| TBS-340 | Brass, Unplated | TBS-340I | Brass, Unplated |
| TCH-340 | Brass, Chrome | TCH-340I | Brass, Chrome |
| TGL-340 | Brass, Gold | TGL-340I | Brass, Gold |

Material: CAB Plastic



| Inch size | | | |
|-----------|------------------|-------------------|--|
| Item# | | Color | |
| NEW | TBR-CA-340I | '59 Vintage Brown | |
| | *EXPORT SALES ON | ILY | |


Lever Switch Knobs HOSCO[®] Pack

Choose Metric or Inch depending on the switches.

TL type LB-330I, LI-330I & LW-330I are exclusively sold by HOSCO. Old TL type

1.35






LB-330 LI-330 LW-330

| Metric size | | | Inc |
|-------------|-------|--|------|
| ltem# | Color | | lt |
| LB-330 | Black | | LB- |
| LI-330 | Cream | | LI-3 |
| LW-330 | White | | LW |

| L * -330 L * -330I | | | | |
|--------------------|-------|--|--|--|
| nch size | | | | |
| ltem# | Color | | | |
| LB-330I | Black | | | |
| LI-330I | Cream | | | |
| LW-3301 | White | | | |
| | | | | |





LB-360 LW-360

| Metric size | | Inch size | | |
|-------------|-------|-----------|-------|--|
| ltem# | Color | ltem# | Color | |
| LB-360 | Black | LB-360I | Black | |
| LW-360 | White | LW-3601 | White | |

| ST type | Metric siz | е | Inch size | |
|--------------------------------|--------------|--------------------------------|---------------------------|--------------------------------|
| | ltem# | Color | ltem# | Color |
| | LB-390 | Black | LB-390I | Black |
| | LI-390 | Cream | LI-390I | Cream |
| | LM-390 | Mint | LM-390I | Mint |
| LB-390 LI-390 LM-390 LP-390 | LP-390 | Parchment White | LP-3901 | Parchment White |
| | LVT-390 | Vintage *This is not relic. | LVT-390I | Vintage *This is not relic. |
| | LW-390 | White | LW-390I | White |
| L * -390 L * -390 | LRW-390 | Relic White | LRW-3901 | Relic White |
| LW-390 LRW-390 LRW-390 LRW-390 |) is recomme | ended to use with GOT |)H [®] RELIC Ser | ies or other aged parts. |

'50 type Lever Switch Knob



HOSCO Pack

Inch size

NEW MJP-SSW5W

Item#

*EXPORT SALES ONLY





| MJP-SSW6AW | MJP-SSW6IV |
|------------|------------|

| Inch size | | |
|--------------------|------------|------------------|
| | ltem# | Color |
| NEW | MJP-SSW6AW | Relic Aged White |
| NEW | MJP-SSW6IV | Relic Aged Cream |
| *EXPORT SALES ONLY | | |

Color

Relic White





| ltem# | Description | |
|----------|--------------------------------------|--|
| HK-40 | Nickel | |
| HK-40G | Gold | |
| MRC-PTWN | Aged Nickel, Master Relic Collection | |

Knob Assortment Sets

Selected knobs with stylish container. Component knobs are also available individually.

Other String Instrument Parts

Accessories

Electronics

Gibson® type Knob Assortment, Inch-size



KNB-ASSORT/G1

| | Speed knobs (SK-110I) Amber x8, Black x8, Gold x8 |
|---|---|
| | Hat knobs (SK-160I) Amber x8, Black x8, Gold x8 |
| | Black Hat knobs w/Metal plate (KB-130I) Volume (Plate : Silver x2, Gold x2) Tone (Plate : Silver x2, Gold x2) |
| | Gold Hat knobs w/Metal plate (KG-130I) Volume (Plate : Silver x2, Gold x2) Tone (Plate : Silver x2, Gold x2) |
| | Toggle switch knobs (T-340I) Amber x5, Black x5, Cream x5 |
| * | All the control knobs have "Embossed numbers" |

on them. (G1 only)

Gibson® type Knob Assortment, Metric-size



Fender[®] type Knob Assortment



KNB-ASSORT/G2

| Speed knobs (K-110) Amber x8, Black x8, Gold x8 |
|--|
| Hat knobs (K-160) Amber x8, Black x8, Gold x8 |
| Black Hat knobs w/Metal plate (KB-130) Volume (Plate : Silver x2, Gold x2) Tone (Plate : Silver x2, Gold x2) |
| Gold Hat knobs w/Metal plate (KG-130) Volume (Plate : Silver x2, Gold x2) Tone (Plate : Silver x2, Gold x2) |
| Toggle switch knobs (T-340) |

Amber x5, Black x5, Cream x5

KNB-ASSORT/F

| ST Volume knobs (K-240VI) Black x4, Parchment wht x4, White x4 |
|--|
| ST Tone knobs (K-240TI) Black x8, Parchment wht x8, White x8 |
| JB control knobs (KJB-500) Large x4, Small x2 |
| ST lever switch knobs in Inch (L-390I) Black x4, Parchment wht x4, White x4 |
| ST lever switch knobs in Metric (L-390) Black x4, Parchment wht x4, White x4 |
| TL Barrel switch knobs in Inch (L-360I) Black x2, White x2 |
| TL Barrel switch knobs in Metric (L-360) Black x2, White x2 |
| ST tremolo arm knobs (A-400) Black x2, Parchment wht x2, White x2 |

| ltem# | Description | |
|---|---|--|
| KNB-ASSORT/G1 | Gibson [®] type knob assortment, Inch-size | |
| KNB-ASSORT/G2 Gibson [®] type knob assortment, Metric-size | | |
| KNB-ASSORT/F | Fender [®] type knob assortment | |

10

11.7

37.5

Ð

Q

HOSCO Pack

90

78.5


82.5

Pickup Parts

Mounting Rings for Humbucker Pickups

Flat Top / Flat Bottom (Tapered)

Traditional plastic mounting rings for <u>Flat top guitars</u>. Mounting screws are sold separately. MR-F Taper : 4.0mm to 5.0mm / MR-R Taper : 10.0mm to 11.7mm



For Neck position

| ltem# | Color |
|---------|-------------------|
| MR-FB | Black |
| MR-FI | Cream |
| MR-FLI | Light Cream |
| MR-FRLI | Relic Light Cream |

For Bridge position

MR-R

| ltem# | Color |
|---------|-------------------|
| MR-RB | Black |
| MR-RI | Cream |
| MR-RLI | Light Cream |
| MR-RRLI | Relic Light Cream |

45

Electronics

Guitar / Bass Parts

Accessories


Curved Top / Curved Bottom

Traditional plastic mounting rings for <u>Archtop guitars</u>. Mounting screws are sold separately.



For Neck position

| ltem# | Color |
|--------|-------|
| MRA-FB | Black |
| MRA-FI | Cream |




For Bridge position

| ltem# | Color |
|--------|-------|
| MRA-RB | Black |
| MRA-RI | Cream |

Flat Top / Curved Bottom

Traditional plastic mounting rings for <u>Archtop guitars</u>. Only bottom is curved. Mounting screws are sold separately.





MR-1R

For Neck position

| ltem# | Color |
|--------|-------|
| MR-1FB | Black |
| MR-1FI | Cream |


For Bridge position

| ltem# | Color |
|--------|-------|
| MR-1RB | Black |
| MR-1RI | Cream |

Flat Top / Flat Bottom (Non-tapered)


Traditional plastic mounting rings for <u>Flat top guitars</u>. Mounting screws are sold separately.





For Neck position

| ltem# | Color |
|--------|-------|
| MRF-FB | Black |
| MRF-FI | Cream |



For Bridge position

| ltem# | Color |
|--------|-------|
| MRF-RB | Black |
| MRF-RI | Cream |

Metal Mounting Rings for ST/TL HOSCO[®] Pack

These fit our pickup covers. Mounting screws are included. Material : Brass

91.5

76.5

100

ST type Metal Mounting Rings



| ltem# | Finish |
|---------|--------|
| MR-STBS | Black |
| MR-STCS | Chrome |
| MR-STGS | Gold |

TL type Metal Mounting Rings



6

22

| ltem# | Finish |
|---------|--------|
| MR-TCBS | Black |
| MR-TCCS | Chrome |
| MR-TCGS | Gold |


Q

Electronics

Guitar Pickup Covers




PC-2 covers are Matte and OD-ST-C covers are Glossy except OD-ST-CRW (Relic). Polepiece spacing : 52.5mm (10.5mm x 5)



83

'50 ST type Plastic Pickup Covers Pack



| | ltem# | Color | | |
|-----|----------|-------------|--|--|
| NEW | MJP-SP5W | Relic White | | |
| | | | | |

| | '60 | ST type Plast | ic Pickup Cover | 'S Hosco [®] Pack | 83 |
|---|-----|--------------------|------------------|-------------------------------|---|
| | d | MJP-SP6AW | | JP-SP6AW | 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |
| | | ltem# | Color |] | |
| 1 | NEW | MJP-SP6AW | Relic Aged White | | |
| 1 | NEW | MJP-SP6IV | Relic Aged Cream |] | |
| | | *EXPORT SALES ONLY | , | - | |

Master Relic Collection ST type Pickup Cover Sets

Polepiece spacing : 52.5mm (10.5mm x 5)


Guitar / Bass Parts

Electronics

Guitar / Bass Parts


Other String Instrument Parts

Accessories




| ltem# | Description | | ltem# | Description |
|-----------------|-------------------------|---|-----------------|--------------------------------|
| MRC-STPC50W-SET | 50s, Relic White, 3/SET |] | MRC-STPC60W-SET | 60s, Relic Parchment WH, 3/SET |

MG type Plastic Pickup Covers




P-90 type Pickup Covers



_ _

| Item# Description | |
|-------------------|---------------------|
| PC-TVB | Dog-ear type, Black |
| PC-TVI | Dog-ear type, Cream |



| ltem# | Description |
|--------|----------------------|
| PC-SBB | Soap-bar type, Black |
| PC-SBI | Soap-bar type, Cream |

2

Electronics



Master Relic Collection TL type Pickup Cover

Worn surface with faint shadow marks left from the strings. All tastefully done with no exaggeration.


| + | 15 | | | |
|---|----|---|---|---|
| | L | J | U | J |


| ltem# | Description |
|-----------|----------------------------|
| MRC-TLPCN | Neck position, Aged Nickel |

65

14.5

TL type Metal Pickup Covers






| ltem# | Item# Polepiece Spacing Color/Finish | | Material |
|----------|--------------------------------------|--------|---------------|
| PC-HX | N/A | Black | Plastic |
| PUC-98G | 49.2mm (9.84mm x 5) | Gold | Nickel-silver |
| PUC-98N | 49.2mm (9.84mm x 5) | Nickel | Nickel-silver |
| PUC-10G | 50.0mm (10.0mm x 5) | Gold | Nickel-silver |
| PUC-10N | 50.0mm (10.0mm x 5) | Nickel | Nickel-silver |
| PUC-104G | 52.0mm (10.4mm x 5) | Gold | Nickel-silver |
| PUC-104N | 52.0mm (10.4mm x 5) | Nickel | Nickel-silver |

Master Relic Collection Pickup Cover Set

Shallow dimple on the polepiece holes, worn surface with faint shadow marks left from the strings.





| ltem# | Description | |
|---------------|--------------------|--|
| MRC-HBPCN-SET | Aged Nickel, 2/SET | |

HOSCO[®] Pack **Pickup Springs**

| | ltem# | Length | Shape |
|-----------------|-------|--------|----------|
| w.ll | PG08 | 8 mm | Tapered |
| MMM | PG17 | 17 mm | Tapered |
| 20000000 | PG21 | 21 mm | Straight |
| 00000000 | PG27 | 27 mm | Straight |
| 0000000000 | PG30 | 30 mm | Straight |
| \$1000000000000 | PG42 | 42 mm | Straight |

HOSCO[®] Pack **Polepiece Screws**

PL19GI

19 3.175

Inch size

| ltem# | Size | Finish |
|--------|---------------------------|--------|
| PL19GI | 3.175 x 19 mm (#5-40 UNC) | Gold |
| PL19NI | 3.175 x 19 mm (#5-40 UNC) | Nickel |

Maintenance


Other String Instrument Parts


Electronics

2


14

Other String Instrument Parts





Pickup Fence Hosco[®] Pack



Screws included.

 Item#
 Finish

 PF-C
 Chrome

Accessories

Pickup Height Foam Hosco Pack

PB type Pickup Height Foam

Comes with copper plate and wire for grounding.



| ltem# | Description |
|-------|--------------|
| HAJ-P | Black, 2/SET |

JB type Pickup Height Foam

Comes with copper plate and wire for grounding.




| ltem# | | Description |
|-------|-------|-------------|
| HAJ-J | Black | |

Bridges

HOSCO Pack **Electric Guitar Bridges**


HOSCO Original TL Bridges by GOTOH® 🔽 GOTOH*

The only one side wall cut base plate and fixing with the two small additional screws provide a better stability on the bridge. Moreover, GOTOH[®]'s In-Tune saddles make more exact intonation compared to traditional ones. Dual-loading. Screws included.



HK-24NS

| Item# Description | |
|-------------------|---------------------------------------|
| HK-24NS/BS | Nickel, w/ In-Tune Brass saddles |
| HK-24NS/TI | Nickel, w/ In-Tune Titanium saddles |
| HK-24ACS/BS | Aged Chrome, w/ In-Tune Brass saddles |



Saddles : Brass (Unplated) saddles for the HK-22CS and HK-23CS.

The only one difference is Angle of the

HK-23CS Chrome, w/3 barrel saddles T-21C Chrome, w/3 threaded barrel saddles

Compensated Barrel Saddle Set

The Brass saddles come with intonation screws and springs. Sold as a set of 3.

| ltem# | Description |
|----------|--------------------------------------|
| HK-22SSS | Compensated barrel saddle set, 3/SET |




Other String Instrument Parts

Guitar / Bass Parts

HOSCO Pack

TL Bridge w/Shorter Plate


Base plate : Steel Saddles : Brass Screws included.



| ltem# | Description | |
|-------|---------------------------------|--|
| | Chrome, w/3 compensated saddles | |

Vintage style TL Bridge w/6 Saddles

The shape of string slots on the saddles is "V-shape" that makes some good benefits. Screws included.



Vintage style Jr. Bridge


Allen screws can adjust the overall string length. Material : Brass Studs and bushings included.

| Ite | em# | Description | | |
|------|-------------|---|----|--|
| HK- | TV2 | Chrome, w/metric threaded studs (M8x1.25) | | |
| No. | | Alla | V2 | |
| 19.8 | Jin Stud sp | $\begin{array}{c} 82 \\ \hline \\ $ | | |

TL Bridges for Humbucker PU

Base plate : Steel Saddles : Zinc Screws included.





GB-TLHC

| Item# | Finish |
|---------|--------|
| GB-TLHC | Chrome |
| GB-TLHG | Gold |

V-shape

"V-shape" = two point support It brings us the following merits!

* Reduction of a buzz tone

* Proper string tension

* Tuning stability

* Quicker response

* Bigger clear sound

Electronics

Relic Parts

Wraparound Guitar Bridge Overall string length can be adjusted. Studs and bushings included.

 Item#
 Finish

 GB-BDSC
 Chrome

 GB-BDSC
 Chrome

 GB-BDSC
 GB-BDSC

Stud spacing = 81.5mm

HOSCO Pack GOTOH[®] T-O-M Bridges w/Brass Saddles 🔽 GOTOH

GE103B and GE103B-T bridges with "Brass" saddles are available from Hosco. The brass saddles are finished in the same plating as the bridges. Chrome, Nickel, and Gold. Posts & thumbwheels or Studs & bushings included. Bulk for manufacturers only.

Packaged

GE103BTC-BS

GE103BTG-BS

GE103BTN-BS

| Fackageu | | | 84.5 |
|---------------|------------------|------------------------|---|
| ltem# | Description | 1 | φ16 |
| H-GE103BC-BS | GE103B, Chrome | X li | |
| H-GE103BG-BS | GE103B, Gold | 10 0 0 | |
| H-GE103BN-BS | GE103B, Nickel | a 100 0 | |
| H-GE103BTC-BS | GE103B-T, Chrome | | |
| H-GE103BTG-BS | GE103B-T, Gold | GE103BG-BS | 52(10.4×5) |
| H-GE103BTN-BS | GE103B-T, Nickel | | 84.5 |
| Bulk | | 1 So de | |
| ltem# | Description | -1000 | |
| GE103BC-BS | GE103B, Chrome | The state of the state | $\begin{array}{c c} & & & \\ \hline \\ & & & \\ \hline \\ \hline$ |
| GE103BG-BS | GE103B, Gold | 0.0 | |
| GE103BN-BS | GE103B, Nickel | GE103BTN-BS | $52(10.4 \times 5)$ |
| | | | |

HOSCO Pack Vintage style T-O-M Bridges

ABR-1 type. The adjustable intonation screws are held with a wire. Bridge : Żinc Saddles : Brass (No notch) Posts & thumbwheels included.

GE103B-T, Chrome


GE103B-T, Gold

GE103B-T, Nickel

| ltem# | Finish |
|--------|--------|
| HK-25C | Chrome |
| HK-25N | Nickel |
| HK-25G | Gold |



HK-25G Stud spacing = 74.0mm



Accessories


Modern style T-O-M Bridges Hosco^{Pack}


Nashville type with wider intonation adjustment. Bridge : Zinc Saddles : Zinc (No notch) Studs and bushings included.

| ltem# | Finish |
|---------|--------|
| HK-120C | Chrome |
| HK-120N | Nickel |
| HK-120G | Gold |



HK-120C Stud spacing = 74.0mm





Other String Instrument Parts

GOTOH[®] Vintage style T-O-M Bridges with 12" radius

300mm (Approx. 12") radius The 12" radius is used on most of LP type electric guitars. You can match the radius on both of fingerboard and bridge.

Vintage look

Packaged

The narrow shape looks good on vintage guitars. Our special GE104B bridge has both of 12" radius and vintage look.

Unnotched Brass saddles Longer sustain and warm sound. You can adjust the string spacings as you like.

Item#

H-GE104BC-BS300

H-GE104BG-BS300

H-GE104BN-BS300

H-GE104BAN-BS300



Description

GE104B, Chrome

GE104B, Gold

GE104B, Nickel

GE104B, Aged Nickel

Unnotched Brass saddles

Item#

GE104BC-BS300

GE104BG-BS300


GE104BN-BS300

HOSCO

Pack

GE104BAN-BS300

Bulk



Description

GE104B, Chrome

GE104B, Gold

GE104B, Nickel

GE104B, Aged Nickel


G GOTOH[®]

Other String Instrument Parts

Two-point Synchronized Tremolo Bridges

The Hosco packaged version is also available for retailers.

Here is a new option for two-point tremolo bridges. Modern two-point synchronized tremolo design with traditional stamped bent steel saddles. You can choose steel block or zinc one. The spacings for strings and studs are the same as Gotoh[®] 510 tremolo bridges. The new tremolo bridges are made in Japan and the quality is reliable.




Vintage style Synchronized Tremolo Bridge Hosco



| | ltem# | Description |
|-----|-----------|----------------------|
| NEW | GB-ST105C | Chrome, Block : Zinc |


Stamped bent steel saddles Tremolo Block: Zinc (36mm) Finish: Chrome (plate) / Nickel (saddles) String spacing: 52.5mm (10.5mm x 5)

*The necessary parts below are included. 6pcs screws for tremolo plate 2pcs screws for spring hanger 1pc arm with white cap 3pcs spring 1pc spring hanger 1pc 1.5mm hex wrench



JG/JM type Tremolo & Bridge Hosco[®] Pack

JG/JM type Tremolo



| ltem# | Description |
|--------|-----------------------------------|
| HK-41 | Tremolo unit, Chrome, w/arm |
| HK-41A | Tremolo arm only (White arm knob) |

JG/JM type Bridge

Bridge w/anchors Material : Steel. 1.5mm wrench included. Saddle radius : 241mm (9-1/2")R



| ltem# | Finish | |
|-------|--------|--|
| HK-42 | Chrome | |

HOSCO

Pack


Fixing Bushing

HK-4248BU, fixing bushings, are simple "PUSH-IN" attachment to the bridge feet. No alteration to the original body. By thickening the feet with the bushings, the rocking movement gets restricted inside the anchor post.



Ν


| | Material: POM, Sold as a set of 2 | | |
|-----|-----------------------------------|-----------------|--|
| | ltem# | For | |
| IEW | HK-4248BU | JM/JG/MG Bridge | |
| | *EXPORT SALES C | NI Y | |



Maintenance


Electronics

MG type Tremolo & Bridge Pack



MG type Bridge

Bridge w/anchors 1.5mm wrench included. Saddle radius : 241mm (9-1/2")R



MG type Saddle Set for another use




JG/JM type saddles are usually equipped with a spiral type saddles with shallow grooves, but to prevent string drop, simply replace it with Mustang[®] (MG) type saddles with deep grooves. (There are some cases where this is not possible due to size standards in millimeters or inches, compatibility of parts, etc.).

| Sala - Sa | | and a state of the local division of the loc | - | | (CIMIC) | NHU | 010 | 070 | | 10 PE | |
|--|-------|--|------------|---------|---------|--------|-------|------|-------|---------|--|
| linut | BUILD | BUILD | BHH | and the | Berry P | ALC: N | and a | (and | and a | Birth I | |
| HK-4855 | | | | | | 0000 | 0.00 | CD. | Ð | | |

These saddle sets can be used on JM type bridge as well and they can prevent the strings from running off.

| ltem# | Description |
|----------|--|
| HK-48SS | Saddle Set, 6/SET, Height-unadjustable |
| HK-48SSA | Saddle Set, 6/SET, Height-adjustable |

HOSCO[®] Pack **Electric Bass Bridges** Wilkinson Bass Bridge Pack The two saddles can be rotated to get a better intonation. Saddles : Brass Screws included. proven to well-fit to our TBD OP type bodies 0 % 0 \odot 1.5 76.5 30.2 36.8 Finish Item# \bigcirc \bigcirc G WB2V-NS Nickel WB2V-NS 19.6 19.6 58.8(19.6×3)



Standard Bridges for PB/JB HOSCO Pack

Base plate & Saddles : Steel String spacing : 57.0mm (19.0mm x 3) Screws included.



HK-20CS

| | - | | 79.5 | | |
|----|-------|--------------|------|----------|--------|
| 43 | 0 | 0 | | @ | Ø |
| | | <u>φ</u> 4.4 | _ | 17 | .5 |
| | pitch | 19mm | 0 | 9 | ¢ } |

| ltem# | Finish |
|---------|--------------|
| HK-20BS | Black Nickel |
| HK-20CS | Chrome |
| HK-20GS | Gold |

Standard Bridge w/Spiral Saddles Hosco^{*} Pack

Base plate : Steel Saddles : Brass String spacing : 57.0mm (19.0mm x 3) Screws included. 79.5 43 0 \bigcirc 6 Q Q φ4.4 17.5 T-117N/S pitch= 19mm ф 8 19 Description Item# T-117N/S Nickel, w/spiral saddles


HOSCO® Pack **Bridge Covers**

TL Bridge Cover Stamped bridge cover. Fits our HK-22, HK-23, T-21, and T-40.



| ltem# | Finish |
|-------|--------|
| T-50C | Chrome |


PB Bridge Cover



JB Bridge Cover

Screws included.






| ltem# | Finish |
|-------|--------|
| BC-JC | Chrome |

Archtop Guitar Bridges HOSCO Pack

Machined bridges for archtop guitars. The saddle is unnotched. 150mm(L) x14mm(W) x 23.5mm(H).

F-2803, F-2804 & F-2813 come with compensated saddle and F-2805 & F-2806 come with slanted saddle. Only Posts & thumbwheels : Gold or Nickel



Archtop Bridges w/Compensated Saddle

| ltem# | Description |
|---------|------------------|
| F-2803 | Ebony, Nickel |
| F-2803R | Rosewood, Nickel |
| F-2804 | Ebony, Gold |
| F-2804R | Rosewood, Gold |

Archtop Bridges w/T-O-M


GOTOH[®] GE104B is installed on the contoured base. String spacing: 52.0mm (10.4mm x 5)

| T-O-M Bridge & Saddles : Zinc | |
|-------------------------------|---------------------------------|
| ltem# | Description |
| F-2820E | Nickel, Ebony contoured base |
| F-2820 | Nickel, Rosewood contoured base |
| F 2021E | Cold Ehony contoured hase |

90 74 150 F-2805

Archtop Bridges w/Slanted Saddle

| ltem# | Description |
|---------|------------------|
| F-2805 | Ebony, Nickel |
| F-2805R | Rosewood, Nickel |
| F-2806 | Ebony, Gold |
| F-2806R | Rosewood, Gold |




Gold, Ebony contoured base F-2821E F-2821 Gold, Rosewood contoured base

HOSCO[®] Pack **Acoustic Guitar Bridges**

Martin® type machined bridges with countersunk bridge pin holes. Saddle slot : 74mm long x 2.6mm wide Bridge pin hole spacing: 54.0mm (10.8mm x 5)


| ltem# | Wood |
|--------|----------|
| F-2801 | Rosewood |
| F-2802 | Ebony |



HOSCO Pack **Classical Guitar Bridges**

Machined bridges w/Purfling. Unfinished. String hole spacing : 60.0mm (12.0mm x 5)

| ltem# | Wood |
|---------|----------|
| F-3000X | Rosewood |
| F-3001X | Ebony |



Relic Parts

Bridge Pins Hosco[®] Pack

All of our bridge pins have a 3-degree taper. All pins are slotted. Sold as a set of 6.



Plastic Bridge Pins

| ltem# | Description |
|--------|------------------------|
| F-0001 | Cream, No dot |
| F-0002 | Black, No dot |
| F-0003 | White, No dot |
| F-0006 | Cream, Black dot (2mm) |
| F-0007 | Black, White dot (2mm) |
| F-0008 | White, Black dot (2mm) |

| ltem# | Description |
|--------|--------------------------|
| F-3608 | Black, Abalone dot (3mm) |
| F-3609 | White, Abalone dot (3mm) |
| F-3610 | Cream, Abalone dot (3mm) |

| 9 | |
|--------|-----|
| | 4.2 |
| F-3623 | 1.6 |

Brass Bridge Pin

3.5

F-3700

Rosewood Bridge Pins

| ltem# | Description |
|--------|----------------------------|
| F-3602 | Rosewood, No dot |
| F-3603 | Rosewood, MOP dot (3mm) |

Bone Bridge Pins

ltem#

F-3700

| ltem# | Description |
|--------|-------------------------------|
| F-3620 | Cattle bone, No dot |
| F-3621 | Cattle bone, MOP dot (3mm) |

Ebony Bridge Pins

| ltem# | Description |
|--------|----------------------|
| F-3605 | Ebony, No dot |
| F-3606 | Ebony, MOP dot (3mm) |

Horn Bridge Pins

| ltem# | Description |
|--------|--------------------------------|
| F-3622 | Buffalo horn, No dot |
| F-3623 | Buffalo horn, MOP dot (3mm) |

Accessories

Other String Instrument Parts

Plastic Bridge Pin/Endpin Assortment

6.2

24



PIN-ASSORT

Item# PIN-ASSORT

Description

Solid brass, No dot

| Description | | | | |
|-------------------------------------|--|--|--|--|
| Plastic Bridge Pins | | | | |
| Black x 36, | | | | |
| White x 36, | | | | |
| Cream x 36, | | | | |
| Black w/dot x 60, | | | | |
| White w/dot x 60, | | | | |
| Cream w/dot x 60 | | | | |
| Endpins | | | | |
| Black x 6, White x 6, Cream x 6 | | | | |
| Black x 24, White x 24 / screw x 48 | | | | |

Electronics

Tailpieces

Vibrola Tailpieces Hosco Pack






12

1.2

105

(+)




Screws included.

| ltem# | Description |
|-----------|--------------------|
| VIBRO-LNS | Long type, Nickel |
| VIBRO-SNS | Short type, Nickel |

Archtop Guitar Tailpieces *Hosco*^{Pack}

Hinged model for archtop guitars. Screws included. 335 type 116.5 25.9 SSG-6CS 84 36.9 10.5 ΠО 0.4 10 Item# Finish SSG-6CS Chrome SSG-6GS Gold




| ltem# | Finish | |
|----------|--------|--|
| TP-EPHCS | Chrome | |
| TP-EPHGS | Gold | |

HOSCO[®] Pack 175 type Tailpieces



| ltem# | Finish |
|----------|--------|
| TP-175CS | Chrome |
| TP-175GS | Gold |





Electronics

Other String Instrument Parts

Jazz Guitar Tailpiece HOSCO® Pack

Trapeze for Django guitars with original style plastic insert. Both of ball-end and loop-end strings can be used. Screws are NOT included. Material : Brass

| ltem# | Description | |
|--------|------------------------------|--|
| F-2850 | Jazz Guitar Tailpiece, Brass | |





40

70

Plates

HOSCO[®] Pack Backplates

ST type Backplates

Screws are NOT included.




87

77

6

O





88

78

00000

æ

6

73


53


6

Θ


œ







0 A P-103 No string holes



P-105 String spacing : 55.0mm (11.0mm x 5) *Except P-105M P-105RW

11


P-105-RH Round string holes String spacing : 57.5mm (11.5mm x 5)


| ltem# | String Spacing | Color | Note |
|------------|---------------------|------------------|--------------------|
| P-103B | No Holes | Black | |
| P-103W | No Holes | White | |
| P-104B | 52.5mm (10.5mm x 5) | Black | |
| P-104W | 52.5mm (10.5mm x 5) | White | |
| P-105B | 55.0mm (11.0mm x 5) | Black | |
| P-105W | 55.0mm (11.0mm x 5) | White | |
| P-105RW | 57.5mm (11.5mm x 5) | Relic White | |
| P-105M | 56.0mm (11.2mm x 5) | Mint Green 3-ply | |
| P-105MI | 55.0mm (11.0mm x 5) | Mint Cream | |
| P-105P | 55.0mm (11.0mm x 5) | Parchment White | |
| P-105W-RH | 57.5mm (11.5mm x 5) | White | Round string holes |
| P-105RW-RH | 57.5mm (11.5mm x 5) | Relic White | Round string holes |

Electronics

LP-101 and LP-102 fit Historic Series (1994-2008) and the "translucent" Brown color looks like original. Screws are NOT included.


For Control cavity






| | ltem# | Description |
|----------|----------|--|
| | LP-102BK | Black, fits Historic Series (1994-2008) |
| LP-102BR | | Brown, fits Historic Series (1994-2008) |


For Switch cavity



| ltem# | Color | | |
|--------|-------|--|--|
| P-101B | Black | | |
| P-101I | Cream | | |


HOSCO[®] Pack **Control Plates**






| ltem# | Description | | |
|----------|--------------------------------------|--|--|
| LP-101BK | Black, fits Historic Series (1994~) | | |
| LP-101BR | Brown, fits Historic Series (1994~) | | |

Guitar / Bass Parts



Vintage PB type Control Plate

Screws included.



| ltem# | Finish |
|----------|--------|
| HK-PBVPS | Chrome |

TL type Control Plate

This Nickel version is not produced on a regular basis. Screws included.



| | ı — | | 16 | | | |
|------|-----|-----|-----|-------|-----------|-----------|
| | - | | 14 | 8.5 | | |
| Т | | | | φ 9.6 | | \neg |
| 32.4 | 6 | , (| p (| P | \langle | $P \oint$ |
| 1 | | 41 | | 60 | | |


G GOTOH[®]

Item#FinishCP-10NSNickel

Neck Plate

GOTOH[®] Neck Plate

This Nickel version is not produced on a regular basis. Screws included.




Plastic Neck Shim Molded plastic. Thickness : 1.0mm




\$ 6.4

66.7

HOSCO[®] Pack




Accessories




GOTOH® Jack Plates

This Nickel version is not produced on a regular basis. Screws included.



| ltem# | Shape | Finish |
|---------|---------|--------|
| JCB-4NS | Square | Nickel |
| JCS-1NS | ST type | Nickel |
| JCB-2NS | Oval | Nickel |



Treble/Rhythm Plates HOSCO[®] Pack



Electronics

Guitar / Bass Parts

Other String Instrument Parts


Accessories




| | ltem# | Color |
|---|---------|-------|
| 1 | LP-SW-B | Black |
| | LP-SW-I | Cream |

LP-SW-I

HOSCO[®] Pack JG/JM type Related Parts




18 Ξ 10



68 2.4 ÷. 78.2 7.2 3.3 000 000 44

HK-44L/JM



HK-44L/JM L-shaped Preset pot bracket for JM, w/Screws HK-44PCW Preset control wheel, Black

Pickup magnet claw, Chrome

HOSCO[®] Pack **Truss Rod Covers**

Screws are NOT included.



Item# HK-44PCC

HK-44L/JG

F-4007

DM-802

DM-803 DM-006

Description

DM-008 MRC-TRCB

| ltem# | Shape | Color/Material | ltem# | Shape | Color/Material |
|--------|----------|----------------|----------|-------|---|
| F-4007 | Bell | Black 2-ply | DM-006 | Bell | Maple |
| DM-802 | Triangle | Black 2-ply | DM-008 | Bell | Green Abalone |
| DM-803 | Bullet | Black 2-ply | MRC-TRCB | Bell | Master Relic Collection Relic Black 2-ply |

Truss Rod Cover Screw

Round head. Size : 2.1mm x 10.0mm MOQ: 100 pcs each

WS-02

| ltem# | Finish |
|--------|--------|
| WS-02N | Nickel |
| WS-02G | Gold |

Maintenance

Pickguards

Electric Guitar Pickguards Hosco[®]

Material : PVC plastic

*Color Reference

P3P: White Pearloid/WH/BK/WH BKT4P: Black Tortoise/WH/BK/WH T4PM: Tortoise/Mint Green/BK/Mint NRT4P: Red Tortoise/WH/BK/WH (JG, PB, & JB) PI05: Yellowish Pearloid/WH/BK/WH The color of PI05 will be changed from the current white to parchment white once the current stock runs out.

*In case the protective film won't peel off cleanly, try warming the spot with a wrung towel soaked in lukewarm water to remove slowly.

ST type Pickguards (S-S-S)

| ltem# | Color (Mounting Holes) |
|--------|------------------------|
| SC-B1P | Black 1-ply (8) |
| SC-B3P | Black 3-ply (11) |
| SC-W1P | White 1-ply (8) |
| SC-W3P | White 3-ply (11) |
| SC-G3P | Mint Green 3-ply (11) |

| ltem# | Color (Mounting Holes) |
|-------------|--|
| SC-P3P | White Pearloid 4-ply (11) |
| SC-PI05 | Yellowish Pearloid 4-ply (11) |
| SC-BKT4P | Black Tortoise 4-ply (11) |
| SC-T4PM | Tortoise/Mint 4-ply (11) |
| SC-68/69W4P | '68-69, White 4-ply, Pearl on Back (11) |

ST type Pickguards (No Holes)

| ltem# | Color (Mounting Holes) |
|----------|------------------------|
| SC-B1P-2 | Black 1-ply (8) |
| SC-B3P-2 | Black 3-ply (11) |
| SC-W1P-2 | White 1-ply (8) |
| SC-W3P-2 | White 3-ply (11) |
| SC-G3P-2 | Mint Green 3-ply (11) |

| ltem# | Color (Mounting Holes) |
|------------|-------------------------------|
| SC-P3P-2 | White Pearloid 4-ply (11) |
| SC-PI05-2 | Yellowish Pearloid 4-ply (11) |
| SC-BKT4P-2 | Black Tortoise 4-ply (11) |
| SC-T4PM-2 | Tortoise/Mint 4-ply (11) |

ST type Pickguards (H-S-S)

| ltem# | Color (Mounting Holes) |
|----------|------------------------|
| SC-B1P-3 | Black 1-ply (8) |
| SC-B3P-3 | Black 3-ply (11) |
| SC-W1P-3 | White 1-ply (8) |
| SC-W3P-3 | White 3-ply (11) |
| SC-G3P-3 | Mint Green 3-ply (11) |

| ltem# | Color (Mounting Holes) |
|------------|-------------------------------|
| SC-P3P-3 | White Pearloid 4-ply (11) |
| SC-PI05-3 | Yellowish Pearloid 4-ply (11) |
| SC-BKT4P-3 | Black Tortoise 4-ply (11) |
| SC-T4PM-3 | Tortoise/Mint 4-ply (11) |



SC-2

ST type Pickguards (1H)

| ltem# | Color (Mounting Holes) |
|----------|------------------------|
| SC-B1P-4 | Black 1-ply (8) |
| SC-B3P-4 | Black 3-ply (11) |
| SC-W1P-4 | White 1-ply (8) |
| SC-W3P-4 | White 3-ply (11) |
| SC-G3P-4 | Mint Green 3-ply (11) |

| ltem# | Color (Mounting Holes) |
|------------|-------------------------------|
| SC-P3P-4 | White Pearloid 4-ply (11) |
| SC-PI05-4 | Yellowish Pearloid 4-ply (11) |
| SC-BKT4P-4 | Black Tortoise 4-ply (11) |
| SC-T4PM-4 | Tortoise/Mint 4-ply (11) |
| | |




SC-4

Vintage style ST type Pickguards Hose

These vintage style pickguards are reproduced under the original specification like shape, position and number of screw holes, pot holes, switch slot, and pickup holes.

*In case the protective film won't peel off cleanly, try warming the spot with a wrung towel soaked in lukewarm water to remove slowly.



Vintage style Aluminum Ground Plates


Useful for noise reduction. Fits our Vintage style ST pickguards.



| ltem# | Description (Mounting Holes) |
|----------|------------------------------|
| VS-AGP61 | '60-'62 (11) |
| | |

Aluminum Ground Sheets

Useful for noise reduction. Self-adhesive. You can cut these ground sheets easily as you like.




| ltem# | Description |
|--------|---------------------|
| AGS-SS | Control area only |
| AGS-ST | ST type |
| AGS-SQ | Blank, 530 x 300 mm |

ST type Carbon Patterned Pickguards

A high-end carbon fiber pattern pickguard. No beveling. Thickness: 2.0mm





Master Relic Collection ST type Pickguards



| ltem# | Description (Mounting Holes) |
|-------------|------------------------------|
| MRC-ST57W1 | Vintage White 1-ply (8) |
| MRC-ST63MI3 | Mint Cream 3-ply (11) |





Electronics

Guitar / Bass Parts

ST type Relic Pickguards

Economy models to enjoy the aged appearance easily.



| ltem# | Description (Mounting Holes) |
|------------|----------------------------------|
| SC-W1P-R57 | '57, Relic White 1-ply (8) |
| SC-G3P-R62 | '62, Relic Mint Green 3-ply (11) |
| SC-W3P-R72 | '72, Relic White 3-ply (11) |

TL type Pickguards

*Color Reference

B1P: Matte BlackB3P: Black/WH/BKW1P: WhiteW3P: White/BK/WHG3P: Mint Green/BK/MintIVO: Cream

P3P: White Pearloid/WH/BK/WH BKT4P: Black Tortoise/WH/BK/WH T4PM: Tortoise/Mint Green/BK/Mint NRT4P: Red Tortoise/WH/BK/WH (JG, PB, & JB) PI05: Yellowish Pearloid/WH/BK/WH The color of PI05 will be changed from the current white to parchment white once the current stock runs out.

*In case the protective film won't peel off cleanly, try warming the spot with a wrung towel soaked in lukewarm water to remove slowly.

| ltem# | Color (Mounting Holes) |
|--------|------------------------|
| TC-B1P | Black 1-ply (5) |
| TC-B3P | Black 3-ply (8) |
| TC-W1P | White 1-ply (5) |
| TC-W3P | White 3-ply (8) |
| TC-G3P | Mint Green 3-ply (8) |


| ltem# | Color (Mounting Holes) | |
|----------|------------------------------|--|
| TC-P3P | White Pearloid 4-ply (8) | |
| TC-PI05 | Yellowish Pearloid 4-ply (8) | |
| TC-BKT4P | Black Tortoise 4-ply (8) | |
| TC-T4PM | Tortoise/Mint 4-ply (8) | |

TL type Carbon Patterned Pickguards

A high-end carbon fiber pattern pickguard. No beveling. Thickness: 2.0mm




| ltem# | Color (Mounting Holes) |
|------------|--------------------------------------|
| TC-FCB1P-5 | Carbon Patterned, Black 1-ply (5) |



HOSCO[®] Pack **TL type Bakelite Pickguards**

In 1950's, Bakelite was popular material for electric guitar pickguards, but it disappeared in 1960's. Our bakelite pickguards are for vintage lovers. Thickness: 2.0 mm Color: Matte Black



| ltem# | Description (Mounting Holes) |
|-----------|------------------------------|
| TC-BL-B1P | Black 1-ply (5) |
| TC-BL-EQ | Black 1-ply, No PU hole (5) |

Vintage style TL type Pickguards

These vintage style pickguards are reproduced under the original specification like shape, position and number of screw holes, pot holes, switch slot, and pickup holes.





| ltem# | Description (Mounting Holes) |
|--------------|------------------------------|
| VS-60TLPG/VW | '59, Vintage White 1-ply (8) |
| VS-64TLPG/MI | '64, Mint Cream 3-ply (8) |

VS-60TLPG/VW

VS-64TLPG/MI



TL type Relic Pickguards

Economy models to enjoy the aged appearance easily.



| Itelli# | Description (Mounting Holes) |
|-----------|------------------------------|
| TC-52RB1P | '52, Relic Black 1-ply (5) |
| TC-62RW1P | '62, Relic White 1-ply (8) |

Relic Parts

*Color Reference Hosco B1P: Matte Black

| B1P: | Matte Black |
|------|--------------------|
| B3P: | Black/WH/BK |
| W1P: | White |
| W3P: | White/BK/WH |
| G3P: | Mint Green/BK/Mint |
| IVO: | Cream |

P3P: White Pearloid/WH/BK/WH BKT4P: Black Tortoise/WH/BK/WH T4PM: Tortoise/Mint Green/BK/Mint NRT4P: Red Tortoise/WH/BK/WH (JG, PB, & JB) PI05: Yellowish Pearloid/WH/BK/WH The color of PI05 will be changed from the current white to parchment white once the current stock runs out.

IG type Pickguards

*In case the protective film won't peel off cleanly, try warming the spot with a wrung towel soaked in lukewarm water to remove slowly.

JM type Pickguards

| Julyber | ichguulus | | Jo type i | ienguaras | |
|----------|----------------------|---|-----------|--------------------|----------|
| Item# | Color | • | ltem# | Color | |
| JM-B3P | Black 3-ply | | JG-B1P | Black 1-ply | (|
| JM-W3P | White 3-ply | | JG-B3P | Black 3-ply | |
| JM-G3P | Mint Green 3-ply | | JG-W1P | White 1-ply | ° |
| JM-P3P | White Pearloid 4-ply | | JG-W3P | White 3-ply | |
| JM-BKT4P | Black Tortoise 4-ply | | JG-G3P | Mint Green 3-ply | 0.0.00 |
| JM-IVO | Cream 1-ply | | JG-NRT4P | Red Tortoise 4-ply | JG |
| | ÷ | | | | |

*In case the protective film won't peel off cleanly, try warming the spot with a wrung towel soaked in lukewarm water to remove slowly.

LP

LP type Pickguards


| ltem# | Color |
|--------|-------------|
| LP-B3P | Black 3-ply |
| LP-IVO | Cream 1-ply |

*Bracket & screws are included.

| ltem# | Description |
|------------|----------------------------|
| LP-59LI | '59, Light Cream 1-ply |
| LP-56I-P90 | '56, for P-90, Cream 1-ply |

*Bracket & screws are NOT included.


Master Relic Collection LP type Pickguards



MRC-LP59IV


| ltem# | Description |
|------------|------------------|
| MRC-LP59IV | '59, Cream 1-ply |

*Bracket & screws are NOT included.



LP type Relic Pickguards

Economy model to enjoy the aged appearance easily.



| ltem# | Description |
|----------|------------------------------|
| LP-59RLI | '59, Relic Light Cream 1-ply |

*Bracket & screws are NOT included.

HOSC Pack *Color Reference

Electronics

B1P: Matte Black B3P: Black/WH/BK W1P: White W3P: White/BK/WH G3P: Mint Green/BK/Mint IVO: Cream

White Pearloid/WH/BK/WH P3P: BKT4P: Black Tortoise/WH/BK/WH T4PM: Tortoise/Mint Green/BK/Mint NRT4P: Red Tortoise/WH/BK/WH (JG, PB, & JB)

Yellowish Pearloid/WH/BK/WH PI05:

The color of PI05 will be changed from the current white to parchment white once the current stock runs out.

*In case the protective film won't peel off cleanly, try warming the spot with a wrung towel soaked in lukewarm water to remove slowly.

SG type Pickguards

| ltem# | Color |
|--------|-------------|
| SG-B3P | Black 3-ply |
| SG-W3P | White 3-ply |



FV type Pickguards

| ltem# | | Color |
|-------|-------|-------------|
| F۷ | ′-B3P | Black 3-ply |
| F٧ | /-W3P | White 3-ply |

FB type Pickguards

MG type Pickguards


Item#

MU-B3P

MU-W3P

MU-P3P

| | 0 |
|--------|-------------|
| ltem# | Color |
| FB-B3P | Black 3-ply |
| FB-W3P | White 3-ply |



FB

Item# Color SM-B3P Black 3-ply SM-W3P White 3-ply



EX type Pickguards

| | 0 |
|--------|-------------|
| ltem# | Color |
| EX-B1P | Black 1-ply |
| EX-B3P | Black 3-ply |
| EX-W1P | White 1-ply |
| EX-W3P | White 3-ply |
| | |

175 type Pickguards

| | 0 |
|--------|-------------|
| ltem# | Color |
| E1-B3P | Black 3-ply |
| E1-IVO | Cream 1-ply |

335 type Pickguards

| - | - |
|--------|-------------|
| ltem# | Color |
| E3-B3P | Black 3-ply |
| E3-IVO | Cream 1-ply |
| E3-IVO | Cream 1-ply |

E3

TT

'68 TL Thinline type Pickguards

| ltem# | Color |
|----------|----------------------|
| TT-P3P | White Pearloid 4-ply |
| TT-BKT4P | Black Tortoise 4-ply |

TL Deluxe type Pickguards

| ltem# | Color |
|--------|-------------|
| TD-B3P | Black 3-ply |
| TD-W3P | White 3-ply |

TL Humbucker type Pickguards

| ltem# | Color |
|--------|-------------|
| TH-B1P | Black 1-ply |
| TH-B3P | Black 3-ply |
| TH-W1P | White 1-ply |

TD

ΤН



Item# Color

'72 TL Thinline type Pickguards

Color

White Pearloid 4-ply

Black 3-ply

White 3-ply

MU-BKT4P Black Tortoise 4-ply

| пссии | 0101 |
|--------|----------------------|
| TN-B3P | Black 3-ply |
| TN-P3P | White Pearloid 4-ply |
| TN-W3P | White 3-ply |
| | |



ТΝ

MU

| TL Custom type Pickguards | 0 |
|---------------------------|---|
|---------------------------|---|

| ltem# | Color | |
|--------|----------------------|--|
| TM-B3P | Black 3-ply | |
| TM-W3P | White 3-ply | |
| TM-P3P | White Pearloid 4-ply | |



EX

E1



Electric Bass Pickguards HOSCO[®] Pack

*Color Reference


| B1P: | Matte Black | P3P: White Pearloid/WH/BK/WH |
|------|--------------------|---|
| B3P: | Black/WH/BK | BKT4P: Black Tortoise/WH/BK/WH |
| W1P: | White | T4PM: Tortoise/Mint Green/BK/Mint |
| W3P: | White/BK/WH | NRT4P: Red Tortoise/WH/BK/WH (JG, PB, & JB) |
| G3P: | Mint Green/BK/Mint | PI05: Yellowish Pearloid/WH/BK/WH |
| IVO: | Cream | The color of PI05 will be changed from the current white to parchment |
| | | white once the current stock runs out. |

*In case the protective film won't peel off cleanly, try warming the spot with a wrung towel soaked in lukewarm water to remove slowly.

MM type Pickguards

Current type with a slot for truss rod adjustment.

| ltem# | Color |
|---------|-------------|
| MSN-B3P | Black 3-ply |
| MSN-W3P | White 3-ply |



PB type Pickguards Mounting Holes: 13

| ltem# | Color | |
|--------|------------------|--|
| PB-B1P | Black 1-ply | |
| PB-B3P | Black 3-ply | |
| PB-W1P | White 1-ply | |
| PB-W3P | 3P White 3-ply | |
| PB-G3P | Mint Green 3-ply | |

| 5110100.10 | | |
|------------|--------------------------|--|
| ltem# | Color | |
| PB-P3P | White Pearloid 4-ply | |
| PB-PI05 | Yellowish Pearloid 4-ply | |
| PB-BKT4P | Black Tortoise 4-ply | |
| PB-T4PM | Tortoise/Mint 4-ply | |
| PB-NRT4P | Red Tortoise 4-ply | |




OPB type Pickguards

| Color |
|-----------------------|
| Black 1-ply |
| Black 3-ply |
| White 1-ply |
| Black 1-ply, Bakelite |
| |




Master Relic Collection PB type Pickguards



| ltem# | Description |
|------------|----------------------------|
| MRC-PB51BL | '51, Black 1-ply, Bakelite |
| MRC-PB54BL | '54, Black 1-ply, Bakelite |

JB type Pickguards Mounting Holes : 11

| ltem# | Color | ltem# | Color |
|--------|------------------|----------|--------------------------|
| JB-B1P | Black 1-ply | JB-P3P | White Pearloid 4-ply |
| JB-B3P | Black 3-ply | JB-PI05 | Yellowish Pearloid 4-ply |
| JB-W1P | White 1-ply | JB-BKT4P | Black Tortoise 4-ply |
| JB-W3P | White 3-ply | JB-T4PM | Tortoise/Mint 4-ply |
| JB-G3P | Mint Green 3-ply | JB-NRT4P | Red Tortoise 4-ply |




Electronics

Acoustic Guitar Pickguards HOSCO[®] Pack

Martin[®] type Pickguards

F-4002/T series have beautiful patterns like genuine materials. Self-adhesive. Material : PVC plastic










F-4001L

| ۱ |
|---|
| |
| l |
| |
| d |
| |
| |
| |
| |
| |
| 1 |

F-4001 F-4001BR F-4001W




F-4001TR F-4001P F-4002



HOSCO[®] Pack **Archtop Guitar Pickguards**


Gibson[®] type archtop pickguards with Nickel or Gold bracket. Pickguard material : Acrylic



ATPGT-S

Small size

| ltem# | Color | Bracket |
|-----------|----------|---------|
| ATPGB-S | Black | Nickel |
| ATPGB-S/G | Black | Gold |
| ATPGT-S | Tortoise | Nickel |
| ATPGT-S/G | Tortoise | Gold |




ATPGB-L

Large size

| Item# | Color | Bracket |
|-----------|----------|---------|
| ATPGB-L | Black | Nickel |
| ATPGB-L/G | Black | Gold |
| ATPGT-L | Tortoise | Nickel |
| ATPGT-L/G | Tortoise | Gold |

Maintenance



Archtop Pickguard Brackets

Metal hardware with ebony block for gluing to the backside of the pickguard. Screw included.



| 48 | 6 | | 8 | |
|----|----|----|---|----|
| | =É | ⊉ | Ø | 4 |
| | _L | 34 | | 26 |
| | 12 | 2 | | φ3 |

| ltem# | Finish |
|--------|--------|
| ATB-NS | Nickel |
| ATB-GS | Gold |

Maintenance

Accessories

HOSCO Pack **Blank Sheets**

Pickguard Sheets for Electric Guitars & Basses

*Color Reference

| B1P: | Matte Black |
|------|--------------------|
| B3P: | Black/WH/BK |
| W1P: | White |
| W3P: | White/BK/WH |
| G3P: | Mint Green/BK/Mint |
| IVO: | Cream |
| | |

White Pearloid/WH/BK/WH P3P: BKT4P: Black Tortoise/WH/BK/WH T4PM: Tortoise/Mint Green/BK/Mint NRT4P: Red Tortoise/WH/BK/WH (JG, PB, & JB) PI05: Yellowish Pearloid/WH/BK/WH The color of PI05 will be changed from the current white to parchment white once the current stock runs out.

*In case the protective film won't peel off cleanly, try warming the spot with a wrung towel soaked in lukewarm water to remove slowly.

| ltem# | Color | Size (L x W x T) | | | |
|---------|------------------|-------------------|----------|--------------------------|-------------------|
| PG-B1L | Black 1-ply | 300 x 450 x 2.0mm | | | |
| PG-B3L | Black 3-ply | 300 x 450 x 2.4mm | ltem# | Color | Size (L x W x T) |
| PG-W1L | White 1-ply | 300 x 450 x 2.0mm | PG-P3L | White Pearloid 4-ply | 300 x 450 x 2.4mm |
| PG-W3L | White 3-ply | 300 x 450 x 2.4mm | PG-PI05L | Yellowish Pearloid 4-ply | 300 x 450 x 2.1mm |
| PG-G3L | Mint Green 3-ply | 290 x 490 x 2.4mm | PG-BKT4P | Black Tortoise 4-ply | 290 x 450 x 2.4mm |
| PG-IVOL | Cream 1-ply | 300 x 450 x 2.0mm | PG-T4PM | Tortoise/Mint 4-ply | 290 x 450 x 2.7mm |


Pickguard Sheets for Acoustic Guitars

These blank sheets are the same materials as our Martin[®] type pickguards. F-PGT series have beautiful patterns like genuine materials. Self-adhesive. Material : PVC plastic



Item# Color Size (L x W x T) **F-PGBK** Black 290 x 220 x 0.5mm F-PGCL Clear 290 x 220 x 0.3mm

F-PGBK




F-PGCL

F-PGTS

F-PGWP

F-PGT3





F-PGT2

| ltem# | Color | Size (L x W x T) |
|--------|--------------------|-------------------|
| F-PGT1 | Tortoise, Brown | 290 x 180 x 0.5mm |
| F-PGT2 | Shell, Light Brown | 290 x 180 x 0.5mm |
| F-PGT3 | Shell, Spotted | 290 x 180 x 0.5mm |
| F-PGT4 | Shell, Dark Brown | 290 x 180 x 0.5mm |

F-PGT1

Accessories

F-PGT4

84

Faceguard Hosco[®] Pack


Protect Picking Scratches

This is an ideal item to protect your instruments against scratches.

If you are a retailer, you can use the Faceguard at your store when your customers try to play the instruments. Reusable. It is very easy to adhere and remove the Faceguard. You can change the instruments quickly. Can be used on glossy finished surface only.

Three different types ready to use and one blank sheet for your original shape are available.

Washable. When it cannot stick well because of dusts, please wash it with water and then it will work again. Material : PET plastic



| ltem# | Description |
|-------|------------------------------|
| FG-AG | For Acoustic guitars, 2/SET |
| FG-CG | For Classical guitars, 3/SET |
| FG-EG | For Electric guitars |
| FG-SQ | Blank sheet, 210 x 170 mm |


Buckle Guard Hosco[®] Pack

The Buckle Guard is a protective item to prevent the backside of the instrument from damage by a buckle or buttons.

Reusable. It is very easy to adhere and remove the Buckle Guard. You can change the instruments quickly. Can be used on glossy finished surface only.

Two sizes are available.

Washable. When it cannot stick well because of dusts, please wash it with water and then it will work again. Material : PET plastic



String Bushings

Guitar String Bushings

HOSCO Pack

HOSCO[®] Pack

Vintage style flush fit. For TL and other non-tremolo guitars. Fits HOSCO guitar bodies. Diameter: 9.5mm Sold by a piece. (HK-10) / a set of 6. (MRC-TLSBN)







| ltem# | Finish |
|-----------|--------------------------------------|
| HK-10B | Black |
| HK-10G | Gold |
| HK-10N | Nickel |
| MRC-TLSBN | Aged Nickel, Master Relic Collection |

Top Ferrules

For String-thru. Sold as a set of 6.



| ltem# | Finish |
|--------|--------|
| HK-TFB | Black |
| HK-TFC | Chrome |
| HK-TFG | Gold |

Bass String Bushings

Modern style flange fit. For electric basses. Fits our TBD-**OP bass bodies. Sold by a piece. (HK-09) / a set of 4. (MRC-OPBSBN)








| ltem# | Finish |
|------------|--------------------------------------|
| HK-09B | Black |
| HK-09G | Gold |
| HK-09N | Nickel |
| MRC-OPBSBN | Aged Nickel, Master Relic Collection |

Other Bass Parts

HOSCO[®] Pack **Finger Rest**

For basses. Screws included.





Endpins / Strap Buttons

Strap Buttons for Electric Guitars / Basses HOSCO[®] Pack



Electronics

Guitar / Bass Parts

18.5

Dot (3mm)

17.5

Dot

MOP

MOP

| HK-12NS Ø11 HK-12NS Ø11.4 HK-12NS Fender® ty Felt Washer HK-12NS Ø11.4 HK-12NS Fender® ty Outer Diameter : 13.0 mm Item# Color Ender® ty Endpins for Acoustic Guitars P-FWBK Black Black Black Plastic Endpins Ø11.4 Wooden Endpins Item# Pin Color Dot (3mm) Ø11.4 Item# Wooden Endpins F-0014 Cream Outer Ø11.4 Remeter Ø11.4 Item# Wood Ø11.4 F-0015 Black - F0011 Cream Black F0021 Ebony F0021 Ebony F0021 Ebony F0021 Ebony F0021 Bony F0024 Rosewood F0025 Ros | HK-13C | γ γ γ | | K-12NS | | | HK-13GS | | arge type |
|--|------------|----------------------------------|------------|----------------------------|-------|-------|----------|------|----------------|
| Telt Washer PackOuter Diameter : 13.0 mm $I = P-FWBK$ $I = P-FWBK$ $EP-FWBK$ $Black$ Endpins for Acoustic Guitars $HOSCOP_{Pack}$ Plastic EndpinsPlastic EndpinsWooden Endpins $I = 000$ $I = 000$ $I = 0014$ $Cream$ $F-0015$ $Black$ $F-0015$ $Black$ $F-0017$ $Cream$ $F-0017$ $Cream$ $F-0018A$ $Black$ $F-0019$ White $F-0019$ White $F-0019$ White $F-0019$ White $F-0019$ White $F-0019$ White $F-0019$ K balance $I = 0010A$ $Wbite$ | HK-13C | 3 111111111111111111 | п | IK-12N3 | φ11.4 | | HK-12NS | F | ender® ty |
| Item#ColorEP-FWBKBlackEP-FWBKBlackEP-FWWHWhiteMoscolPlastic EndpinsImage: ColorItem#Pin ColorImage: ColorIm | Felt Wa | sher <i>Hosc</i> | | | | | | | |
| Image: P-FWBK EP-FWBK Black EP-FWWH White Endpins for Acoustic Guitars Image: Plastic Endpins Plastic Endpins Image: Plastic Endpins Item# Pin Color Dot (3mm) F-0014 Cream - F-0015 Black - F-0016 White - F-0017 Cream Abalone F-0018 Black White F-0019 White Black F-0019 White Black F-00104 Utem Abalone F-0019 White Black F-0019 White Black | Outer Diam | eter : 13.0 mm | | | | | | | |
| EP-FWWH White Endpins for Acoustic Guitars Hoscor Pack Plastic Endpins Wooden Endpins Item# Pin Color Dot (3mm) F-0014 Cream - F-0015 Black - F-0016 White - F-0017 Cream Abalone F-0018 Black White F-0019 White Black F-0019 White Black | | | \frown | ltem# | | Color | | | |
| EP-FWBK Endpins for Acoustic Guitars Plastic Endpins Vooden Endpins | | 4 |) <u></u> | EP-FWBK | | | | | |
| Plastic EndpinsWooden EndpinsItem#Pin ColorDot (3mm) $\overline{F-0014}$ Cream- $\overline{F-0015}$ Black- $\overline{F-0016}$ White- $\overline{F-0017}$ CreamBlack $\overline{F-0017}$ CreamAbalone $\overline{F-0018}$ BlackAbalone $\overline{F-0019}$ WhiteBlack $\overline{F-0019}$ White $\overline{F-0019}$ $\overline{F-00104}$ Black $\overline{F-0019}$ White $\overline{F-0019}$ White $\overline{F-0019}$ Abalone $\overline{F-00104}$ Abalone $\overline{F-0019}$ White $\overline{F-00104}$ Abalone $\overline{F-0019}$ White $\overline{F-0019}$ Abalone $\overline{F-0019}$ Abalone $\overline{F-0019}$ Abalone $\overline{F-00104}$ Abalone $\overline{F-0019}$ Abalon | | P-FWBK | | EP-FWWH | White | | | | |
| Item#Pin ColorDot (3mm) $F-0014$ Cream $F-0015$ Black $F-0015$ Black $F-0016$ White $F-0017$ Cream $F-0017$ Cream $F-0018$ Black $F-0018$ Black $F-0019$ White $F-0019$ White $F-0010$ White $F-0010$ White $F-0010$ $F-0026$ $F-0018$ $F-0026$ $F-0019$ $F-0026$ <td>Endpins</td> <td>s for Acou</td> <td>stic Guita</td> <td>HOSCO[®] Pack</td> <td></td> <td></td> <td></td> <td></td> <td></td> | Endpins | s for Acou | stic Guita | HOSCO [®] Pack | | | | | |
| Item# Pin Color Dot (3mm) F-0014 Cream - F-0015 Black - F-0016 White - F-0017 Cream Black F-0018 Black White F-0019 White Black F-0019 White Abalone | Plastic E | ndpins | | | | W | ooden | Endp | oins |
| Ferrit ColorDot (Smm)F-0014Cream-F-0015Black-F-0016White-F-0017CreamBlackF-0017ACreamAbaloneF-0018BlackWhiteF-0019WhiteBlackF-0019WhiteBlackF-0010AWhiteF-0010AWhite | T | | | 20.0 | | | Y | | <u>\$\$7.0</u> |
| F-0014Cream-F-0015Black-F-0016White-F-0017CreamBlackF-0017ACreamAbaloneF-0018BlackWhiteF-0019WhiteBlackF-0019WhiteBlackF-0010AWhite | Item# | Pin Color | Dot (3mm) |) | | | | - | |
| F-0013BlackF-0016WhiteF-0016WhiteF-0017CreamBlackF-0017ACreamCreamAbaloneF-0018BlackBlackWhiteF-0018ABlackF-0019WhiteBlackAbaloneF-0019WhiteBlackAbalone | F-0014 | Cream | - | | | | | - | |
| F-0016 Write - F-0017 Cream Black F-0017A Cream Abalone F-0018 Black White F-0018A Black Abalone F-0019 White Black F-0019 White Abalone | F-0015 | Black | - | | | | | - | |
| F-0017 Cream Black F-0017A Cream Abalone F-0018 Black White F-0018A Black Abalone F-0019 White Black F-0019 White Black | F-0016 | White | - | _ | | | | Rose | ewood |
| F-0018BlackWhiteBrass EndpinF-0018ABlackAbaloneF-0019WhiteBlackF-0019AWhiteAbalone | F-0017 | Cream | Black | | | F | -0025 | Rose | ewood |
| F-0018 Black White F-0018A Black Abalone F-0019 White Black F-0019A White White | F-0017A | Cream | Abalone | | | _ | _ | | |
| F-0018A Black Abalone F-0019 White Black F-0010A White Abalone | F-0018 | Black | White | | | Bi | rass End | dpin | |
| E 0010A White Abalana | F-0018A | Black | Abalone | | | | | | φ 7.9 |
| F-0019A White Abalone | F-0019 | White | Black | | | | 1 | 2 | |
| | F-0019A | White | Abalone | | | | - | | ϕ 6.5 |

Plastic Bridge Pin / Endpin Assortment Set



| ltem# | Description |
|------------|-------------------------------------|
| | Plastic Bridge Pins |
| | Black x 36, White x 36, |
| | Cream x 36, Black w/dot x 60, |
| PIN-ASSORT | White w/dot x 60, Cream w/dot x 60 |
| | Endpins |
| | Black x 6, White x 6, Cream x 6 |
| | Black x 24, White x 24 / screw x 48 |

Item#

F-0029

Material

Brass

Nuts / Saddles


Blank Bone Nuts Hosco[®] Pack



| | | | (mm) |
|---------|--------|--------|-----------|
| ltem# | Length | Height | Thickness |
| F-3300 | 55 | 9 | 6 |
| F-3301* | 53 | 10 | 4.5-6.0 |
| F-3308 | 65 | 10 | 5 |
| BNK-10 | 43 | 6 | 3.4 |
| BNK-11 | 39 | 6 | 3.4 |
| BNK-12 | 48 | 11 | 4.8 |
| BNK-14 | 42 | 6 | 3.2 |
| BNK-18 | 48 | 7 | 3.5 |
| BNK-19 | 56 | 11 | 5 |
| BNK-20 | 56 | 11 | 6.5 |
| BNK-23 | 45 | 8.5 | 5 |
| BNK-24 | 45 | 10 | 5 |
| BNK-25 | 50 | 11 | 4.5 |
| BNK-29 | 55 | 10 | 6 |
| BNK-8* | 42 | 6 | 3.2 |
| BN-7* | 43 | 8 | 6 |
| BN-9* | 44 | 6 | 3.2 |
| BN-401* | 42.5 | 6.5 | 3.1 |
| BN-402* | 42.5 | 6.5 | 3.1 |
| BN-403* | 42.5 | 6.5 | 3.1 |

NOTE

| F-3301 | Trapezoid |
|--------|---------------------------|
| BNK-8 | 190mm top radius |
| BN-7 | 300mm top radius |
| BN-9 | 180mm top & bottom radius |
| BN-401 | 180mm top & bottom radius |
| BN-402 | 305mm top & bottom radius |
| BN-403 | 240mm top & bottom radius |



| Blank Bone Saddles | HOSCO [®] Pack |
|--------------------|----------------------------|
| | |

| | | | (mm) |
|---------|--------|--------|-----------|
| ltem# | Length | Height | Thickness |
| BNK-21S | 108 | 12 | 2.8 |
| BNK-30 | 101.6 | 12.7 | 6.6 |
| F-3401 | 83 | 8 | 2.4 |
| F-3402 | 83 | 12 | 2.4 |
| F-3403W | 83 | 12 | 6 |
| F-3404W | 102 | 12 | 2.4 |
| F-3405 | 83 | 8 | 3.2 |
| F-3406 | 83 | 12 | 3.2 |
| F-3410 | 71.5 | 11 | 2.3 |
| F-3411 | 90 | 11 | 3.5 |
| BNK-21W | 108 | 12 | 3.5 |
| BNK-22 | 75 | 8 | 2.4 |



| Drawings 100% | |
|---------------|--|
| BNK-21S | |
| BNK-30 | |
| F-3401 | |
| F-3402 | |
| F-3403W | |
| F-3404W | |
| F-3405 | |
| F-3406 | |
| F-3410 | |
| F-3411 | |
| BNK-21W | |
| BNK-22 | |

89

HOSCO Pack **Shaped/Slotted Bone Nuts**

These nuts save you a lot of work because each nut is almost shaped and slotted. All you need to do is minor adjustment!


HSBV series are unbleached and oiled. HSB series are bleached white version.

The HSBV series are harder than the HSB series and they look like vintage. Please note that the HSBV series might bleed a little oil from them.

| Unbleached / For Acoustic Guitars (mm) | | | | | |
|--|-------------|-----|-----|--|--|
| Item# Length Height Thickness | | | | | |
| HSBV-NM1 | 43.0 - 44.2 | 9.0 | 5.6 | | |
| HSBV-NM2 | 44.0 - 45.0 | 9.0 | 5.6 | | |

Unbleached / For Electric Guitars (mm)

| ltem# | Length | Height | Thickness |
|--------------|--------|--------|-----------|
| HSBV-NS1 | 42.86 | 5.4 | 3.3 |
| HSBV-NS1/9.5 | 42.86 | 5.4 | 3.3 |
| HSBV-NG1 | 43.4 | 9.3 | 4.8 |



HSBV-NS1 HSB-NS1

HSBK-NS1 Fender[®] type

for 7-1/4" radius

HSBV-NS1 / 9.5

HSBK-NS1 / 9.5

HSB-NS1 / 9.5


Fender[®] type

for 9.5" radius

HSBV-NG1

HSB-NG1 **HSBK-NG1**

Gibson[®] type



42.86mm (1-11/16")

42.86mm (1-11/16")

43.4mm (1-45/64")

9mm

(3/8")

1mm

(.039")

5.4mm (7/32")

5.4mm

(7/32")

3.3mm

9.3mm

(3/8")

4.8mm

(3/16")

(1/8")

3.3mm (1/8")



| Bleached / For Acoustic Guitars (mm) | | | | | |
|--------------------------------------|-------------|--------|-----------|--|--|
| ltem# | Length | Height | Thickness | | |
| HSB-NM1 | 43.0 - 44.2 | 9.0 | 5.6 | | |

9.0

5.6

| Bleached / For Electric Guitars | (mm) |
|---------------------------------|------|

44.0 - 45.0

| Dicuciicu / I | | | | | |
|---------------|--------|--------|-----------|--|--|
| ltem# | Length | Height | Thickness | | |
| HSB-NS1 | 42.86 | 5.4 | 3.3 | | |
| HSB-NS1/9.5 | 42.86 | 5.4 | 3.3 | | |
| HSB-NG1 | 43.4 | 9.3 | 4.8 | | |

Black / For Electric Guitars

| ltem# | Length | Height | Thickness |
|--------------|--------|--------|-----------|
| HSBK-NS1 | 42.86 | 5.4 | 3.3 |
| HSBK-NS1/9.5 | 42.86 | 5.4 | 3.3 |
| HSBK-NG1 | 43.4 | 9.3 | 4.8 |

Shaped and Slotted Bone Nut/Saddle (OEM)

We can supply high quality bone nuts and saddles at your dimensions. The bone nuts and saddles are machined accurately by CNC. Excellent quality at reasonable price. Get your bone parts and save a time! MOQ: 500 sets (Price varies depending on quantities.)

В

HSB-NM2


(mm)

These saddles save you a lot of work because each saddle is almost shaped. All you need to do is minor adjustment!

HSBV series are unbleached and oiled. HSB series are bleached white version.

The HSBV series are harder than the HSB series and they look like vintage.

Please note that the HSBV series might bleed a little oil from them.



Shaped and Slotted Bone Nut/Saddle (OEM)

We can supply high quality bone nuts and saddles at your dimensions. The bone nuts and saddles are machined accurately by CNC. Excellent quality at reasonable price. Get your bone parts and save a time! MOQ: 500 sets (Price varies depending on quantities.)

HOSCO[®] Pack Visor Nut

Easy installation! Smart looking! And Excellent pitch improvement!

Visor nut is developed with the same technology as our long seller S.O.S. (Sound Offset Spacer).

Each string location is calculated by MTS theory (Patent no. 4383272).

For most of Fender Strat[®] (43mm wide nut, 3.2mm nut slot) type guitars Fingerboard radius : 9.5"(7.25", 10", and 12")

Movie \rightarrow

Material : Bone Size : 43mm (width) x 5.0mm (height) x 3.2mm (slot).

| ltem# | For |
|-----------|---------------------------|
| VISOR-NS1 | ST/TL type (slot-in type) |



VISOR-NS1



Sound Offset Spacers Pack

Design based on MTS theory What is S.O.S.?

S.O.S. improves the intonation at each fret. Easy installation to your instruments. Designed and based on MTS theory (Patent no. 4383272) to fit major and standard musical instruments simply.





DESIGN BASED ON MTS THEORY

What is MTS theory?

MTS is an ultimate guitar tuning system based on the laws of physics.

All fretted instruments have fatal problem.

That is, when player pressed the strings at the fret, the string tension is up and tone will be a little bit sharp, though the frets are set on the correct position.

Forerunners knew this problem and they tried to improve the pitch with compensated saddle and or separated saddle.

This kind of approach improves the pitch, but not perfect.

MTS theory succeeded in improving the pitch as correct as possible with Japanese technology.

Inventor, Minehara researched all kind of problems between string tension and pitch gap.


He tested various kind of standard guitar strings in the world and checked these tensions in his labo. Finally, he derived one formula to calculate the corrected (offset) value from string material, guitar scale and string height. The offset value means the adjustment length from the original scale length.

Adjustment length is not only distance between nut and 12th fret but also 12th fret to saddle for each string. MTS can be applied to majority of the fretted instruments and improve the pitch at each fret.

S.O.S was developed by Hosco with MTS theory(under licensed). As S.O.S. is set at the nut area,


it effects to improve the pitch at the low fret area only.

However, most of guitar players feel its improvement well, because low fret area has a big pitch gap.





HOW IT WORKS



| ltem# | Scale | String | S.O.S. Thickness (6th/1st) |
|---------|-----------|--------|----------------------------|
| SOS-AG1 | 643-650mm | Bronze | 1.3mm/1.2mm |
| SOS-CG1 | 640-650mm | Nylon | 1.6mm/1.6mm |
| SOS-EG1 | 628-650mm | Nickel | 1.3mm/1.2mm |

Extension Nut Hosco[®]

Fits over the existing string nut for instantly switch to a lap steel. Nickel-plated. String spacing : 43.66mm (8.73mm x 5) = 23/32" (11/32" x 5) Length : 48.0 mm Material : Steel

| ltem# | Description |
|--------|---------------|
| F-3303 | Extension nut |




Brass Nuts Hosco[®] Pack

These nuts are machined and made of solid brass. Brass nuts can sustain a longer clear tone. Our brass nuts are not RoHS compliant.

These brass nuts will be sold while stock lasts. (Low stock items: NNB-11, NTB-12UP, and NTB-13)

(mm)



Unslotted Brass Nuts


| ltem# | А | В | С | D |
|--------|------|------|-----|-----|
| NNB-1 | 41.0 | 4.0 | 4.0 | 3.0 |
| NNB-2 | 41.0 | 5.0 | 4.0 | 3.5 |
| NNB-3 | 41.0 | 7.0 | 6.0 | 4.0 |
| NNB-4 | 41.0 | 8.0 | 6.5 | 5.0 |
| NNB-5 | 41.5 | 10.0 | 9.0 | 5.0 |
| NNB-6 | 41.5 | 8.0 | 7.5 | 5.0 |
| NNB-7 | 42.0 | 7.0 | 6.0 | 3.5 |
| NNB-8 | 42.0 | 8.0 | 7.5 | 5.0 |
| NNB-9 | 43.0 | 8.0 | 7.5 | 5.0 |
| NNB-10 | 43.0 | 8.5 | 7.5 | 5.0 |
| NNB-11 | 43.0 | 8.0 | 6.5 | 6.5 |
| NNB-12 | 43.5 | 9.5 | 8.0 | 5.0 |
| NNB-13 | 43.5 | 9.0 | 8.0 | 5.0 |
| NNB-14 | 38.0 | 6.5 | 5.5 | 4.0 |

Slotted Brass Nuts

| ltem# | Α | В | C | D |
|----------|------------|-----|-----|-----|
| NTB-12UP | 43.0 | 5.0 | 2.5 | 5.0 |
| NTB-13 | 40.0 | 7.5 | 6.3 | 5.0 |
| NTB-16 | 43.0 | 7.7 | 6.0 | 5.0 |
| NTB-17 | 37.0 | 4.5 | 3.5 | 3.0 |
| NTB-18 | *See below | • | | |



| Drawings 100% | |
|---------------|--|
| NNB-1 | |
| NNB-2 | |
| NNB-3 | |
| NNB-4 | |
| NNB-5 | |
| NNB-6 | |
| NNB-7 | |
| NNB-8 | |
| NNB-9 | |
| NNB-10 | |
| NNB-11 | |
| NNB-12 | |
| NNB-13 | |
| NNB-14 | |



Electronics

Guitar / Bass Parts

Other String Instrument Parts

 \square

(mm)

Plastic Nut / Saddle Assortment Sets

Each set comes with a plastic organizer box.

Plastic Nut Assortment While stock lasts



Classical : 51.8 x 6x10mm Concert Steel : 47 x 6 x 8.3mm Acoustic : 42.5 x 6 x 8.3mm Electric : 41.5 x 6 x 7mm 12-string : 42.5 x 6.3 x 8.5mm Mandolin : 31 x 4.2 x 7mm Banjo : 30 x 5 x 8mm

NT-ASSORT

| ltem# | Description | | |
|-----------|---|--|--|
| NT-ASSORT | Classical x 20, Acoustic x 20, 12-string x 12, Banjo x 6 | Concert Steel x 20, Electric x 12, Mandolin x 6, | |

Plastic Saddle Assortment



SD-ASSORT

| ltem# | Description | |
|-----------|---|--|
| SD-ASSORT | 69 x 7.0 x 2.2mm x 24, 82 x 5.5-4.5 x 2.2mm x 24, 82 x 6.5-5.5 x 2.2mm x 24, 82 x 7.5-6.5 x 2.2mm x 24, 82-8.5-7.5 x 2.2mm x 24, 82 x 9.5-8.5 x 2.2mm x 24 | |

Other String Instrument Parts

Bodies

Guitar Bodies

*All the guitar bodies come with an individual box. **ST type Bodies (SSS)** Routed by NC, Unsanded or Sanded



Unsanded

| Unsanded | | |
|----------|--|--|
| ltem# | Wood | |
| BD-08ST | Alder, 2-piece | |
| BD-08STN | Alder, 2-piece for Hardtail *Undrilled for bridge | |
| BD-09ST | Alder, 3-piece | |
| BD-09STN | Alder, 3-piece for Hardtail *Undrilled for bridge | |
| BD-01ST | Mahogany, 1-piece | |
| BD-02ST | Mahogany, 2-piece | |
| BD-03ST | Mahogany, 3-piece | |
| TBD-14ST | Swamp ash, 2-piece | |
| TBD-15ST | Swamp ash, 3-piece | |
| BD-18ST | White ash, 2-piece | |
| BD-32ST | Basswood, 2-piece | |
| BD-33ST | Basswood, 3-piece | |



Sanded

| ltem# | Wood |
|-------------|--|
| HBD-112 | Alder, 2-piece |
| HBD-112N | Alder, 2-piece for Hardtail *Undrilled for bridge |
| HBD-11 | Alder, 3-piece |
| HBD-16 | Alder, 3-piece for Hardtail *Undrilled for bridge |
| HBD-111M | Mahogany, 1-piece |
| HBD-112M | Mahogany, 2-piece |
| HBD-113M | Mahogany, 3-piece |
| TBD-14ST-SD | Swamp ash, 2-piece |
| TBD-15ST-SD | Swamp ash, 3-piece |
| HBD-112W | White ash, 2-piece |
| HBD-112B | Basswood, 2-piece |
| HBD-113B | Basswood, 3-piece |

As for ASH bodies, due to overall scarcity of the material, any preference on either weight or appearance can not be met.

ST type Bodies (HSS) Unsanded

| ltem# | Wood |
|-----------|----------------|
| TBD-08ST3 | Alder, 2-piece |
| TBD-09ST3 | Alder, 3-piece |

| Sanded | |
|--------------|----------------|
| ltem# | Wood |
| TBD-08ST3-SD | Alder, 2-piece |
| TBD-09ST3-SD | Alder, 3-piece |



Vintage ST type Bodies ('50 style)

| onsunaca | | |
|----------|--------------------|-----|
| ltem# | Wood | TVD |
| TVD-08ST | Alder, 2-piece | |
| TVD-09ST | Alder, 3-piece | |
| TVD-14ST | Swamp ash, 2-piece | |
| TVD-15ST | Swamp ash, 3-piece | |

Sanded

| Sanueu | |
|-------------|--------------------|
| ltem# | Wood |
| TVD-08ST-SD | Alder, 2-piece |
| TVD-09ST-SD | Alder, 3-piece |
| TVD-14ST-SD | Swamp ash, 2-piece |
| TVD-15ST-SD | Swamp ash, 3-piece |





Vintage style control cavity

As for ASH bodies, due to overall scarcity of the material, any preference on either weight or appearance can not be met.

TL type Bodies

Routed by NC, Unsanded or Sanded



Unsanded

| ltem# | Wood |
|----------|--------------------|
| BD-08TC | Alder, 2-piece |
| BD-09TC | Alder, 3-piece |
| BD-01TC | Mahogany, 1-piece |
| BD-02TC | Mahogany, 2-piece |
| BD-03TC | Mahogany, 3-piece |
| TBD-14TC | Swamp ash, 2-piece |
| TBD-15TC | Swamp ash, 3-piece |
| BD-18TC | White ash, 2-piece |
| BD-32TC | Basswood, 2-piece |
| BD-33TC | Basswood, 3-piece |



Sanded

| Janaca | |
|-------------|--------------------|
| ltem# | Wood |
| HBD-212 | Alder, 2-piece |
| HBD-21 | Alder, 3-piece |
| HBD-211M | Mahogany, 1-piece |
| HBD-212M | Mahogany, 2-piece |
| HBD-213M | Mahogany, 3-piece |
| TBD-14TC-SD | Swamp ash, 2-piece |
| TBD-15TC-SD | Swamp ash, 3-piece |
| HBD-212W | White ash, 2-piece |
| HBD-212B | Basswood, 2-piece |
| HBD-213B | Basswood, 3-piece |

As for ASH bodies, due to overall scarcity of the material, any preference on either weight or appearance can not be met.

Vintage TL type Bodies ('62 style)

Unsanded

| ltem# | Wood |
|----------|--------------------|
| TVD-08TC | Alder, 2-piece |
| TVD-09TC | Alder, 3-piece |
| TVD-14TC | Swamp ash, 2-piece |
| TVD-15TC | Swamp ash, 3-piece |

Sanded

| Sanueu | |
|-------------|--------------------|
| ltem# | Wood |
| TVD-08TC-SD | Alder, 2-piece |
| TVD-09TC-SD | Alder, 3-piece |
| TVD-14TC-SD | Swamp ash, 2-piece |
| TVD-15TC-SD | Swamp ash, 3-piece |



with channel slot

As for ASH bodies, due to overall scarcity of the material, any preference on either weight or appearance can not be met.

Maintenance

'68 TL Thinline type Bodies Unsanded

| Ulisallueu | |
|--------------------|--|
| Wood | |
| Alder, 2-piece | |
| Alder, 3-piece | |
| Mahogany, 2-piece | |
| Mahogany, 3-piece | |
| Swamp ash, 2-piece | |
| Swamp ash, 3-piece | |
| | |

| Sanded " | |
|-------------|--------------------|
| ltem# | Wood |
| TBD-08TT-SD | Alder, 2-piece |
| TBD-09TT-SD | Alder, 3-piece |
| TBD-02TT-SD | Mahogany, 2-piece |
| TBD-03TT-SD | Mahogany, 3-piece |
| TBD-14TT-SD | Swamp ash, 2-piece |
| TBD-15TT-SD | Swamp ash, 3-piece |



TBD-03TT-SD

As for ASH bodies, due to overall scarcity of the material, any preference on either weight or appearance can not be met.

'72 TL Thinline type Bodies

| Unsanded | |
|----------|---|
| ltem# | Γ |

| ltem# | Wood |
|----------|-------------------|
| TBD-08TN | Alder, 2-piece |
| TBD-09TN | Alder, 3-piece |
| TBD-02TN | Mahogany, 2-piece |
| TBD-03TN | Mahogany, 3-piece |

| Sanded | |
|-------------|-------------------|
| ltem# | Wood |
| TBD-08TN-SD | Alder, 2-piece |
| TBD-09TN-SD | Alder, 3-piece |
| TBD-02TN-SD | Mahogany, 2-piece |
| TBD-03TN-SD | Mahogany, 3-piece |



TBD-08TN-SD

TL Custom type Bodies

weight or appearance can not be met.

Unsanded

| ltem# | Wood | |
|----------|--------------------|--|
| TBD-08TD | Alder, 2-piece | |
| TBD-09TD | Alder, 3-piece | |
| TBD-14TD | Swamp ash, 2-piece | |
| TBD-15TD | Swamp ash, 3-piece | |

| Sanded | | |
|-------------|--------------------|--|
| ltem# | Wood | |
| TBD-08TD-SD | Alder, 2-piece | |
| TBD-09TD-SD | Alder, 3-piece | |
| TBD-14TD-SD | Swamp ash, 2-piece | |
| TBD-15TD-SD | Swamp ash, 3-piece | |



As for ASH bodies, due to overall scarcity of the material, any preference on either weight or appearance can not be met.

As for ASH bodies, due to overall scarcity of the material, any preference on either

TBD-09TD-SD

TL Deluxe type Bodies Modified by Hosco

Unsanded

| ltem# | Wood |
|----------|--------------------|
| TBD-08TX | Alder, 2-piece |
| TBD-09TX | Alder, 3-piece |
| TBD-14TX | Swamp ash, 2-piece |
| TBD-15TX | Swamp ash, 3-piece |

Sanded

| ltem# | | Wood | |
|-------|-------------|--------------------|--|
| | TBD-08TX-SD | Alder, 2-piece | |
| | TBD-09TX-SD | Alder, 3-piece | |
| | TBD-14TX-SD | Swamp ash, 2-piece | |
| | TBD-15TX-SD | Swamp ash, 3-piece | |



As for ASH bodies, due to overall scarcity of the material, any preference on either weight or appearance can not be met.

TL type Laminated Bodies w/Bindings

These bodies are already sanded for finishing. Fancy wood laminated on top & back of 2-piece Alder body with Cream-colored bindings. Binding size : 6mm wide x 2mm thick

| ltem# | Veneer | Body |
|--------|------------------|----------------|
| BD-CMP | Curly maple | Alder, 2-piece |
| BD-BMP | Bird's eye maple | Alder, 2-piece |
| BD-HKA | Hawaiian koa | Alder, 2-piece |



Cream-colored bindings 6mm(W) x 2mm(T)

BD-CMP





BD-BMP



BD-HKA

Relic Parts

TL type Bodies w/Bindings

These bodies are already sanded for finishing. 2-piece body with Cream-colored bindings. Binding size : 6mm wide x 2mm thick

| Item# Wood | | |
|------------|-------------------|--|
| BD-02TC-BD | Mahogany, 2-piece | |
| BD-08TC-BD | Alder, 2-piece | |





BD-08TC-BD

JM type Bodies

Unsanded

| Unsanded Sanded | | | |
|-----------------|----------------|------------|----------------|
| ltem# | Wood | ltem# | Wood |
| TJM-15A | Alder, 2-piece | TJM-15A-SD | Alder, 2-piece |
| TJM-16A | Alder, 3-piece | TJM-16A-SD | Alder, 3-piece |



TJM-16A-SD

JG type Bodies Modified by Hosco

| Wood |
|-------------------|
| SD Alder, 2-piece |
| D Alder, 3-piece |
| |



TBD-09JG

MG type Bodies

Unsanded

| Unsanded | sanded Sanded | | |
|----------|----------------|-------------|----------------|
| ltem# | Wood | ltem# | Wood |
| TBD-08MG | Alder, 2-piece | TBD-08MG-SD | Alder, 2-piece |
| TBD-09MG | Alder, 3-piece | TBD-09MG-SD | Alder, 3-piece |



TBD-08MG-SD

ST/TL type Finished Bodies

3-piece Alder body painted in high gloss (Polyester). Available colors are listed on Color options below. PB/JB type finished bodies are made to order. Please consider a longer lead time.



| Color options | | |
|---------------|-----------------|--|
| Code# | | |
| 2TS | 2-Tone Sunburst | |
| 3TS | 3-Tone Sunburst | |
| BLK | Black | |
| VWH | Vintage White | |
| SFG | Surf Green | |
| SBL | Sonic Blue | |
| CAR | Candy Apple Red | |
| FRD | Fiesta Red | |
| | | |

Bass Bodies

. .

*All the bass bodies come with an individual box.

PB type Bodies *All the bass bodies come with an individual box.



TBD-15PB

| Unsanded | | |
|----------|--------------------|--|
| ltem# | Wood | |
| BD-11PB | Alder, 2-piece | |
| BD-12PB | Alder, 3-piece | |
| BD-04PB | Mahogany, 1-piece | |
| BD-05PB | Mahogany, 2-piece | |
| BD-06PB | Mahogany, 3-piece | |
| TBD-16PB | Swamp ash, 2-piece | |
| TBD-17PB | Swamp ash, 3-piece | |
| BD-20PB | White ash, 2-piece | |
| BD-32PB | Basswood, 2-piece | |
| BD-33PB | Basswood, 3-piece | |
| | | |



HBD-31

| Sanded | | |
|-------------|--------------------|--|
| ltem# | Wood | |
| HBD-312 | Alder, 2-piece | |
| HBD-31 | Alder, 3-piece | |
| HBD-311M | Mahogany, 1-piece | |
| HBD-312M | Mahogany, 2-piece | |
| HBD-313M | Mahogany, 3-piece | |
| TBD-16PB-SD | Swamp ash, 2-piece | |
| TBD-17PB-SD | Swamp ash, 3-piece | |
| HBD-312W | White ash, 2-piece | |
| HBD-312B | Basswood, 2-piece | |
| HBD-313B | Basswood, 3-piece | |

As for ASH bodies, due to overall scarcity of the material, any preference on either weight or appearance can not be met.

OPB type Bodies

Unsanded

TBD-110P

TBD-120P

TBD-160P

TBD-170P

ltem#



TBD-12OP



. .

TBD-120P-SD

| Sanded | | | | | |
|--------------------|--|-------------|--------------------|--|--|
| Wood | | ltem# | Wood | | |
| Alder, 2-piece | | TBD-110P-SD | Alder, 2-piece | | |
| Alder, 3-piece | | TBD-120P-SD | Alder, 3-piece | | |
| Swamp ash, 2-piece | | TBD-160P-SD | Swamp ash, 2-piece | | |
| Swamp ash, 3-piece | | TBD-170P-SD | Swamp ash, 3-piece | | |

As for ASH bodies, due to overall scarcity of the material, any preference on either weight or appearance can not be met.

JB type Bodies





HBD-41

| | TBD-16JB | | HBD-41 |
|----------|--------------------|-------------|--------------------|
| Unsanded | | Sanded | |
| ltem# | Wood | ltem# | Wood |
| BD-11JB | Alder, 2-piece | HBD-412 | Alder, 2-piece |
| BD-12JB | Alder, 3-piece | HBD-41 | Alder, 3-piece |
| BD-04JB | Mahogany, 1-piece | HBD-411M | Mahogany, 1-piece |
| BD-05JB | Mahogany, 2-piece | HBD-412M | Mahogany, 2-piece |
| BD-06JB | Mahogany, 3-piece | HBD-413M | Mahogany, 3-piece |
| TBD-16JB | Swamp ash, 2-piece | TBD-16JB-SD | Swamp ash, 2-piece |
| BD-20JB | White ash, 2-piece | HBD-412W | White ash, 2-piece |
| BD-32JB | Basswood, 2-piece | HBD-412B | Basswood, 2-piece |
| BD-33JB | Basswood, 3-piece | HBD-413B | Basswood, 3-piece |

As for ASH bodies, due to overall scarcity of the material, any preference on either weight or appearance can not be met.

PJB Hybrid Bodies

The powerful and boomy sound of PB is mixed with the clear and crisp sound of JB, which creates a unique mixed sound with a three-dimensional feeling. Depending on your settings, you can also create the original sound of PB or JB individually.

Unsanded

| ensuraca | |
|-----------|----------------|
| ltem# | Wood |
| TBD-11PJB | Alder, 2-piece |
| TBD-12PJB | Alder, 3-piece |

Sanded

| ltem# | Wood |
|--------------|----------------|
| TBD-11PJB-SD | Alder, 2-piece |
| TBD-12PJB-SD | Alder, 3-piece |



TBD-12PJB

<u>Necks</u>

Guitar Necks

Electric Guitar Necks

The shape of headstock is half-paddle, so you can create your original shape as you like. 1-piece maple necks have skunk stripe.

Scale: 648mm / Nut width: 42mm

Jumbo fret crown size : 2.7mm wide x 1.0mm high (SBB213)

Medium-Jumbo fret crown size : 2.62mm wide x 1.17mm high (HF-M3) Unfinished only.

The half-paddle headstock necks for basses are made to order. (MOQ : 30 pcs each)

Necks for "JM" or "Large Head" are not available due to extra larger piece required for CNC routing.

HNK-11/22T

| ltem# | Heel type | Fingerboard | Radius | Fret size | No. of frets | Note |
|-------------|-----------|---------------|--------------|--------------|--------------|-----------------|
| HNK-11/22T | ST | 1-piece maple | 12" (305mm) | Jumbo | 22 | |
| HNK-11/95RT | ST | 1-piece maple | 9.5" (240mm) | Medium-Jumbo | 21 | |
| HNK-11/22TL | ST | 1-piece maple | 12" (305mm) | Jumbo | 22 | for Left-handed |
| HNK-12/22T | ST | Rosewood | 12" (305mm) | Jumbo | 22 | |
| HNK-12/95RT | ST | Rosewood | 9.5" (240mm) | Medium-Jumbo | 21 | |
| HNK-12/22TL | ST | Rosewood | 12" (305mm) | Jumbo | 22 | for Left-handed |


| HNK-21/22T | TL | 1-piece maple | 12" (305mm) | Jumbo | 22 | |
|-------------|----|---------------|--------------|--------------|----|-----------------|
| HNK-21/95RT | TL | 1-piece maple | 9.5" (240mm) | Medium-Jumbo | 21 | |
| HNK-21/22TL | TL | 1-piece maple | 12" (305mm) | Jumbo | 22 | for Left-handed |
| HNK-22/22T | TL | Rosewood | 12" (305mm) | Jumbo | 22 | |
| HNK-22/95RT | TL | Rosewood | 9.5" (240mm) | Medium-Jumbo | 21 | |
| HNK-22/22TL | TL | Rosewood | 12" (305mm) | Jumbo | 22 | for Left-handed |

Neck Parts

Neck Joint Ferrules HOSCO' Pack

Useful for attaching a neck to a solidbody when you don't use a flat neck plate. You need to make counterbore holes. Two sizes are available. Sold individually.





| ltem# | Description |
|---------|---------------|
| HK-NFLB | Large, Black |
| HK-NFLC | Large, Chrome |
| HK-NFLG | Large, Gold |

| | HK-NFS | φ 2:5 |
|------------|--------|----------|
| *14mm dia. | | Ċ |
| *5mm thick | | L |

| Description |
|-------------|
| Small Black |

φ10

 $\overline{\bigcirc}$

| ltem# | Description |
|---------|---------------|
| HK-NFSB | Small, Black |
| HK-NFSC | Small, Chrome |
| HK-NFSG | Small. Gold |

Electronics

Tonewoods

Blank Bodies

These blank bodies should be interesting items for builders who want to build original shaped bodies. We recommend you to carry these blank bodies together with our half-paddle headstock necks. As for ASH bodies, due to overall scarcity of the material, any preference on either weight or appearance can not be met.



Regarding the blank guitar and bass bodies made of Alder or Mahogany, the square shape cannot be chosen usually because of the factory's reasons. If you prefer the square shape, it will be available with higher prices.

BBD-G2M

| | Thickness | = 45 |
|---------|--|------|
| | 99 99 10 10 10 10 10 10 10 10 10 10 10 10 10 | |
| BBD-G1 | M | |
| ltem# | Wood |] |
| BBD-G1M | Mahogany, 1-piece |] |

Mahogany, 2-piece



Other String Instrument Parts

Accessories

BNCK-GMA/A

Blank Necks (for bolt on)

Blank Guitar Necks

(720mm long x 110mm wide x 27mm thick)

| ltem# | Wood | Headstock | Grade |
|-------------|-------------------|-----------|-------|
| BNCK-GMA/A | Maple, Flat grain | Flat | А |
| BNCK-GMA/2A | Maple, Flat grain | Flat | 2A |

(<220mm long headstock + 520mm long fingerboard> x 63mm wide x 25mm thick)

The following blank necks come with a peghead "Ears" material.

| ltem# | Wood | Headstock | Grade |
|----------------|----------------|-----------|-------|
| BNCK-GMA14/A | Maple, 1-piece | 14-degree | А |
| BNCK-GMA14/2A | Maple, 1-piece | 14-degree | 2A |
| BNCK-G3MA14/A | Maple, 3-piece | 14-degree | А |
| BNCK-G3MA14/2A | Maple, 3-piece | 14-degree | 2A |



Blank Bass Necks

(920mm long x 130mm wide x 27mm thick)

| ltem# | Wood | Headstock | Grade |
|-------------|-------------------|-----------|-------|
| BNCK-BMA/A | Maple, Flat grain | Flat | А |
| BNCK-BMA/2A | Maple, Flat grain | Flat | 2A |

(<230mm long headstock + 720mm long fingerboard> x 70mm wide x 25mm thick) The following blank necks come with a peghead "Ears" material.

| The following blank neeks come with a pegnetic Luis indicentit. | | | |
|---|-----------|----------------|--|
| Wood | Headstock | Grade | |
| Maple, 1-piece | 14-degree | А | |
| | - | Wood Headstock | |

| | maple, 1-piece | 14-degree | ~ |
|----------------|----------------|-----------|----|
| BNCK-BMA14/2A | Maple, 1-piece | 14-degree | 2A |
| BNCK-B3MA14/A | Maple, 3-piece | 14-degree | Α |
| BNCK-B3MA14/2A | Maple, 3-piece | 14-degree | 2A |

Blank Fingerboards


(700mm long x 60/70mm wide x 8mm thick)

| ltem# | Wood | Grade |
|-----------|-------------|-------|
| BFG-CM/A | Curly maple | A |
| BFG-CM/2A | Curly maple | 2A |
| BFG-EB/A | Ebony | A |
| BFG-EB/2A | Ebony | 2A |

Kerfed Linings

These linings have a veneer on the back side. They are very flexible and easy to handle.

| ltem# | Size | Set |
|-----------|----------------|---------------------------------|
| KL1-SP/MA | 740 x 17 x 5mm | Spruce x 2 & Gaboon(Okoume) x 2 |
| KL2-MA | 740 x 17 x 6mm | Gaboon(Okoume) x 4 |



BFG-EB/2A



103

Bindings

Standard Celluloid and ABS plastic bindings are available. We actually have plenty of choices for pattern, thickness, and width. Contact us for further information.

Patterned Bindings

Material : Celluloid / MOQ: Please refer to the updated price list.

| A STATE STATE OF A STA | | | | | | (mm) |
|--|----------|----------|--------|-----------|-------|----------------|
| STATISTICS AND | ltem# | Pattern | Length | Thickness | Width | Note |
| Tortoise | F-CT6015 | Tortoise | 1,380 | 1.5 | 6 | |
| -7-13 + 18 P.M. | F-WP6015 | Pearloid | 1,380 | 1.5 | 6 | |
| 1 hours the first | F-5000 | Ivoroid | 1,380 | 1.5 | 6 | Mesh-pattern |
| Pearloid | F-5000S | Ivoroid | 1,380 | 1.5 | 6 | Stripe-pattern |
| | F-5003 | Ivoroid | 1,380 | 1.5 | 7 | Mesh-pattern |
| Ivoroid Mesh-pattern | F-5003S | Ivoroid | 1,380 | 1.5 | 7 | Stripe-pattern |
| | F-5002 | Ivoroid | 1,380 | 1.5 | 10 | Mesh-pattern |
| Ivoroid Stripe-pattern | F-5002S | Ivoroid | 1,380 | 1.5 | 10 | Stripe-pattern |

Ivoroid Stripe-pattern

We are sorry but the overall length is way short to cover Dreadnought body rim around. We would rather ask you to joint it somewhere in lower body end.

Plain Bindings

Material : ABS Plastic / MOQ: Please refer to the updated price list.


| Black | |
|-------|--|
| | |
| | |
| Cream | |

| | | | | <u>(mm)</u> |
|----------|-------|--------|-----------|-------------|
| ltem# | Color | Length | Thickness | Width |
| F-AB6015 | Black | 1,600 | 1.5 | 6 |
| F-AI6015 | Cream | 1,600 | 1.5 | 6 |
| F-AW6015 | White | 1,600 | 1.5 | 6 |
| F-AB7015 | Black | 1,600 | 1.5 | 7 |
| F-AI7015 | Cream | 1,600 | 1.5 | 7 |
| F-AW7015 | White | 1,600 | 1.5 | 7 |
| F-AB1015 | Black | 1,600 | 1.5 | 10 |
| F-AI1015 | Cream | 1,600 | 1.5 | 10 |
| F-AW1015 | White | 1,600 | 1.5 | 10 |

White

Laminated Bindings

Popular laminated bindings. Material : PVC plastic / MOQ: Please refer to the updated price list.



| | | | | (mm) |
|------------|----------|--------|-----------|-------|
| ltem# | Color | Length | Thickness | Width |
| F-P1515BWB | BK/WH/BK | 1,700 | 1.5 | 1.5 |
| F-P1515WBW | WH/BK/WH | 1,700 | 1.5 | 1.5 |
| F-P1510BW | BK/WH | 1,700 | 1.5 | 1.0 |
| F-P6015BWB | BK/WH/BK | 1,700 | 6.0 | 1.5 |
| F-P6015WBW | WH/BK/WH | 1,700 | 6.0 | 1.5 |
| F-P6010BW | BK/WH | 1,700 | 6.0 | 1.0 |

*BK : Black, WH : White

Binding Glue

The super glue for our bindings is available. One package is enough for one guitar.

If there are oil, rubbish, and dust on an adhesion surface, please wipe off with solvent such as alcohol or aceton. MOQ : 240 pcs

Item#DescriptionH-BG20ALBinding glue
w/Aluminum packaging, 20 g



Expiration Date : 2-3 years

Please keep the glues in a dark and cool place.

Important Notice:

Because of the product's properties, this glue can be shipped by ocean freight only. Please confirm rules and regulations for import to your country before you order.

Inlays

Precut Fingerboard Inlays Hosco^{*}

Genuine Mother of Pearl and Green Abalone position marks for fingerboards.



MOP-LP-C

| ltem# | Description |
|----------|-------------------------|
| MOP-LP-C | MOP, Block type, 10/SET |
| MOP-LP-S | MOP, Crown type, 9/SET |

Purfling Inlays Hosco Pack

Genuine Green Abalone purfling inlays. Sold as a set of 15.





| ltem# | Shape | Size (L x W x T) |
|--------|----------|---------------------|
| F-5030 | Straight | 25.0 x 1.6 x 1.6 mm |
| F-5031 | Curved | 25.0 x 1.6 x 1.6 mm |

Purflings

Herringbone



| ltem# | Description |
|----------|--|
| | Rosette, 126mm inner dia., 1.5mm thick |
| PB-0744D | Pre-bent purfling for Dreadnought, 1.5mm thick, 2/SET |
| 151311H | Back strip, 530(L) x 4.5(W) x 3.0(T) mm |

Patterned Purflings

Both patterns are beautiful and these purflings will make your instruments fancier. Material : Celluloid Size : 1,400mm x 1.5mm x 1.5mm MOQ: 100 pcs each



| Item# | Pattern |
|--------|----------|
| DM-701 | Abalone |
| DM-702 | Pearloid |

Electronics

Position Marks

Position Dots

Beautiful round position dots. Thickness: 2.0 mm / MOQ: 100 pcs each



Mother of Pearl, Abalone, and Black-lip Pearl Oyster are genuine materials.


| ltem# | Description |
|------------|-----------------------------------|
| MOP-2 | 2.0mm dia. Mother of Pearl |
| ABL-2 | 2.0mm dia. Abalone |
| BPO-2 | 2.0mm dia. Black-lip Pearl Oyster |
| DOT-IP-2.0 | 2.0mm dia. Acrylic White Pearl |

| ltem# | Description |
|------------|-----------------------------------|
| MOP-3 | 3.0mm dia. Mother of Pearl |
| ABL-3 | 3.0mm dia. Abalone |
| BPO-3 | 3.0mm dia. Black-lip Pearl Oyster |
| MOP-4 | 4.0mm dia. Mother of Pearl |
| ABL-4 | 4.0mm dia. Abalone |
| BPO-4 | 4.0mm dia. Black-lip Pearl Oyster |
| MOP-5 | 5.0mm dia. Mother of Pearl |
| ABL-5 | 5.0mm dia. Abalone |
| BPO-5 | 5.0mm dia. Black-lip Pearl Oyster |
| MOP-6 | 6.0mm dia. Mother of Pearl |
| ABL-6 | 6.0mm dia. Abalone |
| BPO-6 | 6.0mm dia. Black-lip Pearl Oyster |
| DOT-IP-6.0 | 6.0mm dia. Acrylic White Pearl |

The specification of MOP-6 only will be changed once the current stock runs out. In thickness : from 2.0mm to 1.8mm / In color of the backside : from current yellow to white as before


HOSCO[®] Pack **Side Dot Materials**

Size : 200mm long x 2.0mm dia. Material : Acety




| ltem# | Color |
|------------|-------|
| DOT-SIDE-B | Black |
| DOT-SIDE-W | White |

Maintenance



Bridge pickup(Screws x 3, Spacers x 3),

Tuner Screws



HOSCO Pack

Finish

Cosmo Black

Black

Gold

Nickel

| l he |
|------|
| |
| |
| |
| - |

WS-18C

For GOTOH (Q'ty) 35G (8), UK12 (8) MA40/MF40 (10) M120/M120S (10)

10.0

2.1

| (| WS-03C |
|---------------|-------------|
| ltem# | Finish |
| WS-03B | Black |
| WS-03C | Chrome |
| WS-03CK | Cosmo Black |
| WS-03G | Gold |
| WS-03N | Nickel |

Round head 13.0



For GOTOH (Q'ty) GB640/GBR640 (16) CBT01 (16), FB30 (16) GB528 (8), GB11W (12) GB10 (16), GB2 (16)

| ltem# | Finish |
|---------|-------------|
| WS-18B | Black |
| WS-18C | Chrome |
| WS-18CK | Cosmo Black |
| WS-18G | Gold |
| WS-18N | Nickel |

WS-21C

Black

Gold

Nickel

Chrome

Finish

Cosmo Black

121-

Item#

WS-21B

WS-21C

WS-21CK

WS-21G

WS-21N

Round head



For GOTOH (Q'ty) SG510/SG (6) SE780 (12) GB350/GB707 (4)

WS-19N

ltem#

WS-19B

WS-19CK

WS-19G

WS-19N

Accessories

Other String Instrument Parts

🛩 WS-22N

| ltem# | Finish |
|---------|------------------|
| WS-22CK | Cosmo Black |
| WS-22G | Brass (Unplated) |
| WS-22N | Nickel |

Oval head

Round head

12.0

2.4

For GOTOH (Q'ty)

SD510/SD90 (12)

SDS510/SD91 (7)

7.0 2.0

For GOTOH (Q'ty) CXB01/CXN01 (12) 35G510/KG01(8) KG02 (12)

| WS-23CK | |
|---------|-------------|
| ltem# | Finish |
| WS-23CK | Cosmo Black |

| SXB510/SXN510 (12) |
|--------------------|
| SE700/SE770 (12) |
| UK700 (8) |
| |

For GOTOH (Q'ty)

2.7

Round head

10.0

Round head 8.0 2.1

For GOTOH (Q'ty) ST31 6-string (12) ST31 4-string (8)

Guitar / Bass Parts

String Retainer Screws

| TS-01C | Pack | |
|------------|---|----|
| ltem# | Finish | 0 |
| TS-01B | Black | |
| TS-01C | Chrome | |
| TS-01CK | Cosmo Black | Fo |
| TS-01G | Gold | RE |
| TS-01N | Nickel | |
| MRC-PGSCWN | Aged Nickel, Master Relic Collection | |

| Oval head |
|------------------------------|
| 11.5 |
| 3.0 |
| For GOTOH (Q'ty) RB20 (1) |

| () | TS-12C |
|---------|-------------|
| ltem# | Finish |
| TS-12B | Black |
| TS-12C | Chrome |
| TS-12CK | Cosmo Black |
| TS-12G | Gold |
| TS-12N | Nickel |

Oval head 16.0 3.0

For GOTOH (Q'ty) RB30(1)

WS-11C

| ltem# | Finish |
|---------|-------------|
| WS-11B | Black |
| WS-11C | Chrome |
| WS-11CK | Cosmo Black |
| WS-11G | Gold |
| WS-11N | Nickel |

| Round head | |
|------------|-----|
| 16.0 | |
| | 2.4 |

For GOTOH (Q'ty) RG15 (1) RG30(1) RG130(1)

WS-12C

| | 1 | Round |
|---------|-------------|--------|
| ltem# | Finish | |
| WS-12B | Black | 13. |
| WS-12C | Chrome | |
| WS-12CK | Cosmo Black | For GO |
| WS-12G | Gold | RG105 |
| WS-12N | Nickel | |

head 0.0 2.4 TOH (Q'ty) (1)

Truss Rod Cover Screws

WS-02

| ltem# | Finish |
|--------|--------|
| WS-02G | Gold |
| WS-02N | Nickel |



Neck Plate Screws

| | TS-03B Hos | |
|---------|-------------|---|
| ltem# | Finish | F |
| TS-03B | Black | |
| TS-03C | Chrome | |
| TS-03CK | Cosmo Black | |
| TS-03G | Gold | |
| TS-03N | Nickel | |



For GOTOH (Q'ty) NBS-3 (4) SPH (2)

Shorter screws for Neck plates Suitable for slant necks!

| ltem# | Finish | Oval head |
|-----------|--------|-----------|
| TS-03B-35 | Black | 35.0 |
| TS-03C-35 | Chrome | 4.0 |
| TS-03G-35 | Gold | Ŷ |
| TS-03B-40 | Black | Oval head |
| TS-03C-40 | Chrome | 40.0 |
| TS-03G-40 | Gold | 4.0 |



Guitar / Bass Parts

Other String Instrument Parts

PS-06L


Switch Mounting Screws







3.0




3.0

| ltem# | Finish |
|--------|--------|
| PS-06L | Nickel |
| PS06N | Nickel |



TS-01C



| ltem# | Finish |
|--------|--------|
| PS-07L | Nickel |
| PS07N | Nickel |

HOSCO[®] Pack **Pickguard Screws**



Guitar / Bass Parts

| - | | |
|------|---|--|
| | 8 | |
| 0 | | |
| 0 | | |
| P | | |
| S | | |
| S | | |
| 0 | | |
| - 33 | | |
| ወ | | |
| in | | |
| | | |

| Oval head | | |
|-----------|-------------|--|
| ltem# | Finish | |
| TS-01B | Black | |
| TS-01C | Chrome | |
| TS-01CK | Cosmo Black | |

11.5

| TS-01C | Chrome |
|------------|---|
| TS-01CK | Cosmo Black |
| TS-01G | Gold |
| TS-01N | Nickel |
| MRC-PGSCWN | Aged Nickel, Master Relic Collection |



| VSS-01N While stock lasts Vintage style slotted screws. Material : Steel Oval head | | |
|---|---|--|
| ltem# | Finish | |
| VSS-01B | Black | |
| VSS-01C | Chrome | |
| VSS-01G | Gold | |
| VSS-01N | Nickel | |
| VSS-01UP | Unplated | |
| MRC-PGVSSCWN | Aged Nickel, Master Relic Collection | |

| TS-11N | H |
|------------|---|
| Oval head | |

| 12.0 | |
|------|-----|
| | |
| | 2.7 |

| ltem# | Finish |
|---------|--------|
| TS-11B | Black |
| TS-11GD | Gold |
| TS-11N | Nickel |

Maintenance

Mounting Ring Screws

- PS08

| ltem# | Finish |
|-------|--------|
| PS08B | Black |
| PS08C | Chrome |
| PS08G | Gold |
| PS08N | Nickel |

Black

Gold

Nickel

Chrome

Item#

PS09B

PS09C

PS09G

PS09N

Item#

PS10B

PS10G

PS10N

PS09

Finish

| Oval head |
|------------------|
| 12.0 |
| 2.4 |
| For HOSCO (Q'ty) |
| MR-F (4) |
| MRA-F (4) |
| MR-1F (4) |

MRF-F (4)

Oval head

MR-R (4) MRA-R (4)

MR-1R (4)

MRF-R (4)

15.0

For HOSCO (Q'ty)

2.4

| - | |
|------------|-------------|
| ltem# | Finish |
| PSH08B | Black |
| PSH08G | Gold |
| PSH08N | Nickel |
| MRC-MRSCWN | Aged Nickel |

Item#

MRC-MRSCWNL

PSH09B

PSH09G

PSH09N

PSH08

PSH09

Gibson[®] type Flat head 13.0

+

2.4

For HOSCO (Q'ty) MR-F (4) MRA-F (4) MR-1F (4) MRF-F (4)

Gibson[®] type Flat head 16.0

| Finish | 2.4 |
|-------------|------------------------|
| Black | For HOSCO (Q'ty) |
| Gold | MR-R (4) |
| Nickel | MRA-R (4) MR-1R (4) |
| Aged Nickel | MRF-R (4) |

Pickup Mounting Screws

Finish

PS10B

Black

Gold

Nickel

| 10B | Round head |
|-----|------------|
| | |

25.0 2.6

| Burney and the second second | PS12B |
|------------------------------|-------|

| ltem# | Finish |
|-------|--------|
| PS12B | Black |
| PS12G | Gold |
| PS12N | Nickel |

| For Bass pickups Round head |
|--------------------------------|
| 35.0 |

PS14B

| ltem# | Finish |
|-------|--------|
| PS14B | Black |
| PS14G | Gold |
| PS14N | Nickel |

| Round head | |
|------------|--|
|------------|--|



| | PS11B | For Roi |
|-------|--------|------------|
| ltem# | Finish | |
| PS11B | Black | |
| PS11G | Gold | |
| PS11N | Nickel | |

Humbucker Pickups und head

29.6 2.6

PS1

Black

Gold Nickel

Item# PS13B

PS13G

PS13N

Finish

| 40.0 | 1 |
|------|-----|
| | |
| ► | 2.6 |

| ••••• PS15B | | | For Single-coil picku Round head | |
|-------------|-------|--------|-------------------------------------|------|
| | ltem# | Finish | | 24.6 |
| | PS15B | Black | | 3.0 |
| | PS15G | Gold | | |
| | PS15N | Nickel | | |

-coil pickups hd



Guitar / Bass Parts

Electronics

Control Plate Screws

| TS-01C Hosco [®] Pack | | |
|--------------------------------|-------------|--|
| ltem# | Finish | |
| TS-01B | Black | |
| TS-01C | Chrome | |
| TS-01CK | Cosmo Black | |

| ltem# | Finish |
|--------|--------|
| TS-01G | Gold |
| TS-01N | Nickel |
| | - |

Oval head 11.5 3.0


CP10 (2), CP20 (3)

Back Plate Screws

| P: | 508 |
|-------|--------|
| ltem# | Finish |
| PS08B | Black |
| PS08C | Chrome |
| PS08G | Gold |
| PS08N | Nickel |

| Oval head |
|------------------|
| 12.0 |
| |
| 2.4 |
| For HOSCO (Q'ty) |
| P-102(4) |
| LP-102(4) |
| LP-101 (3) |
| P-103(6) |
| P-104 (6) |
| P-105 (6) |
| |

| PS09 | | |
|-------|--------|--|
| ltem# | Finish | |
| PS09B | Black | |
| PS09C | Chrome | |
| PS09G | Gold | |
| PS09N | Nickel | |
| | | |
| | | |



P-103(6) P-104 (6) P-105 (6)


| | S-11N | Pack | Oval hea |
|---------|--------|------|-----------------------|
| ltem# | Fir | nish | 12.0 |
| TS-11B | Black | | |
| TS-11GD | Gold | | |
| TS-11N | Nickel | | For HOSC P-101 (3) |

Oval head 12.0

2.7 For HOSCO (Q'ty)

Jack Plate/Cover Screws

| 8 | NS-03C |
|--------|--------|
| ltem# | Finish |
| NS-03C | Chrome |



For HOSCO (Q'ty) JP-20C (4)

Oval head

MR-F (4)

MRA-F (4) MR-1F (4)

MRF-F (4)

12.0

2.4

For HOSCO (Q'ty)

| TS-01C | | |
|---------|-------------|--|
| ltem# | Finish | |
| TS-01B | Black | |
| TS-01C | Chrome | |
| TS-01CK | Cosmo Black | |
| TS-01G | Gold | |
| TS-01N | Nickel | |

Oval head 11.5

```
3.0
```

For GOTOH (Q'ty) JCS-1 (2), JCB-2 (2) JCB-4 (4), RB20 (1) CP10 (2), CP20 (3)

PS09

| Finish |
|--------|
| Black |
| Chrome |
| Gold |
| Nickel |
| |

Oval head 15.0 2.4

For HOSCO (Q'ty) MR-R (4) MRA-R (4) MR-1R (4) MRF-R (4)

- PS08

| ltem# | Finish |
|-------|--------|
| PS08B | Black |
| PS08C | Chrome |
| PS08G | Gold |
| PS08N | Nickel |

Electronics

Other String Instrument Parts

Accessories

Maintenance

Bridge/Tremolo Mounting Screws

- TS-02C

Oval head

Item# **Finish TS-02B** Black **TS-02C** Chrome TS-02CK Cosmo Black TS-02G Gold **TS-02N** Nickel

| varneaa | |
|---------|-----|
| 25.0 | |
| | r |
| | 3.0 |

For GOTOH (Q'ty) GTC101/102/12 (5) 510FX-6 (3). 510FX-7 (4) 201B-4 (5), 203B-4 (7) CBB-4 (5), VTB-4 (5)

| | TS-04C |
|--|--------|
|--|--------|

| ltem# | Finish |
|--------|--------|
| TS-04C | Chrome |
| TS-04G | Gold |
| TS-04N | Nickel |

Flat head 20.0

*Size will be changed to 3.0 x 20 mm.

3.5

For GOTOH (Q'ty) WT3 (4) BS-TC1/TI-TC1 (4)

| | TS-05C |
|--|--------|
|--|--------|

Flat head 25.0

3.5

For GOTOH (O'ty) 303-4/6 (5), 404-4/6 (5) 303-5/404-5 (4) S510B-4 (4), S510B-5 (5) SLR (1)

| ltem# | Finish |
|---------|-------------|
| TS-06B | Black |
| TS-06C | Chrome |
| TS-06CK | Cosmo Black |
| TS-06G | Gold |

- TS-06C

Flat head

12.0 3.0

For GOTOH (Q'ty) J510-4/5 (2) 303-4/5/6 (2) 404-4/5/6 (2)

| ltem# | Finish |
|---------|-------------|
| TS-05B | Black |
| TS-05C | Chrome |
| TS-05CK | Cosmo Black |
| TS-05G | Gold |

| TS-08G | | Flat | |
|--------|-----|-------------|--------------|
| lte | m# | Finish | |
| TS-08 | 3B | Black | |
| TS-08 | 3C | Chrome | For |
| TS-08 | 3CK | Cosmo Black | J510 2051 |
| TS-08 | 3G | Gold | 2051 |
| TS-08 | 3N | Nickel | |

WS-05N

Black

Gold

Nickel

Chrome

Finish

Cosmo Black

Item#

WS-05B

WS-05C

WS-05G

WS-05N

WS-05CK

head 25.0 4.0 GOTOH (Q'ty) 0-4/5 (4) B-5 (5)

Round head

25.0

GE101T (6) GE101TS (6)

VSVG (6)

For GOTOH (Q'ty)

3.5

NS-01C

| ltem# | Finish |
|--------|--------|
| NS-01B | Black |
| NS-01C | Chrome |
| NS-01G | Gold |
| | а. |

Oval head 25.0

3.5

For HOSCO (Q'ty) HK-21/22/23 (4) HK-20 (5) HK-41 (6), HK-47 (5)

Maintenance

| | WS-09C |
|--|--------|
|--|--------|

| ltem# | Finish |
|---------|-------------|
| WS-09B | Black |
| WS-09C | Chrome |
| WS-09CK | Cosmo Black |
| WS-09G | Gold |

Flat head

25.0 3.8

For GOTOH (Q'ty)

GTC201/202 (4)

113

Guitar / Bass Parts

Electronics

Tailpiece Screws

----- NS-02C

Item#

NS-02C

NS-02G

| Polepiece Screws | HOSCO [®] Pack |
|------------------|----------------------------|

Finish


Chrome

Gold

| Inch size | PL19GI | |
|-----------|---------------------------|--------|
| ltem# | Size | Finish |
| PL19GI | 3.175 x 19 mm (#5-40 UNC) | Gold |
| PL19NI | 3.175 x 19 mm (#5-40 UNC) | Nickel |

Round head

Battery Box Screws



19.0

For HOSCO (Q'ty)

SSG-6 (3), TP-EPH (3) TP-135 (3), TP-175 (3)

2.4

Endpin Screws

| | WS-04C |
|-----------|--------|
| Oval head | l |
| 25.0 | 1 |

3.5

| ltem# | Finish |
|---------|-------------|
| WS-04B | Black |
| WS-04C | Chrome |
| WS-04CK | Cosmo Black |

| ltem# | Finish |
|--------|--------|
| WS-04G | Gold |
| WS-04N | Nickel |

19

3.175

For GOTOH (Q'ty) EP-A1 (1), EP-B1 (1) EP-B2 (1), EP-B3 (1)

Accessories

Wrenches

Allen Wrenches Hosco[®] Pack

| Bulk Item# (w/o sleeve) | Bulk Item# (w/sleeve) | Size | For |
|----------------------------|--------------------------|----------------|--|
| WRE-1.27 | WRE-1.27J | 1.27mm (.050") | Saddle height adjustment on tremolo (Inch) |
| WRE-1.5 | WRE-1.5J | 1.5mm | Saddle height adjustment on tremolo (Metric) |
| WRE-1.57 | WRE-1.57J | 1.57mm (1/16") | Bass saddles, JB knobs (Inch) |
| WRE-2.0 | WRE-2.0J | 2.0mm | GOTOH [®] VS100N saddles, knobs |
| WRE-2.5 | WRE-2.5J | 2.5mm | Floyd Rose [®] saddle fixing screws |
| WRE-3.0 | WRE-3.0J | 3.0mm | Floyd Rose [®] stud height adjustment |
| WRE-4.0 | WRE-4.0J | 4.0mm | Truss rod nut |
| WRE-5.0 | WRE-5.0J | 5.0mm | Truss rod nut |



WRE-4.0

HOSCO H-TRW+ made in Jap

H-TRW+

Wrenches w/sleeves

WRE-5.0





WRE-8.0

Bulk Item#

(w/o sleeve)

WRE-4.0

WRE-5.0

WRE-7.0

WRE-8.0

WRE-I14

WRE-I516

WRE-I14

Bulk Item#

(w/sleeve)

WRE-4.0J

WRE-5.0J

WRE-7.0J

WRE-8.0J

WRE-I14J

WRE-I516J

H-TRW+



Size

4.0mm

5.0mm

7.0mm

8.0mm

1/4"

5/16"

for Slotted

Maintenance




N/A

Resonator Guitar Parts

Resonator Guitar Bridges

Spider Bridge

Aluminum spider bridge by sand casting.



-SP DIC Spider bridge

Resonator Cones

Resonator Cone for Spider Bridge Material : Aluminum Description DP-SPRC Item# Description DP-SPRC For Spider bridge, 10.5"

Black-colored wooden bridge with a slot for saddle. Diameter: 60.5mm / Thickness: 8.0 mm

Biscuit Bridge



Resonator Cone for Biscuit Bridge

Material : Aluminum



Coverplate

Coverplate for Spider Bridge

Heavy duty coverplate made of steel. Nickel-plated.

| ltem# | Description |
|---------|--------------------------|
| DP-SPCP | For Spider bridge, 11.5" |



Extension Nut Hosco[®] Pack

Fits over the existing string nut for instantly switch to a lap steel. Nickel-plated. String spacing : 43.66mm (8.73mm x 5) = 23/32" (11/32" x 5) Length : 48.0 mm Material : Steel

| ltem# | Description |
|--------|---------------|
| F-3303 | Extension nut |



Electronics

Guitar / Bass Parts

Saddles

Spider Bridge Saddle DP-SPSD Item# Description DP-SPSD Spider bridge saddle, 2/SET

Biscuit Bridge Saddle DP-BCSD

| ltem# | Description | |
|---------|-------------------------------------|--|
| DP-BCSD | Biscuit bridge saddle, Maple, Blank | |

Sound Ring

Diameter : 58.0mm (Outside) / 47.5mm (Inside) Sold by a piece. (Not a pair)



Resonator Guitar Tailpiece

Traditional resonator guitar tailpiece. Material : Steel




Resonator Guitar Machine Heads *Hosco*^{*}

3-on-Plate Machine Heads

Vintage style 3-on-plate machine heads with white buttons for slotted peghead. Gear ratio = 1:15

Screws included.



<u>Banjo Parts</u>




Fretwire *Hosco*^{Pack}

Boxed Fretwire

Material : Nickel-silver (HV200)

One boxed fretwire is enough for150-200 mandolins and banjos.






dampproof storage box

| ltem# | Size | Q'ty per box |
|-----------|---------------------------|--------------|
| HF-U1-500 | Mandolins, Banjos, & Ukes | 500 |
| HF-U2-500 | Mandolins, Banjos, & Ukes | 500 |

50cm long Fretwire

Length : 50cm (19-3/4") *Slightly curved / Sold as a set of 30 Material : Nickel silver (HV200)



| ltem# | Size | |
|-------|---------------------------|--|
| HF-U1 | Mandolins, Banjos, & Ukes | |
| HF-U2 | Mandolins, Banjos, & Ukes | |

Coordinator Rod Set

Dual rim rod set with a long nut for easier adjustment. Hardware included.

| ltem# | Description | |
|-------|---------------------|-------|
| BP-CR | Coordinator rod set | |
| | • | BP-CR |

HF-U2

0.45

0.8

Resonator Hardware Sets

For attaching resonators to banjos. Both sets come with 4 each of wall lugs, thumbscrews, and brackets.

Bracket screws are NOT included.

| ltem# | Description |
|--------|-------------------|
| BP-RHL | L-shaped brackets |
| BP-RHT | T-shaped brackets |





Parts

Relic Parts

Banjo Tailpieces

Wide range of banjo tailpieces are available. Nickel-plated.

| ltem# | Description | |
|----------------|---|--|
| BP-TPNO | Non-adjustable type, Material : Stainless Steel | |
| BP-TPWV | Waverly type, Material : Stainless Steel | |
| BP-TPKS | Kershner type, Material : Brass | |

| BP-TPNO | BP-TPWV | BP-TPKS |
|----------------|----------------|----------------|
| T | - Alexandre | and the |
| CCCCC TONING | | Verb. |

| Description | Lalaine . |
|---|-----------|
| No Knot type, Material : Brass | No. |
| Old Waverly type, Material : Brass | ſ |
| Old Presto type, Material : Copper | 1 |
| Prewar reissue, L-Tailpiece Holder, Material : Brass | 1 |
| | |





Electronics

Parts

Banjo Bridge

Item# BP-TPNK

BP-TPOW

BP-TPPRC

BP-THL

| ltem# | Description | |
|----------|----------------------------------|--|
| GB-1-5/8 | 5/8" high, Straight, Maple/Ebony | |



Banjo Armrests

Single Leg Armrest

Gibson® type single leg armrest. Nickel-plated. Material : Brass

| ltem# | Description |
|----------------|--------------------|
| BP-ARSL | Single leg armrest |

Prewar Vega® type Armrest

Can be used with a 24 or 28 bracket banjo. Nickel-plated. Material : Brass

| ltem# | Description |
|---------|-------------------|
| BP-ARVG | Prewar Vega® type |



BP-ARSL

Tension Hoop

Tension hoop for 11" diameter banjo rim. Standard 24 notches. Nickel-plated. Material : Steel

| ltem# | Description | |
|--------|----------------------------------|--|
| BP-THN | Notched tension hoop for 11" rim | |



Banjo Hook / Nut Set

4mm diameter hooks in 65mm long with 1/4" (6.35mm) hex nuts. Nickel-plated. Sold as a set of 24.


| ltem# | Description |
|----------|----------------------------|
| BP-BHN24 | Banjo hook/nut set, 24/SET |



Resonator Flange / Tube

One piece flange plate for standard 24 bracket hook spacing. Nickel-plated. Should be used with BP-FGT tube. Sold separately.

Item#DescriptionBP-FGResonator flange plate, Nickel, Material : Zinc alloyBP-FGTTube for flange plate (BP-FG), Material : Steel



Fits our BP-FG flange plate.

BP-FGT

Banjo Bracket Wrenches

T-shaped hex wrenches for adjusting the tension of banjo heads. Nickel-plated. Material : Brass

| Item# | For |
|---------|------------------------|
| BP-WR65 | 6.5mm (1/4") hex nuts |
| BP-WR70 | 7.0mm hex nuts |
| BP-WR72 | 7.2mm (9/32") hex nuts |
| BP-WR80 | 8.0mm (5/16") hex nuts |



Relic Parts

Mandolin Parts



Mandolin Tailpieces

Material : Stainless steel Screws included.

| ltem# | Finish |
|-------|--------|
| M-131 | Nickel |
| M-132 | Gold |



Parts

Relic Parts

Fretwire HOSCO[®] Pack

Boxed Fretwire

Material : Nickel-silver (HV200)

One boxed fretwire is enough for150-200 mandolins and banjos.

HF-U2

11

0.85

0.45


0.8



| dampproof storage box | | | | |
|-----------------------|---------------------------|--------------|--|--|
| ltem# | Size | Q'ty per box | | |
| HF-U1-500 | Mandolins, Banjos, & Ukes | 500 | | |
| HF-U2-500 | Mandolins, Banjos, & Ukes | 500 | | |

50cm long Fretwire

Length : 50cm (19-3/4") *Slightly curved / Sold as a set of 30 Material : Nickel silver (HV200)



| ltem# | Size |
|-------|---------------------------|
| HF-U1 | Mandolins, Banjos, & Ukes |
| HF-U2 | Mandolins, Banjos, & Ukes |

Mandolin Pickguards

Large-sized pickguards with white & black bindings. Bracket included.

| A-mode | l Pickg B-1 | | T-J | |
|--------|----------------|-----------|---------|--|
| ltem# | Model | Pickguard | Bracket | |
| B-1A | A | Black | Nickel | |
| B-1A/G | A | Black | Gold | |
| T-1A | A | Tortoise | Nickel | |
| T-1A/G | A | Tortoise | Gold | |

F-model Pickguards T-2F B-2F

| ltem# | Model | Pickguard | Bracket |
|--------|-------|-----------|---------|
| B-2F | F | Black | Nickel |
| B-2F/G | F | Black | Gold |
| T-2F | F | Tortoise | Nickel |
| T-2F/G | F | Tortoise | Gold |
| | | | • |

Mandolin Pickguard Bracket Set

Comes with ebony block for gluing to the backside of the pickguard. Screw included.

| ltem# | Finish |
|-------|--------|
| MB-N | Nickel |
| MB-G | Gold |



Mandolin Bridges



<u>Ukulele Parts</u>

Sound Offset Spacers Hose Pack

Design based on MTS theory What is S.O.S.?

S.O.S. improves the intonation at each fret. Easy installation to your instruments. Designed and based on MTS theory (Patent no. 4383272) to fit major and standard musical instruments simply.





What is MTS theory?

DESIGN BASED ON MTS THEORY

MTS is an ultimate guitar tuning system based on the laws of physics. All fretted instruments have fatal problem.

That is, when player pressed the strings at the fret, the string tension is up and tone will be a little bit sharp, though the frets are set on the correct position.

Forerunners knew this problem and they tried to improve the pitch with compensated saddle and or separated saddle.

This kind of approach improves the pitch, but not perfect.

MTS theory succeeded in improving the pitch as correct as possible with Japanese technology.

Inventor, Minehara researched all kind of problems between string tension and pitch gap.

He tested various kind of standard guitar strings in the world and checked these tensions in his labo. Finally, he derived one formula to calculate the corrected (offset) value from string material, guitar scale and string height. The offset value means the adjustment length from the original scale length.

Adjustment length is not only distance between nut and 12th fret but also 12th fret to saddle for each string. MTS can be applied to majority of the fretted instruments and improve the pitch at each fret.

S.O.S was developed by Hosco with MTS theory(under licensed). As S.O.S. is set at the nut area, it effects to improve the pitch at the low fret area only.

However, most of guitar players feel its improvement well, because low fret area has a big pitch gap.

| ltem# | Scale | String | S.O.S. Thickness (4th/1st) |
|---------|-----------|---------------|----------------------------|
| SOS-US1 | 340-350mm | Nylon | 1.4mm(3rd)/1.3mm |
| SOS-US2 | 340-350mm | <u>Nylgut</u> | 1.4mm(3rd)/1.3mm |
| SOS-UC1 | 380-390mm | Nylon | 1.4mm(3rd)/1.3mm |
| SOS-UC2 | 380-390mm | <u>Nylgut</u> | 1.4mm(3rd)/1.3mm |



HOW IT WORKS

SOS-US / SOS-UC For Soprano / For Concert

| 34 | 36 |
|----------------------|----------------------|
| For Soprano ukuleles | For Concert ukuleles |


| Blank | Bone Nut Pack | | | |
|-------|---------------------|-------|-------|--|
| ltem# | Size (L x H x T) mm | | | |
| M-502 | 37 x 8 x 5 | M-502 | M-502 | |

Parts

Parts

Other String Instrument Parts

Maintenance



HOSCO[®] Pack Fretwire

Boxed Fretwire

Material : Nickel-silver (HV200)


50cm long Fretwire

Length : 50cm (19-3/4")



| ltem# | Size |
|-------|---------------------------|
| HF-U1 | Mandolins, Banjos, & Ukes |
| HF-U2 | Mandolins, Banjos, & Ukes |

| | | TU-EBNRG/SDL |
|-----|-----------------|-----------------|
| | ltem# | Note |
| NEW | TU-EBBRG/SDL | w/string holes |
| NEW | TU-EBBRG/SDL-NH | No string holes |



Violin Parts







VP-TH1G

| ltem# | Description | ltem# |
|---------|---------------------------------------|---------|
| VP-CR1E | Chinrest w/Clamp, Dresden type, Ebony | VP-SD1 |
| VP-EP1E | Endpin, Standard, Ebony | VP-14 |
| VP-FG1E | Fingerboard, 4/4, Shaped, Ebony | VP-TP1E |
| VP-NT1E | Nut, Pre-shaped, Ebony | VP-TH10 |
| VP-PG1E | Peg, Standard 4/4, Ebony | |

| Description | |
|--------------------------------|--|
| Saddle, Pre-shaped, Ebony | |
| String adjuster, Nickel | |
| Tailpiece, Standard 4/4, Ebony | |
| Tailpiece fastener | |
| | |


Picks

Thumb Picks

Order picks with your logo! OEM production is available.

Please send us your logo in Illustrator format. Then we will send you a quote soon.

There are a lot of other colors besides the ones below. Contact us for further information.



| Sold per dozen | | | | |
|----------------|----------|------------|--|--|
| ltem# | Size | Color | | |
| GP-5 | Medium | Pearloid | | |
| GP-6 | Large | Pearloid | | |
| GP-7 | Large | Multicolor | | |
| GP-8 | Ex-Large | Pearloid | | |
| GP-9 | Large | Tortoise | | |

Sold per 50 pcs/bag

| ltem# | Size | Color |
|--------|--------|----------|
| T202MT | Medium | Tortoise |
| T202MS | Medium | Shell |
| T202MW | Medium | White |
| T202MB | Medium | Black |
| T200LT | Large | Tortoise |
| T200LS | Large | Shell |
| T200LW | Large | White |
| T200LB | Large | Black |

Ultem Thumb Picks

This material "Ultem" is used to many fields like medical care, science, and so on. Also, the Ultem is known as a similar material as a nail. These picks make clear sound like the one by tortoiseshell picks. MOQ: 1,000 pcs per each model



| ltem# | Size |
|-------|--------|
| UL-TM | Medium |
| UL-TL | Large |

Finger Picks

Sold per 50 pcs/bag







F300MT

F300MS F301LW F301LB

| ltem# | Size | Color |
|--------|--------|----------|
| F301MT | Medium | Tortoise |
| F301MS | Medium | Shell |
| F301MW | Medium | White |
| F301MB | Medium | Black |
| F300LT | Large | Tortoise |
| F300LS | Large | Shell |
| F300LW | Large | White |
| F300LB | Large | Black |

Relic Parts

Flat Picks

Ultem Flat Picks

This material "Ultem" is used to many fields like medical care, science, and so on. Also, the Ultem is known as a similar material as a nail. These picks make clear sound like the one by tortoiseshell picks. MOQ: 1,000 pcs per each model

| UL-TRI | | UL-TD | | UL-JZ | |
|-----------|-----------------|--|------------------|-------------|--------------|
| ltem# | Description | Item# Description Item# Descript | | Description | |
| UL-TRI0.6 | Triangle, 0.6mm | UL-TD0.6 | Tear-drop, 0.6mm | UL-JZ0.88 | Jazz, 0.88mm |
| UL-TRI0.8 | Triangle, 0.8mm | UL-TD0.8 | Tear-drop, 0.8mm | UL-JZ1.0 | Jazz, 1.0mm |
| UL-TRI1.0 | Triangle, 1.0mm | UL-TD1.0 Tear-drop, 1.0mm UL-JZ1.2 Jazz, 1.2mm | | Jazz, 1.2mm | |

Standard Flat Picks

Thin Thickness: 0.5mm

| ltem# | Shape | Color |
|-------|-------|----------|
| 1TT | No.1 | Tortoise |
| 1TS | No.1 | Shell |
| 1TW | No.1 | White |
| 1TB | No.1 | Black |
| | | |

Medium Thickness: 0.75mm

1MT 1MS 1MW

1MB

4MT

4MS

4MW

4MB

Item#

| Shape | Color | It |
|-------|----------|----|
| No.1 | Tortoise | 1 |
| No.1 | Shell | 1 |
| No.1 | White | 1 |
| No.1 | Black | 1 |

Heavy Thickness: 1.0mm

| ltem# | Shape | Color |
|-------|-------|----------|
| 1HT | No.1 | Tortoise |
| 1HS | No.1 | Shell |
| 1HW | No.1 | White |
| 1HB | No.1 | Black |
| | | |

No.1



Thin

4TT

4TS

4TW

4TB

| Thickness : 0.5mm | | | |
|-------------------|------|----------|--|
| | No.4 | Tortoise | |
| | No.4 | Shell | |
| | No.4 | White | |
| | No.4 | Black | |

Medium Thickness: 0.75mm Tortoise No.4 Shell No.4

White

Black

4HB

No.4

No.4

Thickness: 1.0mm Heavy 4HT No.4 Tortoise 4HS No.4 Shell 4HW No.4 White

Black



| Thin Thi | ckness : 0.5 | mm | Medium | Thickness | : 0.75mm |
|----------|--------------|----------|--------|-----------|----------|
| 6TT | No.6 | Tortoise | 6MT | No.6 | Tortoise |
| 6TS | No.6 | Shell | 6MS | No.6 | Shell |
| 6TW | No.6 | White | 6MW | No.6 | White |
| 6TB | No.6 | Black | 6MB | No.6 | Black |
| | | | | | |

9MT

9MS 9MW 9MB

| Heavy | | Thickness : 1.0mm | | |
|-------|-----|-------------------|----------|--|
| | 6HT | No.6 | Tortoise | |
| | 6HS | No.6 | Shell | |
| | 6HW | No.6 | White | |
| | 6HB | No.6 | Black | |

No.4

No.9

| Thin Thickness: 0.5mm | | |
|-----------------------|------|----------|
| 9TT | No.9 | Tortoise |
| 9TS | No.9 | Shell |
| 9TW | No.9 | White |
| 9TB | No.9 | Black |
| | | |


Medium Thickness: 0.75mm

| | | - |
|------|----------|-----|
| No.9 | Tortoise | 9HT |
| No.9 | Shell | 9HS |
| No.9 | White | 9HW |
| No.9 | Black | 9HB |

Heavy Thickness: 1.0mm

| - | | |
|-----|------|----------|
| 9HT | No.9 | Tortoise |
| 9HS | No.9 | Shell |
| 9HW | No.9 | White |
| 9HB | No.9 | Black |









Surface of Sand Grip

| ltem# | Shape | Size |
|-------|-------|--------|
| 1SPT | No.1 | Thin |
| 1SPM | No.1 | Medium |
| 1SPH | No.1 | Heavy |
| | | |
| 6SPT | No.6 | Thin |
| 6SPM | No.6 | Medium |
| 6SPH | No.6 | Heavy |



Surface of Rubber Grip

| ltem# | Shape | Size |
|-------|-------|--------|
| 1RPT | No.1 | Thin |
| 1RPM | No.1 | Medium |
| 1RPH | No.1 | Heavy |
| | 1 | |
| 6RPT | No.6 | Thin |
| 6RPM | No.6 | Medium |
| 6RPH | No.6 | Heavy |

Rubber Grip Picks MOQ: 1,000 pcs per each model

Front Back THIN PICKS MEDIUM 0.5mm 0.75m **1RPT** 1RPM Front Back MEDIUM THIN PICKS 6.75mm 0.5mm SINCE

6RPT



Mandolin Picks

Thickness : 1.5 mm Sold per dozen

| ltem# | Color | |
|-------|------------------|--|
| MP-10 | Black | |
| MP-11 | White | |
| MP-12 | Tortoise | |
| MP-13 | Assortment color | |
| MP-14 | Multicolor | |



MP-13 (MP-10, MP-11, and MP-12 x 4 each) 126





MP-14

Other String Instrument Parts

Accessories

Parts

Mutes

MyMute ™

The new innovation of Violin and Cello Mutes. MyMuteTM is newly designed and very easy to secure hold on its bridges with the original clamping system (Patent Pending).

Suitable for 3/4 and 4/4 size. Material : Brass / Finish : Gold








The thumbscrew on top prevents falling off.

Item#ForWeightMM-VViolin / Viola65gMM-CCello260g



Package

Violin Mute



<u>Care / Cleaning</u>

Wiping Cloths Hosco[®] Pack

Professional Care Cloth for superior finish

Quality care cloth for professional luthiers and musical instrument lovers. Best suited for removing dusts, fingerprints, cleansing chemical and compound. Anti-static feature never misses dusts. Thick ultra-fine microfiber has both flexibility and durability.

Versatile in both dry and wet use.



HWC-3739

Packaging



HOW TO USE

| ltem# | Size |
|----------|------------|
| HWC-3739 | 37 x 39 cm |

Electronics

Parts

HOSCO[®] Pack **Easy Fret Care**

Easy Fret Care includes 2 x Fret Care Cloth and 5 x Fret Care Sheet with Aluminum case

Case size : 93 x 60 x 5mm Easy Care Cloth size : 90 x 55mm Easy Care Sheet size : 91 x 55mm (16/18/21mm) Easy Care Sheet slit length : 65mm



H-EFC-S20 Easy Fret Care, 2.0mm (for Small size fret)

H-EFC-R20

H-EFC-R24

H-EFC-R28


H-EFC-S24 Easy Fret Care, 2.4mm

(for Medium size fret)



Easy Fret Care, 2.8mm

(for Jumbo size fret)



<How to use>

- 1. Please wipe the fingerboard and remove the dusts by common cloth first.
- 2. Take a piece of care sheet and put it to cover the fingerboard to show the fret.
- 3. Polish the fret by care cloth.
- 4. When polished it, remove the care sheet and put it on the next fret.
- 5. Polish the next fret in the same way.

Easy Fret Care, 2.0mm Refill Pack, w/o case

Easy Fret Care, 2.4mm Refill Pack, w/o case

Easy Fret Care, 2.8mm Refill Pack, w/o case

6. When you feel the care sheet glue gets weak, please change to a new one.



HOW TO USE

Humidity Controllers HOSCO[®] Pack

Fret Shield

A.A.A.

The Fret Shield can prevent strings from scratching frets and also absorb humidity inside of the case. Just put it between strings and fingerboard.

Strong Points

- 1) Prevents strings from scratching frets.
- 2) Controls humidity properly. 3) Odor eliminating effect and mildew-proof

4) Made in Japan

Material : Polypropylene (Exterior) / Silica gel Type B (Interior)

| ltem# | Size | For |
|---------|-------------|----------------------|
| AHM-660 | 600 x 60 mm | Guitars / Basses |
| AHM-530 | 300 x 50 mm | Ukuleles / Mandolins |

AHM-660 (600mm long)















HOW TO USE

Electronics

<u>Hygro-Thermometers</u>

HOSCO Hygro-Thermometers Hosco Pack

Our Hygrometer / Thermometer is useful as just as the indicator,

also it is the best tool to monitor your instrument if you mount in your guitar case with our optional mount kit.

Also, the H-HT60/L can be used as an interior parts of your workshop.

Features:

- * Japanese high quality mechanism, called EX senser installed.
- * Tolerance : \pm 3% for hygrometer and \pm 2 degree for Thermometer.
- * 62mm outer diameter x 19mm thickness.
- * Black face design fits for guitar case or musician's room.
- * Fahrenheit thermometer is also available.
- * Made in Japan
- * Easy to install into most of wooden guitar case with our case mount kit.

(No damage to the case!, but not sure if you can use for any kind of cases, you need to check your case first.)



With Leather Frame



H-HT60F While stock lasts

| ltem# | Description |
|---------|----------------------------------|
| H-HT60 | HOSCO Hygro-Thermometer, Celsius |
| H-HT60F | Fahrenheit version |

| | | Stand styl | | |
|----------|---|------------|---|--|
| | • | ltem# | Γ | |
| H-HT60/L | | H-HT60/L | ŀ | |

| Stand st | yle Wall Hanger styl | le |
|----------|----------------------|----|
| ltem# | Description | |


H-HT60/L H-HT60 w/Leather frame




| ltem# | Description |
|----------|-------------------------|
| H-HT60/M | H-HT60 w/Case mount kit |
| HT-MKIT | Case mount kit Only |



Neck Support Case





Parts

Master Relic Collection

ST type Parts Hoscos Pack

Pickguards



Yellowed surface worn and buffed to aged look, with dirt builtup on screw holes, worn marks on under string areas with slightly rounded edges. (MRC-ST57W1)

> Worn truss rod scope, superficial crack lines, discolored surface buffed to aged look with dirt builtup on screw holes, worn marks on under string areas with slightly rounded edges. (MRC-ST63MI3)



MRC-ST63MI3

| ltem# | Color (Mounting holes) |
|------------|-------------------------------|
| MRC-ST57W1 | Relic Vintage White 1-ply (8) |

| ltem# | Color (Mounting holes) |
|-------------|-----------------------------|
| MRC-ST63MI3 | Relic Mint Cream 3-ply (11) |

Control Knob Sets



Round edges with buffed surface on knobs with dirt builtup on the sides and darkish brown fonts, Based on White.

(MRC-STKN50W-SET)



Dirt builtup on the sides of knobs, finely worn lines on surface and oxidized green fonts, Based on Parchment White.

(MRC-STKN60W-SET)


MRC-STKN50W-SET

| Item# Description | |
|-------------------|---|
| MRC-STKN50W-SET | 50s, Relic White, 3/SET (Vx1/Tx2) |
| MRC-STKN60W-SET | 60s, Relic Parchment White, 3/SET (Vx1/Tx2) |

Arm/Switch Knob Set

Medium aged. Based on Parchment White. The arm knob has 5mm diameter hole and the switch knob fits U.S. made switches. Sold in pair.






Accessories

Other String Instrument Parts

Pickup Cover Sets







MRC-STPC50W-SET

| ltem# | Description | ltem# | Description |
|-----------------|-------------------------|-----------------|--------------------------------|
| MRC-STPC50W-SET | 50s, Relic White, 3/SET | MRC-STPC60W-SET | 60s, Relic Parchment WH, 3/SET |

Round edges with buffed surface and dirt trapped in gaps on the side and screw mounting areas. Bases on White. (MRC-STPC50W-SET)

Worn surface with finely worn lines and dirt trapped in gaps on the side and screw mounting areas. Based on Parchment White. (MRC-STPC60W-SET)

HOSCO° Pack **TL type Parts**

Pickguards



Yellowed surface worn and buffed to aged look, dirt builtup on screw holes, worn marks on under string areas with slightly rounded edges. (MRC-TL60W1)

Nitro Cellulose lacquer on front side, aged with dirt and irregular wears on surface and shadowed marks under string area. This even has a 5" tin can mark on the rear as found on most 1950s blackguard guitar pickguards. (MRC-TLBL)



MRC-TL60W1

| ltem# | Color (Mounting holes) |
|------------|-------------------------------|
| MRC-TL60W1 | Relic Vintage White 1-ply (8) |

| | MRC-TLBL |
|----------|----------------------------------|
| ltem# | Color (Mounting holes) |
| MRC-TLBL | Relic Black (Bakelite) 1-ply (5) |

Pickup Cover

Worn surface with faint shadow marks left from the strings. All tastefully done with no exaggeration.

65 4.5 5 MRC-TLPCN U Description Item# MRC-TLPCN Neck position, Aged Nickel

String Bushings

Vintage style flush fit. For TL and other non-tremolo guitars. Fits HOSCO guitar bodies. Diameter: 9.5mm Sold by a set of 6.



| ltem# | Description |
|-----------|--------------------|
| MRC-TLSBN | Aged Nickel, 6/SET |

MRC-TLSBN




Relic Parts

Jack Cover

Comes with a retainer clip.

| Item# | Finish |
|-----------|-------------|
| MRC-TLJCC | Aged Chrome |





ST/TL type Parts

Pickguard Screws


| ltem# | Description | |
|--------------|--|--|
| MRC-PGSCWN | Aged Nickel, 3.0 x 11.5mm, 100/SET | |
| MRC-PGSCWN-I | Aged Nickel, 2.8 x 12.7mm (#4-40)UNC, 19/SET, Inch | |
| MRC-PGVSSCWN | Aged Nickel, Slotted, 3.0 x 12.0mm, 100/SET | |



LP type Parts Hosco Pack

Pickguard

Discolored surface with finely worn marks and features marks, with dirt builtup on screw holes.



MRC-LP59IV

| ltem# | Description |
|------------|------------------------|
| MRC-LP59IV | '59, Relic Cream 1-ply |

Truss Rod Cover

MRC-TRCB

| ltem# | Color |
|----------|-------------------------|
| MRC-TRCB | Relic Black/White 2-ply |

Pickguard Bracket

Screws, bolt, nut, & washer included.



Position Indicator


| ltem# | Description | 0 | |
|----------|--------------------|-------|---|
| MRC-PTWN | Aged Nickel, 4/SET | ~ | 0 |
| | MRC | -PTWN | - |

Mounting Ring Screws MRC-MRSCWN MRC-MRSCWNL Flat head 16.0mm 13.0mm 2.4mm 14.0mm 2.4mm 16.0mm 2.4mm 16.0mm 16.0mm 16.0mm 2.4mm 16.0mm 2.4mm 16.0mm 10.0mm 18.0mm 2.4mm 18.0mm 2.4mm 19.0mm 2.4mm 10.0mm 10.0mm

MRC-MRSCWNL Aged Nickel, 100/SET

Pickup Cover Set

Shallow dimple on the polepiece holes, worn surface with faint shadow marks left from the strings.




MRC-HBPCN-SET

| ltem# | Description | |
|---------------|--------------------|--|
| MRC-HBPCN-SET | Aged Nickel, 2/SET | |

Jack Plate

Discolored surface with finely worn marks and features marks left by the Switchcraft[®] jacks on the front and rear.




Other String Instrument Pa

PB type Parts Hosco Pack

Pickguards

These are coated with nitrocellulose lacquer with a 5" can mark on the rear of the pickguard. Contrast marks on the under strings area. Each piece is aged uniquely and at the right areas. Made with correct template from the 50s era.

Material : Bakelite



String Bushings

Fits our TBD-**OP bass bodies. Sold by a set of 4.




| ltem# | Description |
|------------|--------------------|
| MRC-OPBSBN | Aged Nickel, 4/SET |

Finger Rest

51 P Bass Thumb Rest "Tug Bar". Made with solid maple wood and finished with nitrocellulose lacquer. Light subtle natural wears. Single screw hole, just like how it was in the 50s.

Material : Maple Screw included.

通常の Finger rest for basses に修正した



| ltem# | Description |
|-----------|----------------------|
| MRC-FREST | '51-'54, Relic Black |



The specifications and prices are subject to change without notice.